



US 20230002483A1

(19) **United States**

(12) **Patent Application Publication**  
**Emerling et al.**

(10) **Pub. No.: US 2023/0002483 A1**

(43) **Pub. Date: Jan. 5, 2023**

(54) **ANTI-CSP ANTIBODIES**

**Publication Classification**

(71) Applicant: **Atreca, Inc.**, San Carlos, CA (US)

(51) **Int. Cl.**  
**C07K 16/20** (2006.01)

**A61P 33/06** (2006.01)

(72) Inventors: **Daniel Eric Emerling**, San Carlos, CA (US); **Randal R. Ketchem**, Snohomish, WA (US); **Shaun M. Lippow**, San Carlos, CA (US); **Wayne Volkmuth**, San Carlos, CA (US); **Katherine L. Williams**, San Carlos, CA (US)

(52) **U.S. Cl.**  
CPC ..... **C07K 16/205** (2013.01); **A61P 33/06** (2018.01); **A61K 2039/505** (2013.01)

(73) Assignee: **Atreca, Inc.**, San Carlos, CA (US)

(57) **ABSTRACT**

(21) Appl. No.: **17/842,351**



The present disclosure provides anti-circumsporozoite (CSP) antibodies, compositions comprising such antibodies. Also disclosed are methods of producing the disclosed antibodies and methods of treating or preventing malaria using the same.

(22) Filed: **Jun. 16, 2022**

**Related U.S. Application Data**

**Specification includes a Sequence Listing.**

(60) Provisional application No. 63/211,820, filed on Jun. 17, 2021.






FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 3A




FIG. 3B




FIG. 3C

Seq #	LmdV CDR1	LmdV CDR2	LmdV CDR3
	LmdV131-LmdV138	LmdV139-LmdV146	LmdV147-LmdV154
MatureLinear #	AB-000224_LS_LC		
Seq #	LmdV CDR1	LmdV CDR2	LmdV CDR3
	LmdV155-LmdV162	LmdV163-LmdV170	LmdV171-LmdV178
MatureLinear #	AB-000224_LS_LC		
Seq #	LmdV CDR1	LmdV CDR2	LmdV CDR3
	LmdV179-LmdV186	LmdV187-LmdV194	LmdV195-LmdV202
MatureLinear #	AB-000224_LS_LC		

FIG. 4A

Accession #	LmdV CDR3		Accession #	LmdV FR4	
	Sequence	Accession #		Sequence	Accession #
LmdV.132	...	98.20	LmdV.132	...	112
LmdV.133	...	98.21	LmdV.133	...	113
LmdV.134	...	97	LmdV.134	...	114
LmdV.135	...	98	LmdV.135	...	115
LmdV.136	...	99	LmdV.136	...	116
LmdV.137	...	100	LmdV.137	...	117
LmdV.138	...	101	LmdV.138	...	118
LmdV.139	...	102	LmdV.139	...	119
LmdV.140	...	103	LmdV.140	...	120
LmdV.141	...	104	LmdV.141	...	121
LmdV.142	...	105	LmdV.142	...	122
LmdV.143	...	106	LmdV.143	...	123
LmdV.144	...	107	LmdV.144	...	124
LmdV.145	...	108	LmdV.145	...	125
LmdV.146	...	109	LmdV.146	...	126
LmdV.147	...	110	LmdV.147	...	127
LmdV.148	...	111	LmdV.148	...	128
LmdV.149	...	112	LmdV.149	...	129
LmdV.150	...	113	LmdV.150	...	130
LmdV.151	...	114	LmdV.151	...	131
LmdV.152	...	115	LmdV.152	...	132
LmdV.153	...	116	LmdV.153	...	133
LmdV.154	...	117	LmdV.154	...	134
LmdV.155	...	118	LmdV.155	...	135
LmdV.156	...	119	LmdV.156	...	136
LmdV.157	...	120	LmdV.157	...	137
LmdV.158	...	121	LmdV.158	...	138
LmdV.159	...	122	LmdV.159	...	139
LmdV.160	...	123	LmdV.160	...	140
LmdV.161	...	124	LmdV.161	...	141
LmdV.162	...	125	LmdV.162	...	142
LmdV.163	...	126	LmdV.163	...	143
LmdV.164	...	127	LmdV.164	...	144
LmdV.165	...	128	LmdV.165	...	145
LmdV.166	...	129	LmdV.166	...	146
LmdV.167	...	130	LmdV.167	...	147
LmdV.168	...	131	LmdV.168	...	148
LmdV.169	...	132	LmdV.169	...	149
LmdV.170	...	133	LmdV.170	...	150
LmdV.171	...	134	LmdV.171	...	151
LmdV.172	...	135	LmdV.172	...	152
LmdV.173	...	136	LmdV.173	...	153
LmdV.174	...	137	LmdV.174	...	154
LmdV.175	...	138	LmdV.175	...	155
LmdV.176	...	139	LmdV.176	...	156
LmdV.177	...	140	LmdV.177	...	157
LmdV.178	...	141	LmdV.178	...	158
LmdV.179	...	142	LmdV.179	...	159
LmdV.180	...	143	LmdV.180	...	160
LmdV.181	...	144	LmdV.181	...	161
LmdV.182	...	145	LmdV.182	...	162
LmdV.183	...	146	LmdV.183	...	163
LmdV.184	...	147	LmdV.184	...	164
LmdV.185	...	148	LmdV.185	...	165
LmdV.186	...	149	LmdV.186	...	166
LmdV.187	...	150	LmdV.187	...	167
LmdV.188	...	151	LmdV.188	...	168
LmdV.189	...	152	LmdV.189	...	169
LmdV.190	...	153	LmdV.190	...	170
LmdV.191	...	154	LmdV.191	...	171
LmdV.192	...	155	LmdV.192	...	172
LmdV.193	...	156	LmdV.193	...	173
LmdV.194	...	157	LmdV.194	...	174
LmdV.195	...	158	LmdV.195	...	175
LmdV.196	...	159	LmdV.196	...	176
LmdV.197	...	160	LmdV.197	...	177
LmdV.198	...	161	LmdV.198	...	178
LmdV.199	...	162	LmdV.199	...	179
LmdV.200	...	163	LmdV.200	...	180
LmdV.201	...	164	LmdV.201	...	181
LmdV.202	...	165	LmdV.202	...	182
LmdV.203	...	166	LmdV.203	...	183
LmdV.204	...	167	LmdV.204	...	184
LmdV.205	...	168	LmdV.205	...	185
LmdV.206	...	169	LmdV.206	...	186
LmdV.207	...	170	LmdV.207	...	187
LmdV.208	...	171	LmdV.208	...	188
LmdV.209	...	172	LmdV.209	...	189
LmdV.210	...	173	LmdV.210	...	190
LmdV.211	...	174	LmdV.211	...	191
LmdV.212	...	175	LmdV.212	...	192
LmdV.213	...	176	LmdV.213	...	193
LmdV.214	...	177	LmdV.214	...	194
LmdV.215	...	178	LmdV.215	...	195
LmdV.216	...	179	LmdV.216	...	196
LmdV.217	...	180	LmdV.217	...	197
LmdV.218	...	181	LmdV.218	...	198
LmdV.219	...	182	LmdV.219	...	199
LmdV.220	...	183	LmdV.220	...	200
LmdV.221	...	184	LmdV.221	...	201
LmdV.222	...	185	LmdV.222	...	202
LmdV.223	...	186	LmdV.223	...	203
LmdV.224	...	187	LmdV.224	...	204
LmdV.225	...	188	LmdV.225	...	205
LmdV.226	...	189	LmdV.226	...	206
LmdV.227	...	190	LmdV.227	...	207
LmdV.228	...	191	LmdV.228	...	208
LmdV.229	...	192	LmdV.229	...	209
LmdV.230	...	193	LmdV.230	...	210
LmdV.231	...	194	LmdV.231	...	211
LmdV.232	...	195	LmdV.232	...	212
LmdV.233	...	196	LmdV.233	...	213
LmdV.234	...	197	LmdV.234	...	214
LmdV.235	...	198	LmdV.235	...	215
LmdV.236	...	199	LmdV.236	...	216
LmdV.237	...	200	LmdV.237	...	217
LmdV.238	...	201	LmdV.238	...	218
LmdV.239	...	202	LmdV.239	...	219
LmdV.240	...	203	LmdV.240	...	220
LmdV.241	...	204	LmdV.241	...	221
LmdV.242	...	205	LmdV.242	...	222
LmdV.243	...	206	LmdV.243	...	223
LmdV.244	...	207	LmdV.244	...	224
LmdV.245	...	208	LmdV.245	...	225
LmdV.246	...	209	LmdV.246	...	226
LmdV.247	...	210	LmdV.247	...	227
LmdV.248	...	211	LmdV.248	...	228
LmdV.249	...	212	LmdV.249	...	229
LmdV.250	...	213	LmdV.250	...	230

FIG. 4A Continued






FIG. 4B

ASAP #	107-14	-
Material #	107-14	-
Material #	108	G
Material #	109	Y
Material #	110	Y
Material #	111	Y
Material #	112	Y
Material #	113	G
Material #	114	G
Material #	115	D
Material #	116	W
Material #	117	W
Material #	118	G
Material #	119	G
Material #	120	G
Material #	121	T
Material #	122	T
Material #	123	T
Material #	124	T
Material #	125	T
Material #	126	T
Material #	127	T
Material #	128	S
Material #	129	S
Material #	130	S
Material #	131	T
Material #	132	G
Material #	133	G
Material #	134	S
Material #	135	F
Material #	136	F
Material #	137	F
Material #	138	F
Material #	139	F
Material #	140	F
Material #	141	F
Material #	142	S
Material #	143	S
Material #	144	S
Material #	145	T
Material #	146	T
Material #	147	G
Material #	148	G
Material #	149	T
Material #	150	T
Material #	151	T
Material #	152	T

AB-000224\_LS\_HC

ASAP #	153	G
Material #	153	G
Material #	154	G
Material #	155	G
Material #	156	G
Material #	157	G
Material #	158	G
Material #	159	G
Material #	160	G
Material #	161	G
Material #	162	G
Material #	163	G
Material #	164	G
Material #	165	G
Material #	166	G
Material #	167	G
Material #	168	G
Material #	169	G
Material #	170	G
Material #	171	G
Material #	172	G
Material #	173	G
Material #	174	G
Material #	175	G
Material #	176	G
Material #	177	G
Material #	178	G
Material #	179	G
Material #	180	G
Material #	181	G
Material #	182	G
Material #	183	G
Material #	184	G
Material #	185	G
Material #	186	G
Material #	187	G
Material #	188	G
Material #	189	G
Material #	190	G
Material #	191	G
Material #	192	G
Material #	193	G
Material #	194	G
Material #	195	G
Material #	196	G
Material #	197	G
Material #	198	G
Material #	199	G
Material #	200	G
Material #	201	G
Material #	202	G
Material #	203	G
Material #	204	G
Material #	205	G
Material #	206	G
Material #	207	G
Material #	208	G
Material #	209	G
Material #	210	G
Material #	211	G
Material #	212	G
Material #	213	G
Material #	214	G
Material #	215	G
Material #	216	G
Material #	217	G
Material #	218	G
Material #	219	G
Material #	220	G
Material #	221	G
Material #	222	G
Material #	223	G
Material #	224	G
Material #	225	G
Material #	226	G
Material #	227	G
Material #	228	G
Material #	229	G
Material #	230	G
Material #	231	G
Material #	232	G
Material #	233	G
Material #	234	G
Material #	235	G
Material #	236	G
Material #	237	G
Material #	238	G
Material #	239	G
Material #	240	G

AB-000224\_LS\_HC

ASAP #	241	G
Material #	241	G
Material #	242	G
Material #	243	G
Material #	244	G
Material #	245	G
Material #	246	G
Material #	247	G
Material #	248	G
Material #	249	G
Material #	250	G
Material #	251	G
Material #	252	G
Material #	253	G
Material #	254	G
Material #	255	G
Material #	256	G
Material #	257	G
Material #	258	G
Material #	259	G
Material #	260	G
Material #	261	G
Material #	262	G
Material #	263	G
Material #	264	G
Material #	265	G
Material #	266	G
Material #	267	G
Material #	268	G
Material #	269	G
Material #	270	G
Material #	271	G
Material #	272	G
Material #	273	G
Material #	274	G
Material #	275	G
Material #	276	G
Material #	277	G
Material #	278	G
Material #	279	G
Material #	280	G
Material #	281	G
Material #	282	G
Material #	283	G
Material #	284	G
Material #	285	G
Material #	286	G
Material #	287	G
Material #	288	G
Material #	289	G
Material #	290	G
Material #	291	G
Material #	292	G
Material #	293	G
Material #	294	G
Material #	295	G
Material #	296	G
Material #	297	G
Material #	298	G
Material #	299	G
Material #	300	G
Material #	301	G
Material #	302	G
Material #	303	G
Material #	304	G
Material #	305	G
Material #	306	G
Material #	307	G
Material #	308	G
Material #	309	G
Material #	310	G
Material #	311	G
Material #	312	G
Material #	313	G
Material #	314	G
Material #	315	G
Material #	316	G
Material #	317	G
Material #	318	G
Material #	319	G
Material #	320	G
Material #	321	G
Material #	322	G
Material #	323	G
Material #	324	G
Material #	325	G
Material #	326	G
Material #	327	G
Material #	328	G
Material #	329	G
Material #	330	G
Material #	331	G
Material #	332	G
Material #	333	G
Material #	334	G
Material #	335	G
Material #	336	G
Material #	337	G
Material #	338	G
Material #	339	G
Material #	340	G

AB-000224\_LS\_HC

FIG. 4B Continued

225.7	Hinge 7
225.8	Hinge 8
225.9	Hinge 9
225.10	Hinge 10
225.11	Hinge 11
225.12	Hinge 12
225.13	Hinge 13
225.14	Hinge 14
225.15	Hinge 15
225.16	Hinge 16
225.17	Hinge 17
225.18	Hinge 18
225.19	Hinge 19
225.20	Hinge 20
225.21	Hinge 21
225.22	Hinge 22
225.23	Hinge 23
225.24	Hinge 24
225.25	Hinge 25
225.26	Hinge 26
225.27	Hinge 27
225.28	Hinge 28
225.29	Hinge 29
225.30	Hinge 30
225.31	Hinge 31
225.32	Hinge 32
225.33	Hinge 33
225.34	Hinge 34
225.35	Hinge 35
225.36	Hinge 36
225.37	Hinge 37
225.38	Hinge 38
225.39	Hinge 39
225.40	Hinge 40
225.41	Hinge 41
225.42	Hinge 42
225.43	Hinge 43
225.44	Hinge 44
225.45	Hinge 45
225.46	Hinge 46
225.47	Hinge 47
225.48	Hinge 48
225.49	Hinge 49
225.50	Hinge 50
225.51	Hinge 51
225.52	Hinge 52
225.53	Hinge 53
225.54	Hinge 54
225.55	Hinge 55
225.56	Hinge 56

ASB #  
 Material #  
 AB-000224\_LS\_HC

225.57	Hinge 57
225.58	Hinge 58
225.59	Hinge 59
225.60	Hinge 60
225.61	Hinge 61
225.62	Hinge 62
225.63	Hinge 63
225.64	Hinge 64
225.65	Hinge 65
225.66	Hinge 66
225.67	Hinge 67
225.68	Hinge 68
225.69	Hinge 69
225.70	Hinge 70
225.71	Hinge 71
225.72	Hinge 72
225.73	Hinge 73
225.74	Hinge 74
225.75	Hinge 75
225.76	Hinge 76
225.77	Hinge 77
225.78	Hinge 78
225.79	Hinge 79
225.80	Hinge 80
225.81	Hinge 81
225.82	Hinge 82
225.83	Hinge 83
225.84	Hinge 84
225.85	Hinge 85
225.86	Hinge 86
225.87	Hinge 87
225.88	Hinge 88
225.89	Hinge 89
225.90	Hinge 90
225.91	Hinge 91
225.92	Hinge 92
225.93	Hinge 93
225.94	Hinge 94
225.95	Hinge 95
226	Hinge 96
227	Hinge 97
228	Hinge 98
229	Hinge 99
229.1	Hinge 100
229.2	Hinge 101
229.3	Hinge 102
229.4	Hinge 103
229.5	Hinge 104
229.6	Hinge 105
229.7	Hinge 106

ASB #  
 Material #  
 AB-000224\_LS\_HC

230	Hinge 107
231	Hinge 108
232	Hinge 109
233	Hinge 110
234	Hinge 111
235	Hinge 112
236	Hinge 113
237	Hinge 114
238	Hinge 115
239	Hinge 116
240	Hinge 117
241	Hinge 118
242	Hinge 119
243	Hinge 120
244	Hinge 121
245	Hinge 122
246	Hinge 123
246.1	Hinge 124
246.2	Hinge 125
246.3	Hinge 126
246.4	Hinge 127
247	Hinge 128
248	Hinge 129
249	Hinge 130
250	Hinge 131
251	Hinge 132
252	Hinge 133
253	Hinge 134
254	Hinge 135
255	Hinge 136
256	Hinge 137
257	Hinge 138
258	Hinge 139
259	Hinge 140
260	Hinge 141
261	Hinge 142
262	Hinge 143
263	Hinge 144
264	Hinge 145
265	Hinge 146
266	Hinge 147
267	Hinge 148
268	Hinge 149
269	Hinge 150
270	Hinge 151
271	Hinge 152
272	Hinge 153
273	Hinge 154

ASB #  
 Material #  
 AB-000224\_LS\_HC

FIG. 4B Continued

Asst #	Metasilinear #
PC-R-34	274
PC-R-35	275
PC-R-36	276
PC-R-37	277
PC-R-38	278
PC-R-39	279
PC-R-40	280
PC-R-41	281
PC-R-42	282
PC-R-43	283
PC-R-44	284
PC-R-45	285
PC-R-46	286
PC-R-47	287
PC-R-48	287
PC-R-49	288
PC-R-50	289
PC-R-51	290
PC-R-52	291
PC-R-53	292
PC-R-54	293
PC-R-55	294
PC-R-56	295
PC-R-57	296
PC-R-58	297
PC-R-59	298
PC-R-60	299
PC-R-61	300
PC-R-62	301
PC-R-63	302
PC-R-64	303
PC-R-65	304
PC-R-66	305
PC-R-67	305
PC-R-68	306
PC-R-69	307
PC-R-70	308
PC-R-71	309
PC-R-72	310
PC-R-73	311
PC-R-74	312
PC-R-75	313
PC-R-76	314
PC-R-77	315
PC-R-78	316

Asst #	Metasilinear #
PC-C-84	317
PC-C-85	318
PC-C-86	319
PC-C-87	320
PC-C-88	321
PC-C-89	322
PC-C-90	323
PC-C-91	324
PC-C-92	325
PC-C-93	326
PC-C-94	327
PC-C-95	328
PC-C-96	329
PC-C-97	330
PC-C-98	331
PC-C-99	332
PC-C-100	333
PC-C-101	334
PC-C-102	335
PC-C-103	336
PC-C-104	337
PC-C-105	338
PC-C-106	339
PC-C-107	340
PC-C-108	341
PC-C-109	342
PC-C-110	343
PC-C-111	344
PC-C-112	345
PC-C-113	346
PC-C-114	347
PC-C-115	348
PC-C-116	349
PC-C-117	350
PC-C-118	351
PC-C-119	352
PC-C-120	353
PC-C-121	354
PC-C-122	355
PC-C-123	356
PC-C-124	357
PC-C-125	358
PC-C-126	359
PC-C-127	360

Asst #	Metasilinear #
PC-C-11	361
PC-C-12	362
PC-C-13	363
PC-C-14	364
PC-C-15	365
PC-C-16	366
PC-C-17	367
PC-C-18	368
PC-C-19	369
PC-C-20	370
PC-C-21	371
PC-C-22	372
PC-C-23	373
PC-C-24	374
PC-C-25	375
PC-C-26	376
PC-C-27	377
PC-C-28	378
PC-C-29	379
PC-C-30	380
PC-C-31	381
PC-C-32	382
PC-C-33	383
PC-C-34	384
PC-C-35	385
PC-C-36	386
PC-C-37	387
PC-C-38	388
PC-C-39	389
PC-C-40	390
PC-C-41	391
PC-C-42	392
PC-C-43	393
PC-C-44	394
PC-C-45	395
PC-C-46	396
PC-C-47	397
PC-C-48	398
PC-C-49	399
PC-C-50	400
PC-C-51	401
PC-C-52	402
PC-C-53	403
PC-C-54	404
PC-C-55	405
PC-C-56	406
PC-C-57	407
PC-C-58	408
PC-C-59	409
PC-C-60	410

FIG. 4B Continued

Patent #	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

FIG. 4B Continued

Accession #	Position	Sequence	Region
AB-007088_LS_LC	KLAF-22	...	kLdr Sig
	KLAF-21	...	
	KLAF-20	...	
	KLAF-19	...	
	KLAF-18	...	
	KLAF-17	...	
	KLAF-16	...	
	KLAF-15	...	
	KLAF-14	...	
	KLAF-13	...	
	KLAF-12	...	
	KLAF-11	...	
	KLAF-10	...	
	KLAF-9	...	
	KLAF-8	...	
	KLAF-7	...	
	KLAF-6	...	
	KLAF-5	...	
	KLAF-4	...	
	KLAF-3	...	
	KLAF-2	...	
	KLAF-1	...	
	KV-1	...	
KV-2	...		
KV-3	...		
KV-4	...		
KV-5	...		
KV-6	...		
KV-7	...		
KV-8	...		
KV-9	...		
KV-10	...		
KV-11	...		
KV-12	...		
KV-13	...		
KV-14	...		
KV-15	...		
KV-16	...		
KV-17	...		
KV-18	...		
KV-19	...		
KV-20	...		
KV-21	...		
KV-22	...		
KV-23	...		
KV-24	...		
KV-25	...		
KV-26	...		
KV-27	...		
KV-28	...		
KV-29	...	KV CDR1	
KV-30	...		
KV-31	...		
KV-32	...		
KV-33	...		
KV-34	...		
KV-35	...		
KV-36	...		
KV-37	...		
KV-38	...		
KV-39	...		
KV-40	...		
KV-41	...		
KV-42	...		
KV-43	...		
KV-44	...		
KV-45	...		
KV-46	...		
KV-47	...		
KV-48	...		
KV-49	...		
KV-50	...		
KV-51	...		
KV-52	...		
KV-53	...		
KV-54	...		
KV-55	...		
KV-56	...		
KV-57	...		
KV-58	...		
KV-59	...		
KV-60	...		
KV-61	...		
KV-62	...		
KV-63	...		
KV-64	...		
KV-65	...		
KV-66	...		
KV-67	...		
KV-68	...		
KV-69	...		
KV-70	...		
KV-71	...		
KV-72	...		
KV-73	...		
KV-74	...		
KV-75	...		
KV-76	...		
KV-77	...		
KV-78	...		
KV-79	...	KV FR2	
KV-80	...		
KV-81	...		
KV-82	...		
KV-83	...		
KV-84	...		
KV-85	...		
KV-86	...		
KV-87	...		
KV-88	...		
KV-89	...		
KV-90	...		
KV-91	...		
KV-92	...		
KV-93	...		
KV-94	...		
KV-95	...		
KV-96	...		
KV-97	...		
KV-98	...		
KV-99	...		
KV-100	...		
KV-101	...		
KV-102	...		
KV-103	...		
KV-104	...		
KV-105	...		
KV-106	...		
KV-107	...		
KV-108	...		
KV-109	...		
KV-110	...		
KV-111	...		
KV-112	...		
KV-113	...		
KV-114	...		
KV-115	...		
KV-116	...		
KV-117	...		
KV-118	...		
KV-119	...		
KV-120	...		
KV-121	...		
KV-122	...		
KV-123	...		
KV-124	...		
KV-125	...		
KV-126	...		
KV-127	...		
KV-128	...		
KV-129	...	KV FR3	
KV-130	...		
KV-131	...		
KV-132	...		
KV-133	...		
KV-134	...		
KV-135	...		
KV-136	...		
KV-137	...		
KV-138	...		
KV-139	...		
KV-140	...		
KV-141	...		
KV-142	...		
KV-143	...		
KV-144	...		
KV-145	...		
KV-146	...		
KV-147	...		
KV-148	...		
KV-149	...		
KV-150	...		
KV-151	...		
KV-152	...		
KV-153	...		
KV-154	...		
KV-155	...		
KV-156	...		
KV-157	...		
KV-158	...		
KV-159	...		
KV-160	...		
KV-161	...		
KV-162	...		
KV-163	...		
KV-164	...		
KV-165	...		
KV-166	...		
KV-167	...		
KV-168	...		
KV-169	...		
KV-170	...		
KV-171	...		
KV-172	...		
KV-173	...		
KV-174	...		
KV-175	...		
KV-176	...		
KV-177	...		
KV-178	...		
KV-179	...		
KV-180	...		
KV-181	...		
KV-182	...		
KV-183	...		
KV-184	...		
KV-185	...		
KV-186	...		
KV-187	...		
KV-188	...		
KV-189	...		
KV-190	...		
KV-191	...		
KV-192	...		
KV-193	...		
KV-194	...		
KV-195	...		
KV-196	...		
KV-197	...		
KV-198	...		
KV-199	...		
KV-200	...		
KV-201	...		
KV-202	...		
KV-203	...		
KV-204	...		
KV-205	...		
KV-206	...		
KV-207	...		
KV-208	...		
KV-209	...		
KV-210	...		
KV-211	...		
KV-212	...		
KV-213	...		
KV-214	...		
KV-215	...		
KV-216	...		
KV-217	...		
KV-218	...		
KV-219	...		
KV-220	...		
KV-221	...		
KV-222	...		
KV-223	...		
KV-224	...		
KV-225	...		
KV-226	...		
KV-227	...		
KV-228	...		
KV-229	...		
KV-230	...		

FIG. 5A






FIG. 5B





221.7	Hinge:7	221.7	Hinge:57	221.57	Hinge:107	226
221.8	Hinge:8	221.58	Hinge:58	221.58	Hinge:108	227
221.9	Hinge:9	221.59	Hinge:59	221.59	Hinge:109	228
221.10	Hinge:10	221.60	Hinge:60	221.60	Hinge:110	229
221.11	Hinge:11	221.61	Hinge:61	221.61	Hinge:111	230
221.12	Hinge:12	221.62	Hinge:62	221.62	Hinge:112	231
221.13	Hinge:13	221.63	Hinge:63	221.63	Hinge:113	232
221.14	Hinge:14	221.64	Hinge:64	221.64	Hinge:114	233
221.15	Hinge:15	221.65	Hinge:65	221.65	Hinge:115	234
221.16	Hinge:16	221.66	Hinge:66	221.66	Hinge:116	235
221.17	Hinge:17	221.67	Hinge:67	221.67	Hinge:117	236
221.18	Hinge:18	221.68	Hinge:68	221.68	Hinge:118	237
221.19	Hinge:19	221.69	Hinge:69	221.69	Hinge:119	238
221.20	Hinge:20	221.70	Hinge:70	221.70	Hinge:120	239
221.21	Hinge:21	221.71	Hinge:71	221.71	Hinge:121	240
221.22	Hinge:22	221.72	Hinge:72	221.72	Hinge:122	241
221.23	Hinge:23	221.73	Hinge:73	221.73	Hinge:123	242
221.24	Hinge:24	221.74	Hinge:74	221.74	F&N:1	242.1
221.25	Hinge:25	221.75	Hinge:75	221.75	F&N:2	242.2
221.26	Hinge:26	221.76	Hinge:76	221.76	F&N:3	242.3
221.27	Hinge:27	221.77	Hinge:77	221.77	F&N:4	242.4
221.28	Hinge:28	221.78	Hinge:78	221.78	F&N:5	243
221.29	Hinge:29	221.79	Hinge:79	221.79	F&N:6	244
221.30	Hinge:30	221.80	Hinge:80	221.80	F&N:7	245
221.31	Hinge:31	221.81	Hinge:81	221.81	F&N:8	246
221.32	Hinge:32	221.82	Hinge:82	221.82	F&N:9	247
221.33	Hinge:33	221.83	Hinge:83	221.83	F&N:10	248
221.34	Hinge:34	221.84	Hinge:84	221.84	F&N:11	249
221.35	Hinge:35	221.85	Hinge:85	221.85	F&N:12	250
221.36	Hinge:36	221.86	Hinge:86	221.86	F&N:13	251
221.37	Hinge:37	221.87	Hinge:87	221.87	F&N:14	251.1
221.38	Hinge:38	221.88	Hinge:88	221.88	F&N:15	252
221.39	Hinge:39	221.89	Hinge:89	221.89	F&N:16	253
221.40	Hinge:40	221.90	Hinge:90	221.90	F&N:17	254
221.41	Hinge:41	221.91	Hinge:91	221.91	F&N:18	254.1
221.42	Hinge:42	221.92	Hinge:92	221.92	F&N:19	255
221.43	Hinge:43	221.93	Hinge:93	221.93	F&N:20	256
221.44	Hinge:44	221.94	Hinge:94	221.94	F&N:21	257
221.45	Hinge:45	221.95	Hinge:95	221.95	F&N:22	258
221.46	Hinge:46	222	Hinge:96	222	F&N:23	259
221.47	Hinge:47	223	Hinge:97	223	F&N:24	260
221.48	Hinge:48	224	Hinge:98	224	F&N:25	261
221.49	Hinge:49	225	Hinge:99	225	F&N:26	262
221.50	Hinge:50	225.1	Hinge:100	225.1	F&N:27	263
221.51	Hinge:51	225.2	Hinge:101	225.2	F&N:28	264
221.52	Hinge:52	225.3	Hinge:102	225.3	F&N:29	265
221.53	Hinge:53	225.4	Hinge:103	225.4	F&N:30	266
221.54	Hinge:54	225.5	Hinge:104	225.5	F&N:31	267
221.55	Hinge:55	225.6	Hinge:105	225.6	F&N:32	268
221.56	Hinge:56	225.7	Hinge:106	225.7	F&N:33	269

FIG. 5B Continued

ABN #	210	PC-A34
Metasilinear #	211	PC-A35
AB-007088_LS_HC	212	PC-A36
	213	PC-A37
	214	PC-A38
	215	PC-A39
	216	PC-A40
	217	PC-A41
	218	PC-A42
	219	PC-A43
	220	PC-A44
	221	PC-A45
	222	PC-A46
	223	PC-A47
	224	PC-A48
	225	PC-A49
	226	PC-A50
	227	PC-A51
	228	PC-A52
	229	PC-A53
	230	PC-A54
	231	PC-A55
	232	PC-A56
	233	PC-A57
	234	PC-A58
	235	PC-A59
	236	PC-A60
	237	PC-A61
	238	PC-A62
	239	PC-A63
	240	PC-A64
	241	PC-A65
	242	PC-A66
	243	PC-A67
	244	PC-A68
	245	PC-A69
	246	PC-A70
	247	PC-A71
	248	PC-A72
	249	PC-A73
	250	PC-A74
	251	PC-A75
	252	PC-A76
	253	PC-A77
	254	PC-A78
	255	PC-A79
	256	PC-A80
	257	PC-A81
	258	PC-A82
	259	PC-A83
	260	PC-A84
	261	PC-A85
	262	PC-A86
	263	PC-A87
	264	PC-A88
	265	PC-A89
	266	PC-A90
	267	PC-A91
	268	PC-A92
	269	PC-A93
	270	PC-A94
	271	PC-A95
	272	PC-A96
	273	PC-A97
	274	PC-A98
	275	PC-A99
	276	PC-A100
	277	PC-A101
	278	PC-A102
	279	PC-A103
	280	PC-A104
	281	PC-A105
	282	PC-A106
	283	PC-A107
	284	PC-A108
	285	PC-A109
	286	PC-A110
	287	PC-A111
	288	PC-A112
	289	PC-A113
	290	PC-A114
	291	PC-A115
	292	PC-A116
	293	PC-A117
	294	PC-A118
	295	PC-A119
	296	PC-A120
	297	PC-A121
	298	PC-A122
	299	PC-A123
	300	PC-A124
	301	PC-A125
	302	PC-A126
	303	PC-A127
	304	PC-A128
	305	PC-A129
	306	PC-A130
	307	PC-A131
	308	PC-A132
	309	PC-A133
	310	PC-A134
	311	PC-A135
	312	PC-A136

ABN #	313	PC-C11
Metasilinear #	314	PC-C12
AB-007088_LS_HC	315	PC-C13
	316	PC-C14
	317	PC-C15
	318	PC-C16
	319	PC-C17
	320	PC-C18
	321	PC-C19
	322	PC-C20
	323	PC-C21
	324	PC-C22
	325	PC-C23
	326	PC-C24
	327	PC-C25
	328	PC-C26
	329	PC-C27
	330	PC-C28
	331	PC-C29
	332	PC-C30
	333	PC-C31
	334	PC-C32
	335	PC-C33
	336	PC-C34
	337	PC-C35
	338	PC-C36
	339	PC-C37
	340	PC-C38
	341	PC-C39
	342	PC-C40
	343	PC-C41
	344	PC-C42
	345	PC-C43
	346	PC-C44
	347	PC-C45
	348	PC-C46
	349	PC-C47
	350	PC-C48
	351	PC-C49
	352	PC-C50
	353	PC-C51
	354	PC-C52
	355	PC-C53
	356	PC-C54

ABN #	357	PC-C55
Metasilinear #	358	PC-C56
AB-007088_LS_HC	359	PC-C57
	360	PC-C58
	361	PC-C59
	362	PC-C60
	363	PC-C61
	364	PC-C62
	365	PC-C63
	366	PC-C64
	367	PC-C65
	368	PC-C66
	369	PC-C67
	370	PC-C68
	371	PC-C69
	372	PC-C70
	373	PC-C71
	374	PC-C72
	375	PC-C73
	376	PC-C74
	377	PC-C75
	378	PC-C76
	379	PC-C77
	380	PC-C78
	381	PC-C79
	382	PC-C80
	383	PC-C81
	384	PC-C82
	385	PC-C83
	386	PC-C84
	387	PC-C85
	388	PC-C86
	389	PC-C87
	390	PC-C88
	391	PC-C89
	392	PC-C90
	393	PC-C91
	394	PC-C92
	395	PC-C93
	396	PC-C94
	397	PC-C95
	398	PC-C96
	399	PC-C97
	400	PC-C98
	401	PC-C99
	402	PC-C100
	403	PC-C101
	404	PC-C102
	405	PC-C103
	406	PC-C104
	407	PC-C105
	408	PC-C106
	409	PC-C107
	410	PC-C108
	411	PC-C109
	412	PC-C110

FIG. 5B Continued

Patent #	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

FIG. 5B Continued

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
M	1	-19	LmdLdr:-19
A	2	-18	LmdLdr:-18
W	3	-17	LmdLdr:-17
A	4	-16	LmdLdr:-16
L	5	-15	LmdLdr:-15
L	6	-14	LmdLdr:-14
L	7	-13	LmdLdr:-13
L	8	-12	LmdLdr:-12
T	9	-11	LmdLdr:-11
L	10	-10	LmdLdr:-10
L	11	-9	LmdLdr:-9
T	12	-8	LmdLdr:-8
Q	13	-7	LmdLdr:-7
G	14	-6	LmdLdr:-6
T	15	-5	LmdLdr:-5
G	16	-4	LmdLdr:-4
S	17	-3	LmdLdr:-3
W	18	-2	LmdLdr:-2
A	19	-1	LmdLdr:-1
E	20	1	LmdV:1
S	21	2	LmdV:2
V	22	3	LmdV:3
L	23	4	LmdV:4
T	24	5	LmdV:5
Q	25	6	LmdV:6
P	26	7	LmdV:7
-	26.1	7.1	LmdV:8
P	27	8	LmdV:9
S	28	9	LmdV:10
V	29	10	LmdV:11
S	30	11	LmdV:12
G	31	12	LmdV:13
A	32	13	LmdV:14
P	33	14	LmdV:15
G	34	15	LmdV:16
Q	35	16	LmdV:17
R	36	17	LmdV:18
V	37	18	LmdV:19
T	38	19	LmdV:20
I	39	20	LmdV:21
S	40	21	LmdV:22
C	41	22	LmdV:23

**FIG. 6**

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
T	42	23	LmdV:24
G	43	24	LmdV:25
M	44	25	LmdV:26
N	45	26	LmdV:27
-	45.1	26.1	LmdV:28
S	46	27	LmdV:29
N	47	28	LmdV:30
I	48	29	LmdV:31
G	49	30	LmdV:32
A	50	31	LmdV:33
G	51	32	LmdV:34
-	51.1	32.1	LmdV:35
-	51.2	32.2	LmdV:36
-	51.3	32.3	LmdV:37
-	51.4	32.4	LmdV:38
Y	52	33	LmdV:39
D	53	34	LmdV:40
V	54	35	LmdV:41
Y	55	36	LmdV:42
W	56	37	LmdV:43
Y	57	38	LmdV:44
Q	58	39	LmdV:45
Q	59	40	LmdV:46
L	60	41	LmdV:47
P	61	42	LmdV:48
G	62	43	LmdV:49
R	63	44	LmdV:50
A	64	45	LmdV:51
P	65	46	LmdV:52
K	66	47	LmdV:53
L	67	48	LmdV:54
L	68	49	LmdV:55
I	69	50	LmdV:56
Y	70	51	LmdV:57
G	71	52	LmdV:58
-	71.1	52.1	LmdV:59
-	71.2	52.2	LmdV:60
-	71.3	52.3	LmdV:61
-	71.4	52.4	LmdV:62
-	71.5	52.5	LmdV:63
-	71.6	52.6	LmdV:64
-	71.7	52.7	LmdV:65

**FIG. 6 Continued**

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
-	71.8	52.8	LmdV:66
N	72	53	LmdV:67
S	73	54	LmdV:68
N	74	55	LmdV:69
R	75	56	LmdV:70
P	76	57	LmdV:71
S	77	58	LmdV:72
G	78	59	LmdV:73
V	79	60	LmdV:74
P	80	61	LmdV:75
D	81	62	LmdV:76
R	82	63	LmdV:77
F	83	64	LmdV:78
S	84	65	LmdV:79
G	85	66	LmdV:80
S	86	67	LmdV:81
R	87	68	LmdV:82
S	88	69	LmdV:83
G	89	70	LmdV:84
-	89.1	70.1	LmdV:85
-	89.2	70.2	LmdV:86
T	90	71	LmdV:87
S	91	72	LmdV:88
A	92	73	LmdV:89
S	93	74	LmdV:90
L	94	75	LmdV:91
A	95	76	LmdV:92
I	96	77	LmdV:93
T	97	78	LmdV:94
G	98	79	LmdV:95
L	99	80	LmdV:96
Q	100	81	LmdV:97
A	101	82	LmdV:98
E	102	83	LmdV:99
D	103	84	LmdV:100
E	104	85	LmdV:101
A	105	86	LmdV:102
D	106	87	LmdV:103
Y	107	88	LmdV:104
Y	108	89	LmdV:105
C	109	90	LmdV:106
Q	110	91	LmdV:107

FIG. 6 Continued

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
S	111	92	LmdV:108
Y	112	93	LmdV:109
D	113	94	LmdV:110
T	114	95	LmdV:111
S	115	96	LmdV:112
-	115.1	96.1	LmdV:113
-	115.2	96.2	LmdV:114
-	115.3	96.3	LmdV:115
-	115.4	96.4	LmdV:116
-	115.5	96.5	LmdV:117
-	115.6	96.6	LmdV:118
-	115.7	96.7	LmdV:119
-	115.8	96.8	LmdV:120
-	115.9	96.9	LmdV:121
-	115.10	96.10	LmdV:122
-	115.11	96.11	LmdV:123
-	115.12	96.12	LmdV:124
-	115.13	96.13	LmdV:125
-	115.14	96.14	LmdV:126
-	115.15	96.15	LmdV:127
-	115.16	96.16	LmdV:128
-	115.17	96.17	LmdV:129
-	115.18	96.18	LmdV:130
-	115.19	96.19	LmdV:131
-	115.20	96.20	LmdV:132
-	115.21	96.21	LmdV:133
L	116	97	LmdV:134
N	117	98	LmdV:135
G	118	99	LmdV:136
W	119	100	LmdV:137
A	120	101	LmdV:138
F	121	102	LmdV:139
G	122	103	LmdV:140
G	123	104	LmdV:141
G	124	105	LmdV:142
T	125	106	LmdV:143
K	126	107	LmdV:144
L	127	108	LmdV:145
T	128	109	LmdV:146
V	129	110	LmdV:147
L	130	111	LmdV:148
G	131	112	LmdV:149

FIG. 6 Continued



<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
Q	132	113	LmdCnst-Ig:1
P	133	114	LmdCnst-Ig:2
K	134	115	LmdCnst-Ig:3
A	135	116	LmdCnst-Ig:4
A	136	117	LmdCnst-Ig:5
P	137	118	LmdCnst-Ig:6
S	138	119	LmdCnst-Ig:7
V	139	120	LmdCnst-Ig:8
T	140	121	LmdCnst-Ig:9
L	141	122	LmdCnst-Ig:10
F	142	123	LmdCnst-Ig:11
P	143	124	LmdCnst-Ig:12
P	144	125	LmdCnst-Ig:13
S	145	126	LmdCnst-Ig:14
S	146	127	LmdCnst-Ig:15
E	147	128	LmdCnst-Ig:16
-	147.1	128.1	LmdCnst-Ig:17
-	147.2	128.2	LmdCnst-Ig:18
E	148	129	LmdCnst-Ig:19
L	149	130	LmdCnst-Ig:20
-	149.1	130.1	LmdCnst-Ig:21
-	149.2	130.2	LmdCnst-Ig:22
Q	150	131	LmdCnst-Ig:23
A	151	132	LmdCnst-Ig:24
N	152	133	LmdCnst-Ig:25
K	153	134	LmdCnst-Ig:26
A	154	135	LmdCnst-Ig:27
T	155	136	LmdCnst-Ig:28
L	156	137	LmdCnst-Ig:29
V	157	138	LmdCnst-Ig:30
C	158	139	LmdCnst-Ig:31
L	159	140	LmdCnst-Ig:32
V	160	141	LmdCnst-Ig:33
S	161	142	LmdCnst-Ig:34
D	162	143	LmdCnst-Ig:35
F	163	144	LmdCnst-Ig:36
Y	164	145	LmdCnst-Ig:37
P	165	146	LmdCnst-Ig:38
-	165.1	146.1	LmdCnst-Ig:39
-	165.2	146.2	LmdCnst-Ig:40
G	166	147	LmdCnst-Ig:41
A	167	148	LmdCnst-Ig:42

FIG. 6 Continued

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
V	168	149	LmdCnst-Ig:43
T	169	150	LmdCnst-Ig:44
V	170	151	LmdCnst-Ig:45
A	171	152	LmdCnst-Ig:46
W	172	153	LmdCnst-Ig:47
-	172.1	153.1	LmdCnst-Ig:48
K	173	154	LmdCnst-Ig:49
A	174	155	LmdCnst-Ig:50
D	175	156	LmdCnst-Ig:51
G	176	157	LmdCnst-Ig:52
S	177	158	LmdCnst-Ig:53
P	178	159	LmdCnst-Ig:54
V	179	160	LmdCnst-Ig:55
K	180	161	LmdCnst-Ig:56
V	181	162	LmdCnst-Ig:57
G	182	163	LmdCnst-Ig:58
V	183	164	LmdCnst-Ig:59
E	184	165	LmdCnst-Ig:60
T	185	166	LmdCnst-Ig:61
T	186	167	LmdCnst-Ig:62
K	187	168	LmdCnst-Ig:63
P	188	169	LmdCnst-Ig:64
S	189	170	LmdCnst-Ig:65
K	190	171	LmdCnst-Ig:66
Q	191	172	LmdCnst-Ig:67
-	191.1	172.1	LmdCnst-Ig:68
-	191.2	172.2	LmdCnst-Ig:69
-	191.3	172.3	LmdCnst-Ig:70
-	191.4	172.4	LmdCnst-Ig:71
-	191.5	172.5	LmdCnst-Ig:72
S	192	173	LmdCnst-Ig:73
N	193	174	LmdCnst-Ig:74
N	194	175	LmdCnst-Ig:75
K	195	176	LmdCnst-Ig:76
Y	196	177	LmdCnst-Ig:77
A	197	178	LmdCnst-Ig:78
A	198	179	LmdCnst-Ig:79
S	199	180	LmdCnst-Ig:80
S	200	181	LmdCnst-Ig:81
Y	201	182	LmdCnst-Ig:82
L	202	183	LmdCnst-Ig:83
S	203	184	LmdCnst-Ig:84

FIG. 6 Continued

<b>AB-000224_LS Light Chain</b>			
<b>Residue</b>	<b>Linear #</b>	<b>Mat. Linear #</b>	<b>ASN #</b>
L	204	185	LmdCnst-Ig:85
T	205	186	LmdCnst-Ig:86
P	206	187	LmdCnst-Ig:87
E	207	188	LmdCnst-Ig:88
Q	208	189	LmdCnst-Ig:89
W	209	190	LmdCnst-Ig:90
-	209.1	190.1	LmdCnst-Ig:91
K	210	191	LmdCnst-Ig:92
S	211	192	LmdCnst-Ig:93
H	212	193	LmdCnst-Ig:94
R	213	194	LmdCnst-Ig:95
S	214	195	LmdCnst-Ig:96
-	214.1	195.1	LmdCnst-Ig:97
-	214.2	195.2	LmdCnst-Ig:98
Y	215	196	LmdCnst-Ig:99
S	216	197	LmdCnst-Ig:100
C	217	198	LmdCnst-Ig:101
R	218	199	LmdCnst-Ig:102
V	219	200	LmdCnst-Ig:103
T	220	201	LmdCnst-Ig:104
H	221	202	LmdCnst-Ig:105
E	222	203	LmdCnst-Ig:106
G	223	204	LmdCnst-Ig:107
S	224	205	LmdCnst-Ig:108
T	225	206	LmdCnst-Ig:109
-	225.1	206.1	LmdCnst-Ig:110
-	225.2	206.2	LmdCnst-Ig:111
V	226	207	LmdCnst-Ig:112
E	227	208	LmdCnst-Ig:113
K	228	209	LmdCnst-Ig:114
T	229	210	LmdCnst-Ig:115
V	230	211	LmdCnst-Ig:116
-	230.1	211.1	LmdCnst-Ig:117
A	231	212	LmdCnst-Ig:118
P	232	213	LmdCnst-Ig:119
A	233	214	LmdCnst-Ig:120
E	234	215	LmdCnst-Ig:121
C	235	216	LmdCnst-Ig:122
S	236	217	LmdCnst-Ig:123

FIG. 6 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
M	1	-22	KLdr:-22
D	2	-21	KLdr:-21
M	3	-20	KLdr:-20
R	4	-19	KLdr:-19
V	5	-18	KLdr:-18
P	6	-17	KLdr:-17
A	7	-16	KLdr:-16
Q	8	-15	KLdr:-15
L	9	-14	KLdr:-14
L	10	-13	KLdr:-13
G	11	-12	KLdr:-12
L	12	-11	KLdr:-11
L	13	-10	KLdr:-10
L	14	-9	KLdr:-9
L	15	-8	KLdr:-8
W	16	-7	KLdr:-7
L	17	-6	KLdr:-6
R	18	-5	KLdr:-5
G	19	-4	KLdr:-4
A	20	-3	KLdr:-3
R	21	-2	KLdr:-2
C	22	-1	KLdr:-1
E	23	1	HV:1
V	24	2	HV:2
Q	25	3	HV:3
L	26	4	HV:4
V	27	5	HV:5
E	28	6	HV:6
S	29	7	HV:7
-	29.1	7.1	HV:8
G	30	8	HV:9
G	31	9	HV:10
G	32	10	HV:11
L	33	11	HV:12
V	34	12	HV:13
Q	35	13	HV:14
P	36	14	HV:15
G	37	15	HV:16
R	38	16	HV:17
S	39	17	HV:18
L	40	18	HV:19

FIG. 7

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
R	41	19	HV:20
L	42	20	HV:21
P	43	21	HV:22
C	44	22	HV:23
T	45	23	HV:24
A	46	24	HV:25
S	47	25	HV:26
G	48	26	HV:27
-	48.1	26.1	HV:28
F	49	27	HV:29
S	50	28	HV:30
F	51	29	HV:31
G	52	30	HV:32
D	53	31	HV:33
-	53.1	31.1	HV:34
-	53.2	31.2	HV:35
-	53.3	31.3	HV:36
-	53.4	31.4	HV:37
-	53.5	31.5	HV:38
H	54	32	HV:39
A	55	33	HV:40
M	56	34	HV:41
S	57	35	HV:42
W	58	36	HV:43
V	59	37	HV:44
R	60	38	HV:45
Q	61	39	HV:46
A	62	40	HV:47
P	63	41	HV:48
G	64	42	HV:49
K	65	43	HV:50
G	66	44	HV:51
L	67	45	HV:52
E	68	46	HV:53
W	69	47	HV:54
V	70	48	HV:55
G	71	49	HV:56
F	72	50	HV:57
I	73	51	HV:58
R	74	52	HV:59
K	75	53	HV:60
T	76	54	HV:61
-	76.1	54.1	HV:62

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
T	77	55	HV:63
Y	78	56	HV:64
G	79	57	HV:65
A	80	58	HV:66
T	81	59	HV:67
T	82	60	HV:68
H	83	61	HV:69
Y	84	62	HV:70
A	85	63	HV:71
A	86	64	HV:72
A	87	65	HV:73
V	88	66	HV:74
R	89	67	HV:75
G	90	68	HV:76
R	91	69	HV:77
F	92	70	HV:78
T	93	71	HV:79
I	94	72	HV:80
S	95	73	HV:81
R	96	74	HV:82
D	97	75	HV:83
D	98	76	HV:84
S	99	77	HV:85
K	100	78	HV:86
S	101	79	HV:87
I	102	80	HV:88
V	103	81	HV:89
Y	104	82	HV:90
L	105	83	HV:91
Q	106	84	HV:92
M	107	85	HV:93
N	108	86	HV:94
S	109	87	HV:95
L	110	88	HV:96
K	111	89	HV:97
T	112	90	HV:98
E	113	91	HV:99
D	114	92	HV:100
T	115	93	HV:101
A	116	94	HV:102
V	117	95	HV:103
Y	118	96	HV:104
F	119	97	HV:105

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
C	120	98	HV:106
T	121	99	HV:107
R	122	100	HV:108
V	123	101	HV:109
Q	124	102	HV:110
L	125	103	HV:111
D	126	104	HV:112
Y	127	105	HV:113
G	128	106	HV:114
P	129	107	HV:115
-	129.1	107.1	HV:116
-	129.2	107.2	HV:117
-	129.3	107.3	HV:118
-	129.4	107.4	HV:119
-	129.5	107.5	HV:120
-	129.6	107.6	HV:121
-	129.7	107.7	HV:122
-	129.8	107.8	HV:123
-	129.9	107.9	HV:124
-	129.10	107.10	HV:125
-	129.11	107.11	HV:126
-	129.12	107.12	HV:127
-	129.13	107.13	HV:128
-	129.14	107.14	HV:129
G	130	108	HV:130
Y	131	109	HV:131
Q	132	110	HV:132
Y	133	111	HV:133
Y	134	112	HV:134
G	135	113	HV:135
M	136	114	HV:136
D	137	115	HV:137
V	138	116	HV:138
W	139	117	HV:139
G	140	118	HV:140
Q	141	119	HV:141
G	142	120	HV:142
T	143	121	HV:143
T	144	122	HV:144
V	145	123	HV:145
T	146	124	HV:146
V	147	125	HV:147
S	148	126	HV:148

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
S	149	127	HV:149
-	149.1	127.1	HCnst-Ig:1
-	149.2	127.2	HCnst-Ig:2
A	150	128	HCnst-Ig:3
S	151	129	HCnst-Ig:4
T	152	130	HCnst-Ig:5
K	153	131	HCnst-Ig:6
G	154	132	HCnst-Ig:7
P	155	133	HCnst-Ig:8
S	156	134	HCnst-Ig:9
V	157	135	HCnst-Ig:10
F	158	136	HCnst-Ig:11
P	159	137	HCnst-Ig:12
L	160	138	HCnst-Ig:13
A	161	139	HCnst-Ig:14
P	162	140	HCnst-Ig:15
-	162.1	140.1	HCnst-Ig:16
S	163	141	HCnst-Ig:17
-	163.1	141.1	HCnst-Ig:18
S	164	142	HCnst-Ig:19
K	165	143	HCnst-Ig:20
S	166	144	HCnst-Ig:21
T	167	145	HCnst-Ig:22
S	168	146	HCnst-Ig:23
G	169	147	HCnst-Ig:24
G	170	148	HCnst-Ig:25
T	171	149	HCnst-Ig:26
A	172	150	HCnst-Ig:27
A	173	151	HCnst-Ig:28
L	174	152	HCnst-Ig:29
G	175	153	HCnst-Ig:30
C	176	154	HCnst-Ig:31
L	177	155	HCnst-Ig:32
V	178	156	HCnst-Ig:33
K	179	157	HCnst-Ig:34
D	180	158	HCnst-Ig:35
Y	181	159	HCnst-Ig:36
F	182	160	HCnst-Ig:37
P	183	161	HCnst-Ig:38
-	183.1	161.1	HCnst-Ig:39
-	183.2	161.2	HCnst-Ig:40
E	184	162	HCnst-Ig:41
P	185	163	HCnst-Ig:42

FIG. 7 Continued



AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
V	186	164	HCnst-Ig:43
T	187	165	HCnst-Ig:44
V	188	166	HCnst-Ig:45
S	189	167	HCnst-Ig:46
W	190	168	HCnst-Ig:47
-	190.1	168.1	HCnst-Ig:48
N	191	169	HCnst-Ig:49
S	192	170	HCnst-Ig:50
G	193	171	HCnst-Ig:51
A	194	172	HCnst-Ig:52
L	195	173	HCnst-Ig:53
T	196	174	HCnst-Ig:54
S	197	175	HCnst-Ig:55
G	198	176	HCnst-Ig:56
V	199	177	HCnst-Ig:57
H	200	178	HCnst-Ig:58
T	201	179	HCnst-Ig:59
-	201.1	179.1	HCnst-Ig:60
-	201.2	179.2	HCnst-Ig:61
-	201.3	179.3	HCnst-Ig:62
F	202	180	HCnst-Ig:63
P	203	181	HCnst-Ig:64
A	204	182	HCnst-Ig:65
V	205	183	HCnst-Ig:66
L	206	184	HCnst-Ig:67
Q	207	185	HCnst-Ig:68
-	207.1	185.1	HCnst-Ig:69
-	207.2	185.2	HCnst-Ig:70
-	207.3	185.3	HCnst-Ig:71
-	207.4	185.4	HCnst-Ig:72
S	208	186	HCnst-Ig:73
S	209	187	HCnst-Ig:74
G	210	188	HCnst-Ig:75
L	211	189	HCnst-Ig:76
Y	212	190	HCnst-Ig:77
S	213	191	HCnst-Ig:78
L	214	192	HCnst-Ig:79
S	215	193	HCnst-Ig:80
S	216	194	HCnst-Ig:81
V	217	195	HCnst-Ig:82
V	218	196	HCnst-Ig:83
T	219	197	HCnst-Ig:84
V	220	198	HCnst-Ig:85

FIG. 7 Continued<sub>2</sub>

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
P	221	199	HCnst-Ig:86
S	222	200	HCnst-Ig:87
S	223	201	HCnst-Ig:88
S	224	202	HCnst-Ig:89
L	225	203	HCnst-Ig:90
-	225.1	203.1	HCnst-Ig:91
G	226	204	HCnst-Ig:92
T	227	205	HCnst-Ig:93
Q	228	206	HCnst-Ig:94
T	229	207	HCnst-Ig:95
-	229.1	207.1	HCnst-Ig:96
-	229.2	207.2	HCnst-Ig:97
-	229.3	207.3	HCnst-Ig:98
Y	230	208	HCnst-Ig:99
I	231	209	HCnst-Ig:100
C	232	210	HCnst-Ig:101
N	233	211	HCnst-Ig:102
V	234	212	HCnst-Ig:103
N	235	213	HCnst-Ig:104
H	236	214	HCnst-Ig:105
K	237	215	HCnst-Ig:106
P	238	216	HCnst-Ig:107
S	239	217	HCnst-Ig:108
N	240	218	HCnst-Ig:109
-	240.1	218.1	HCnst-Ig:110
-	240.2	218.2	HCnst-Ig:111
T	241	219	HCnst-Ig:112
K	242	220	HCnst-Ig:113
V	243	221	HCnst-Ig:114
D	244	222	HCnst-Ig:115
K	245	223	HCnst-Ig:116
-	245.1	223.1	HCnst-Ig:117
K	246	224	HCnst-Ig:118
V	247	225	HCnst-Ig:119
-	247.1	225.1	HCnst-Ig:120
-	247.2	225.2	HCnst-Ig:121
-	247.3	225.3	HCnst-Ig:122
-	247.4	225.4	HCnst-Ig:123
-	247.5	225.1	Hinge:1
-	247.6	225.2	Hinge:2
-	247.7	225.3	Hinge:3
-	247.8	225.4	Hinge:4
-	247.9	225.5	Hinge:5

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	247.10	225.6	Hinge:6
-	247.11	225.7	Hinge:7
-	247.12	225.8	Hinge:8
-	247.13	225.9	Hinge:9
-	247.14	225.10	Hinge:10
-	247.15	225.11	Hinge:11
-	247.16	225.12	Hinge:12
-	247.17	225.13	Hinge:13
-	247.18	225.14	Hinge:14
-	247.19	225.15	Hinge:15
-	247.20	225.16	Hinge:16
-	247.21	225.17	Hinge:17
-	247.22	225.18	Hinge:18
-	247.23	225.19	Hinge:19
-	247.24	225.20	Hinge:20
-	247.25	225.21	Hinge:21
-	247.26	225.22	Hinge:22
-	247.27	225.23	Hinge:23
-	247.28	225.24	Hinge:24
-	247.29	225.25	Hinge:25
-	247.30	225.26	Hinge:26
-	247.31	225.27	Hinge:27
-	247.32	225.28	Hinge:28
-	247.33	225.29	Hinge:29
-	247.34	225.30	Hinge:30
-	247.35	225.31	Hinge:31
-	247.36	225.32	Hinge:32
-	247.37	225.33	Hinge:33
-	247.38	225.34	Hinge:34
-	247.39	225.35	Hinge:35
-	247.40	225.36	Hinge:36
-	247.41	225.37	Hinge:37
-	247.42	225.38	Hinge:38
-	247.43	225.39	Hinge:39
-	247.44	225.40	Hinge:40
-	247.45	225.41	Hinge:41
-	247.46	225.42	Hinge:42
-	247.47	225.43	Hinge:43
-	247.48	225.44	Hinge:44
-	247.49	225.45	Hinge:45
-	247.50	225.46	Hinge:46
-	247.51	225.47	Hinge:47
-	247.52	225.48	Hinge:48

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	247.53	225.49	Hinge:49
-	247.54	225.50	Hinge:50
-	247.55	225.51	Hinge:51
-	247.56	225.52	Hinge:52
-	247.57	225.53	Hinge:53
-	247.58	225.54	Hinge:54
-	247.59	225.55	Hinge:55
-	247.60	225.56	Hinge:56
-	247.61	225.57	Hinge:57
-	247.62	225.58	Hinge:58
-	247.63	225.59	Hinge:59
-	247.64	225.60	Hinge:60
-	247.65	225.61	Hinge:61
-	247.66	225.62	Hinge:62
-	247.67	225.63	Hinge:63
-	247.68	225.64	Hinge:64
-	247.69	225.65	Hinge:65
-	247.70	225.66	Hinge:66
-	247.71	225.67	Hinge:67
-	247.72	225.68	Hinge:68
-	247.73	225.69	Hinge:69
-	247.74	225.70	Hinge:70
-	247.75	225.71	Hinge:71
-	247.76	225.72	Hinge:72
-	247.77	225.73	Hinge:73
-	247.78	225.74	Hinge:74
-	247.79	225.75	Hinge:75
-	247.80	225.76	Hinge:76
-	247.81	225.77	Hinge:77
-	247.82	225.78	Hinge:78
-	247.83	225.79	Hinge:79
-	247.84	225.80	Hinge:80
-	247.85	225.81	Hinge:81
-	247.86	225.82	Hinge:82
-	247.87	225.83	Hinge:83
-	247.88	225.84	Hinge:84
-	247.89	225.85	Hinge:85
-	247.90	225.86	Hinge:86
-	247.91	225.87	Hinge:87
-	247.92	225.88	Hinge:88
-	247.93	225.89	Hinge:89
-	247.94	225.90	Hinge:90
-	247.95	225.91	Hinge:91

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	247.96	225.92	Hinge:92
-	247.97	225.93	Hinge:93
-	247.98	225.94	Hinge:94
-	247.99	225.95	Hinge:95
E	248	226	Hinge:96
P	249	227	Hinge:97
K	250	228	Hinge:98
S	251	229	Hinge:99
-	251.1	229.1	Hinge:100
-	251.2	229.2	Hinge:101
-	251.3	229.3	Hinge:102
-	251.4	229.4	Hinge:103
-	251.5	229.5	Hinge:104
-	251.6	229.6	Hinge:105
-	251.7	229.7	Hinge:106
C	252	230	Hinge:107
D	253	231	Hinge:108
K	254	232	Hinge:109
T	255	233	Hinge:110
H	256	234	Hinge:111
T	257	235	Hinge:112
C	258	236	Hinge:113
P	259	237	Hinge:114
P	260	238	Hinge:115
C	261	239	Hinge:116
P	262	240	Hinge:117
A	263	241	Hinge:118
P	264	242	Hinge:119
E	265	243	Hinge:120
L	266	244	Hinge:121
L	267	245	Hinge:122
G	268	246	Hinge:123
-	268.1	246.1	Fc-N:1
-	268.2	246.2	Fc-N:2
-	268.3	246.3	Fc-N:3
-	268.4	246.4	Fc-N:4
G	269	247	Fc-N:5
P	270	248	Fc-N:6
S	271	249	Fc-N:7
V	272	250	Fc-N:8
F	273	251	Fc-N:9
L	274	252	Fc-N:10
F	275	253	Fc-N:11

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
P	276	254	Fc-N:12
P	277	255	Fc-N:13
-	277.1	255.1	Fc-N:14
K	278	256	Fc-N:15
P	279	257	Fc-N:16
K	280	258	Fc-N:17
-	280.1	258.1	Fc-N:18
D	281	259	Fc-N:19
T	282	260	Fc-N:20
L	283	261	Fc-N:21
M	284	262	Fc-N:22
I	285	263	Fc-N:23
S	286	264	Fc-N:24
R	287	265	Fc-N:25
T	288	266	Fc-N:26
P	289	267	Fc-N:27
E	290	268	Fc-N:28
V	291	269	Fc-N:29
T	292	270	Fc-N:30
C	293	271	Fc-N:31
V	294	272	Fc-N:32
V	295	273	Fc-N:33
V	296	274	Fc-N:34
D	297	275	Fc-N:35
V	298	276	Fc-N:36
S	299	277	Fc-N:37
H	300	278	Fc-N:38
E	301	279	Fc-N:39
D	302	280	Fc-N:40
P	303	281	Fc-N:41
E	304	282	Fc-N:42
V	305	283	Fc-N:43
K	306	284	Fc-N:44
F	307	285	Fc-N:45
N	308	286	Fc-N:46
W	309	287	Fc-N:47
-	309.1	287.1	Fc-N:48
Y	310	288	Fc-N:49
V	311	289	Fc-N:50
D	312	290	Fc-N:51
G	313	291	Fc-N:52
V	314	292	Fc-N:53
E	315	293	Fc-N:54

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	315.1	293.1	Fc-N:55
-	315.2	293.2	Fc-N:56
V	316	294	Fc-N:57
H	317	295	Fc-N:58
N	318	296	Fc-N:59
A	319	297	Fc-N:60
K	320	298	Fc-N:61
T	321	299	Fc-N:62
K	322	300	Fc-N:63
P	323	301	Fc-N:64
R	324	302	Fc-N:65
E	325	303	Fc-N:66
E	326	304	Fc-N:67
Q	327	305	Fc-N:68
-	327.1	305.1	Fc-N:69
-	327.2	305.2	Fc-N:70
-	327.3	305.3	Fc-N:71
-	327.4	305.4	Fc-N:72
Y	328	306	Fc-N:73
N	329	307	Fc-N:74
S	330	308	Fc-N:75
T	331	309	Fc-N:76
Y	332	310	Fc-N:77
R	333	311	Fc-N:78
V	334	312	Fc-N:79
V	335	313	Fc-N:80
S	336	314	Fc-N:81
V	337	315	Fc-N:82
L	338	316	Fc-N:83
T	339	317	Fc-N:84
V	340	318	Fc-N:85
L	341	319	Fc-N:86
H	342	320	Fc-N:87
Q	343	321	Fc-N:88
D	344	322	Fc-N:89
W	345	323	Fc-N:90
-	345.1	323.1	Fc-N:91
L	346	324	Fc-N:92
N	347	325	Fc-N:93
G	348	326	Fc-N:94
K	349	327	Fc-N:95
E	350	328	Fc-N:96
-	350.1	328.1	Fc-N:97

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	350.2	328.2	Fc-N:98
Y	351	329	Fc-N:99
K	352	330	Fc-N:100
C	353	331	Fc-N:101
K	354	332	Fc-N:102
V	355	333	Fc-N:103
S	356	334	Fc-N:104
N	357	335	Fc-N:105
K	358	336	Fc-N:106
A	359	337	Fc-N:107
L	360	338	Fc-N:108
P	361	339	Fc-N:109
-	361.1	339.1	Fc-N:110
-	361.2	339.2	Fc-N:111
A	362	340	Fc-N:112
P	363	341	Fc-N:113
I	364	342	Fc-N:114
E	365	343	Fc-N:115
K	366	344	Fc-N:116
T	367	345	Fc-N:117
I	368	346	Fc-N:118
S	369	347	Fc-N:119
K	370	348	Fc-N:120
A	371	349	Fc-N:121
K	372	350	Fc-N:122
G	373	351	Fc-N:123
-	373.1	351.1	Fc-C:1
Q	374	352	Fc-C:2
P	375	353	Fc-C:3
R	376	354	Fc-C:4
E	377	355	Fc-C:5
P	378	356	Fc-C:6
Q	379	357	Fc-C:7
V	380	358	Fc-C:8
Y	381	359	Fc-C:9
T	382	360	Fc-C:10
L	383	361	Fc-C:11
P	384	362	Fc-C:12
P	385	363	Fc-C:13
-	385.1	363.1	Fc-C:14
S	386	364	Fc-C:15
R	387	365	Fc-C:16
D	388	366	Fc-C:17

FIG. 7 Continued



AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	388.1	366.1	Fc-C:18
E	389	367	Fc-C:19
L	390	368	Fc-C:20
-	390.1	368.1	Fc-C:21
-	390.2	368.2	Fc-C:22
T	391	369	Fc-C:23
K	392	370	Fc-C:24
N	393	371	Fc-C:25
Q	394	372	Fc-C:26
V	395	373	Fc-C:27
S	396	374	Fc-C:28
L	397	375	Fc-C:29
T	398	376	Fc-C:30
C	399	377	Fc-C:31
L	400	378	Fc-C:32
V	401	379	Fc-C:33
K	402	380	Fc-C:34
G	403	381	Fc-C:35
F	404	382	Fc-C:36
Y	405	383	Fc-C:37
P	406	384	Fc-C:38
-	406.1	384.1	Fc-C:39
-	406.2	384.2	Fc-C:40
S	407	385	Fc-C:41
D	408	386	Fc-C:42
I	409	387	Fc-C:43
A	410	388	Fc-C:44
V	411	389	Fc-C:45
E	412	390	Fc-C:46
W	413	391	Fc-C:47
-	413.1	391.1	Fc-C:48
E	414	392	Fc-C:49
S	415	393	Fc-C:50
N	416	394	Fc-C:51
G	417	395	Fc-C:52
Q	418	396	Fc-C:53
P	419	397	Fc-C:54
-	419.1	397.1	Fc-C:55
-	419.2	397.2	Fc-C:56
E	420	398	Fc-C:57
N	421	399	Fc-C:58
N	422	400	Fc-C:59
Y	423	401	Fc-C:60

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
K	424	402	Fc-C:61
T	425	403	Fc-C:62
T	426	404	Fc-C:63
P	427	405	Fc-C:64
P	428	406	Fc-C:65
V	429	407	Fc-C:66
L	430	408	Fc-C:67
D	431	409	Fc-C:68
-	431.1	409.1	Fc-C:69
-	431.2	409.2	Fc-C:70
-	431.3	409.3	Fc-C:71
-	431.4	409.4	Fc-C:72
S	432	410	Fc-C:73
D	433	411	Fc-C:74
G	434	412	Fc-C:75
S	435	413	Fc-C:76
F	436	414	Fc-C:77
F	437	415	Fc-C:78
L	438	416	Fc-C:79
Y	439	417	Fc-C:80
S	440	418	Fc-C:81
K	441	419	Fc-C:82
L	442	420	Fc-C:83
T	443	421	Fc-C:84
V	444	422	Fc-C:85
D	445	423	Fc-C:86
K	446	424	Fc-C:87
S	447	425	Fc-C:88
R	448	426	Fc-C:89
W	449	427	Fc-C:90
-	449.1	427.1	Fc-C:91
Q	450	428	Fc-C:92
Q	451	429	Fc-C:93
G	452	430	Fc-C:94
N	453	431	Fc-C:95
V	454	432	Fc-C:96
-	454.1	432.1	Fc-C:97
-	454.2	432.2	Fc-C:98
F	455	433	Fc-C:99
S	456	434	Fc-C:100
C	457	435	Fc-C:101
S	458	436	Fc-C:102
V	459	437	Fc-C:103

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
L	460	438	Fc-C:104
H	461	439	Fc-C:105
E	462	440	Fc-C:106
A	463	441	Fc-C:107
L	464	442	Fc-C:108
H	465	443	Fc-C:109
-	465.1	443.1	Fc-C:110
-	465.2	443.2	Fc-C:111
S	466	444	Fc-C:112
H	467	445	Fc-C:113
Y	468	446	Fc-C:114
T	469	447	Fc-C:115
-	469.1	447.1	Fc-C:116
Q	470	448	Fc-C:117
K	471	449	Fc-C:118
S	472	450	Fc-C:119
L	473	451	Fc-C:120
S	474	452	Fc-C:121
L	475	453	Fc-C:122
S	476	454	Fc-C:123
P	477	455	HCnst-Po:1
G	478	456	HCnst-Po:2
K	479	457	HCnst-Po:3
-	479.1	457.1	HCnst-Po:4
-	479.2	457.2	HCnst-Po:5
-	479.3	457.3	HCnst-Po:6
-	479.4	457.4	HCnst-Po:7
-	479.5	457.5	HCnst-Po:8
-	479.6	457.6	HCnst-Po:9
-	479.7	457.7	HCnst-Po:10
-	479.8	457.8	HCnst-Po:11
-	479.9	457.9	HCnst-Po:12
-	479.10	457.10	HCnst-Po:13
-	479.11	457.11	HCnst-Po:14
-	479.12	457.12	HCnst-Po:15
-	479.13	457.13	HCnst-Po:16
-	479.14	457.14	HCnst-Po:17
-	479.15	457.15	HCnst-Po:18
-	479.16	457.16	HCnst-Po:19
-	479.17	457.17	HCnst-Po:20
-	479.18	457.18	HCnst-Po:21
-	479.19	457.19	HCnst-Po:22
-	479.20	457.20	HCnst-Po:23

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	479.21	457.21	HCnst-Po:24
-	479.22	457.22	HCnst-Po:25
-	479.23	457.23	HCnst-Po:26
-	479.24	457.24	HCnst-Po:27
-	479.25	457.25	HCnst-Po:28
-	479.26	457.26	HCnst-Po:29
-	479.27	457.27	HCnst-Po:30
-	479.28	457.28	HCnst-Po:31
-	479.29	457.29	HCnst-Po:32
-	479.30	457.30	HCnst-Po:33
-	479.31	457.31	HCnst-Po:34
-	479.32	457.32	HCnst-Po:35
-	479.33	457.33	HCnst-Po:36
-	479.34	457.34	HCnst-Po:37
-	479.35	457.35	HCnst-Po:38
-	479.36	457.36	HCnst-Po:39
-	479.37	457.37	HCnst-Po:40
-	479.38	457.38	HCnst-Po:41
-	479.39	457.39	HCnst-Po:42
-	479.40	457.40	HCnst-Po:43
-	479.41	457.41	HCnst-Po:44
-	479.42	457.42	HCnst-Po:45
-	479.43	457.43	HCnst-Po:46
-	479.44	457.44	HCnst-Po:47
-	479.45	457.45	HCnst-Po:48
-	479.46	457.46	HCnst-Po:49
-	479.47	457.47	HCnst-Po:50
-	479.48	457.48	HCnst-Po:51
-	479.49	457.49	HCnst-Po:52
-	479.50	457.50	HCnst-Po:53
-	479.51	457.51	HCnst-Po:54
-	479.52	457.52	HCnst-Po:55
-	479.53	457.53	HCnst-Po:56
-	479.54	457.54	HCnst-Po:57
-	479.55	457.55	HCnst-Po:58
-	479.56	457.56	HCnst-Po:59
-	479.57	457.57	HCnst-Po:60
-	479.58	457.58	HCnst-Po:61
-	479.59	457.59	HCnst-Po:62
-	479.60	457.60	HCnst-Po:63
-	479.61	457.61	HCnst-Po:64
-	479.62	457.62	HCnst-Po:65
-	479.63	457.63	HCnst-Po:66

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	479.64	457.64	HCnst-Po:67
-	479.65	457.65	HCnst-Po:68
-	479.66	457.66	HCnst-Po:69
-	479.67	457.67	HCnst-Po:70
-	479.68	457.68	HCnst-Po:71
-	479.69	457.69	HCnst-Po:72
-	479.70	457.70	HCnst-Po:73
-	479.71	457.71	HCnst-Po:74
-	479.72	457.72	HCnst-Po:75
-	479.73	457.73	HCnst-Po:76
-	479.74	457.74	HCnst-Po:77
-	479.75	457.75	HCnst-Po:78
-	479.76	457.76	HCnst-Po:79
-	479.77	457.77	HCnst-Po:80
-	479.78	457.78	HCnst-Po:81
-	479.79	457.79	HCnst-Po:82
-	479.80	457.80	HCnst-Po:83
-	479.81	457.81	HCnst-Po:84
-	479.82	457.82	HCnst-Po:85
-	479.83	457.83	HCnst-Po:86
-	479.84	457.84	HCnst-Po:87
-	479.85	457.85	HCnst-Po:88
-	479.86	457.86	HCnst-Po:89
-	479.87	457.87	HCnst-Po:90
-	479.88	457.88	HCnst-Po:91
-	479.89	457.89	HCnst-Po:92
-	479.90	457.90	HCnst-Po:93
-	479.91	457.91	HCnst-Po:94
-	479.92	457.92	HCnst-Po:95
-	479.93	457.93	HCnst-Po:96
-	479.94	457.94	HCnst-Po:97
-	479.95	457.95	HCnst-Po:98
-	479.96	457.96	HCnst-Po:99
-	479.97	457.97	HCnst-Po:100
-	479.98	457.98	HCnst-Po:101
-	479.99	457.99	HCnst-Po:102
-	479.100	457.100	HCnst-Po:103
-	479.101	457.101	HCnst-Po:104
-	479.102	457.102	HCnst-Po:105
-	479.103	457.103	HCnst-Po:106
-	479.104	457.104	HCnst-Po:107
-	479.105	457.105	HCnst-Po:108
-	479.106	457.106	HCnst-Po:109

FIG. 7 Continued

AB-000224_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	479.107	457.107	HCnst-Po:110
-	479.108	457.108	HCnst-Po:111
-	479.109	457.109	HCnst-Po:112
-	479.110	457.110	HCnst-Po:113
-	479.111	457.111	HCnst-Po:114
-	479.112	457.112	HCnst-Po:115
-	479.113	457.113	HCnst-Po:116
-	479.114	457.114	HCnst-Po:117
-	479.115	457.115	HCnst-Po:118
-	479.116	457.116	HCnst-Po:119
-	479.117	457.117	HCnst-Po:120
-	479.118	457.118	HCnst-Po:121
-	479.119	457.119	HCnst-Po:122
-	479.120	457.120	HCnst-Po:123

FIG. 7 Continued

AB-007088_LS_Light Chain			
Residue	Linear #	Mat. Linear #	ASN #
M	1	-22	KLdr:-22
D	2	-21	KLdr:-21
M	3	-20	KLdr:-20
R	4	-19	KLdr:-19
V	5	-18	KLdr:-18
P	6	-17	KLdr:-17
A	7	-16	KLdr:-16
Q	8	-15	KLdr:-15
L	9	-14	KLdr:-14
L	10	-13	KLdr:-13
G	11	-12	KLdr:-12
L	12	-11	KLdr:-11
L	13	-10	KLdr:-10
L	14	-9	KLdr:-9
L	15	-8	KLdr:-8
W	16	-7	KLdr:-7
L	17	-6	KLdr:-6
R	18	-5	KLdr:-5
G	19	-4	KLdr:-4
A	20	-3	KLdr:-3
R	21	-2	KLdr:-2
C	22	-1	KLdr:-1
G	23	1	KV:1
V	24	2	KV:2
Q	25	3	KV:3
M	26	4	KV:4
T	27	5	KV:5
Q	28	6	KV:6
S	29	7	KV:7
P	30	8	KV:8
S	31	9	KV:9
T	32	10	KV:10
L	33	11	KV:11
S	34	12	KV:12
A	35	13	KV:13
S	36	14	KV:14
V	37	15	KV:15
G	38	16	KV:16
D	39	17	KV:17
R	40	18	KV:18
V	41	19	KV:19
T	42	20	KV:20
L	43	21	KV:21

FIG. 8

T	44	22	KV:22
C	45	23	KV:23
R	46	24	KV:24
A	47	25	KV:25
S	48	26	KV:26
-	48.1	26.1	KV:27
-	48.2	26.2	KV:28
Q	49	27	KV:29
S	50	28	KV:30
I	51	29	KV:31
S	52	30	KV:32
S	53	31	KV:33
-	53.1	31.1	KV:34
-	53.2	31.2	KV:35
-	53.3	31.3	KV:36
-	53.4	31.4	KV:37
-	53.5	31.5	KV:38
-	53.6	31.6	KV:39
W	54	32	KV:40
L	55	33	KV:41
A	56	34	KV:42
W	57	35	KV:43
Y	58	36	KV:44
Q	59	37	KV:45
Q	60	38	KV:46
K	61	39	KV:47
P	62	40	KV:48
G	63	41	KV:49
K	64	42	KV:50
A	65	43	KV:51
P	66	44	KV:52
K	67	45	KV:53
L	68	46	KV:54
L	69	47	KV:55
I	70	48	KV:56
Y	71	49	KV:57
D	72	50	KV:58
-	72.1	50.1	KV:59
-	72.2	50.2	KV:60
-	72.3	50.3	KV:61
-	72.4	50.4	KV:62
-	72.5	50.5	KV:63
-	72.6	50.6	KV:64
-	72.7	50.7	KV:65
-	72.8	50.8	KV:66
A	73	51	KV:67

FIG. 8 Continued



S	74	52	KV:68
S	75	53	KV:69
L	76	54	KV:70
E	77	55	KV:71
S	78	56	KV:72
G	79	57	KV:73
V	80	58	KV:74
P	81	59	KV:75
S	82	60	KV:76
R	83	61	KV:77
F	84	62	KV:78
S	85	63	KV:79
G	86	64	KV:80
S	87	65	KV:81
G	88	66	KV:82
S	89	67	KV:83
G	90	68	KV:84
-	90.1	68.1	KV:85
-	90.2	68.2	KV:86
T	91	69	KV:87
E	92	70	KV:88
F	93	71	KV:89
T	94	72	KV:90
L	95	73	KV:91
T	96	74	KV:92
I	97	75	KV:93
S	98	76	KV:94
S	99	77	KV:95
L	100	78	KV:96
Q	101	79	KV:97
P	102	80	KV:98
D	103	81	KV:99
D	104	82	KV:100
F	105	83	KV:101
A	106	84	KV:102
T	107	85	KV:103
Y	108	86	KV:104
Y	109	87	KV:105
C	110	88	KV:106
Q	111	89	KV:107
Q	112	90	KV:108
Y	113	91	KV:109
N	114	92	KV:110
S	115	93	KV:111
-	115.1	93.1	KV:112
-	115.2	93.2	KV:113

FIG. 8 Continued

-	115.3	93.3	KV:114
-	115.4	93.4	KV:115
-	115.5	93.5	KV:116
-	115.6	93.6	KV:117
-	115.7	93.7	KV:118
-	115.8	93.8	KV:119
-	115.9	93.9	KV:120
-	115.10	93.10	KV:121
-	115.11	93.11	KV:122
-	115.12	93.12	KV:123
-	115.13	93.13	KV:124
-	115.14	93.14	KV:125
-	115.15	93.15	KV:126
-	115.16	93.16	KV:127
-	115.17	93.17	KV:128
-	115.18	93.18	KV:129
-	115.19	93.19	KV:130
-	115.20	93.20	KV:131
-	115.21	93.21	KV:132
-	115.22	93.22	KV:133
Y	116	94	KV:134
S	117	95	KV:135
F	118	96	KV:136
W	119	97	KV:137
T	120	98	KV:138
F	121	99	KV:139
G	122	100	KV:140
Q	123	101	KV:141
G	124	102	KV:142
T	125	103	KV:143
K	126	104	KV:144
V	127	105	KV:145
E	128	106	KV:146
I	129	107	KV:147
K	130	108	KV:148
R	131	109	KV:149
-	131.1	109.1	KCnst-Ig:1
T	132	110	KCnst-Ig:2
V	133	111	KCnst-Ig:3
A	134	112	KCnst-Ig:4
A	135	113	KCnst-Ig:5
P	136	114	KCnst-Ig:6
S	137	115	KCnst-Ig:7
V	138	116	KCnst-Ig:8
F	139	117	KCnst-Ig:9
I	140	118	KCnst-Ig:10

FIG. 8 Continued

F	141	119	KCnst-Ig:11
P	142	120	KCnst-Ig:12
P	143	121	KCnst-Ig:13
S	144	122	KCnst-Ig:14
D	145	123	KCnst-Ig:15
E	146	124	KCnst-Ig:16
-	146.1	124.1	KCnst-Ig:17
-	146.2	124.2	KCnst-Ig:18
Q	147	125	KCnst-Ig:19
L	148	126	KCnst-Ig:20
-	148.1	126.1	KCnst-Ig:21
-	148.2	126.2	KCnst-Ig:22
K	149	127	KCnst-Ig:23
S	150	128	KCnst-Ig:24
G	151	129	KCnst-Ig:25
T	152	130	KCnst-Ig:26
A	153	131	KCnst-Ig:27
S	154	132	KCnst-Ig:28
V	155	133	KCnst-Ig:29
V	156	134	KCnst-Ig:30
C	157	135	KCnst-Ig:31
L	158	136	KCnst-Ig:32
L	159	137	KCnst-Ig:33
N	160	138	KCnst-Ig:34
N	161	139	KCnst-Ig:35
F	162	140	KCnst-Ig:36
Y	163	141	KCnst-Ig:37
P	164	142	KCnst-Ig:38
-	164.1	142.1	KCnst-Ig:39
-	164.2	142.2	KCnst-Ig:40
R	165	143	KCnst-Ig:41
E	166	144	KCnst-Ig:42
A	167	145	KCnst-Ig:43
K	168	146	KCnst-Ig:44
V	169	147	KCnst-Ig:45
Q	170	148	KCnst-Ig:46
W	171	149	KCnst-Ig:47
-	171.1	149.1	KCnst-Ig:48
K	172	150	KCnst-Ig:49
V	173	151	KCnst-Ig:50
D	174	152	KCnst-Ig:51
N	175	153	KCnst-Ig:52
A	176	154	KCnst-Ig:53
L	177	155	KCnst-Ig:54
Q	178	156	KCnst-Ig:55
S	179	157	KCnst-Ig:56

**FIG. 8 Continued**

G	180	158	KCnst-Ig:57
N	181	159	KCnst-Ig:58
S	182	160	KCnst-Ig:59
Q	183	161	KCnst-Ig:60
E	184	162	KCnst-Ig:61
S	185	163	KCnst-Ig:62
V	186	164	KCnst-Ig:63
T	187	165	KCnst-Ig:64
E	188	166	KCnst-Ig:65
Q	189	167	KCnst-Ig:66
D	190	168	KCnst-Ig:67
-	190.1	168.1	KCnst-Ig:68
-	190.2	168.2	KCnst-Ig:69
-	190.3	168.3	KCnst-Ig:70
-	190.4	168.4	KCnst-Ig:71
S	191	169	KCnst-Ig:72
K	192	170	KCnst-Ig:73
D	193	171	KCnst-Ig:74
S	194	172	KCnst-Ig:75
T	195	173	KCnst-Ig:76
Y	196	174	KCnst-Ig:77
S	197	175	KCnst-Ig:78
L	198	176	KCnst-Ig:79
S	199	177	KCnst-Ig:80
S	200	178	KCnst-Ig:81
T	201	179	KCnst-Ig:82
L	202	180	KCnst-Ig:83
T	203	181	KCnst-Ig:84
L	204	182	KCnst-Ig:85
S	205	183	KCnst-Ig:86
K	206	184	KCnst-Ig:87
A	207	185	KCnst-Ig:88
D	208	186	KCnst-Ig:89
Y	209	187	KCnst-Ig:90
-	209.1	187.1	KCnst-Ig:91
E	210	188	KCnst-Ig:92
K	211	189	KCnst-Ig:93
H	212	190	KCnst-Ig:94
K	213	191	KCnst-Ig:95
V	214	192	KCnst-Ig:96
-	214.1	192.1	KCnst-Ig:97
-	214.2	192.2	KCnst-Ig:98
Y	215	193	KCnst-Ig:99
A	216	194	KCnst-Ig:100
C	217	195	KCnst-Ig:101
E	218	196	KCnst-Ig:102

FIG. 8 Continued

V	219	197	KCnst-Ig:103
T	220	198	KCnst-Ig:104
H	221	199	KCnst-Ig:105
Q	222	200	KCnst-Ig:106
G	223	201	KCnst-Ig:107
L	224	202	KCnst-Ig:108
S	225	203	KCnst-Ig:109
-	225.1	203.1	KCnst-Ig:110
S	226	204	KCnst-Ig:111
P	227	205	KCnst-Ig:112
V	228	206	KCnst-Ig:113
T	229	207	KCnst-Ig:114
K	230	208	KCnst-Ig:115
S	231	209	KCnst-Ig:116
F	232	210	KCnst-Ig:117
N	233	211	KCnst-Ig:118
R	234	212	KCnst-Ig:119
G	235	213	KCnst-Ig:120
E	236	214	KCnst-Ig:121
C	237	215	KCnst-Ig:122
-	237.1	215.1	KCnst-Ig:123

FIG. 8 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
M	1	-22	KLdr:-22
D	2	-21	KLdr:-21
M	3	-20	KLdr:-20
R	4	-19	KLdr:-19
V	5	-18	KLdr:-18
P	6	-17	KLdr:-17
A	7	-16	KLdr:-16
Q	8	-15	KLdr:-15
L	9	-14	KLdr:-14
L	10	-13	KLdr:-13
G	11	-12	KLdr:-12
L	12	-11	KLdr:-11
L	13	-10	KLdr:-10
L	14	-9	KLdr:-9
L	15	-8	KLdr:-8
W	16	-7	KLdr:-7
L	17	-6	KLdr:-6
R	18	-5	KLdr:-5
G	19	-4	KLdr:-4
A	20	-3	KLdr:-3
R	21	-2	KLdr:-2
C	22	-1	KLdr:-1
Q	23	1	HV:1
V	24	2	HV:2
Q	25	3	HV:3
L	26	4	HV:4
V	27	5	HV:5
E	28	6	HV:6
S	29	7	HV:7
-	29.1	7.1	HV:8
G	30	8	HV:9
G	31	9	HV:10
G	32	10	HV:11
V	33	11	HV:12
V	34	12	HV:13
Q	35	13	HV:14
P	36	14	HV:15
G	37	15	HV:16
R	38	16	HV:17

FIG. 9

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
S	39	17	HV:18
L	40	18	HV:19
R	41	19	HV:20
L	42	20	HV:21
S	43	21	HV:22
C	44	22	HV:23
A	45	23	HV:24
A	46	24	HV:25
S	47	25	HV:26
G	48	26	HV:27
-	48.1	26.1	HV:28
F	49	27	HV:29
A	50	28	HV:30
F	51	29	HV:31
N	52	30	HV:32
T	53	31	HV:33
-	53.1	31.1	HV:34
-	53.2	31.2	HV:35
-	53.3	31.3	HV:36
-	53.4	31.4	HV:37
-	53.5	31.5	HV:38
Y	54	32	HV:39
G	55	33	HV:40
M	56	34	HV:41
H	57	35	HV:42
W	58	36	HV:43
V	59	37	HV:44
R	60	38	HV:45
Q	61	39	HV:46
T	62	40	HV:47
P	63	41	HV:48
G	64	42	HV:49
K	65	43	HV:50
G	66	44	HV:51
L	67	45	HV:52
E	68	46	HV:53
W	69	47	HV:54
V	70	48	HV:55
A	71	49	HV:56
I	72	50	HV:57
I	73	51	HV:58
W	74	52	HV:59
Y	75	53	HV:60

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	75.1	53.1	HV:61
-	75.2	53.2	HV:62
-	75.3	53.3	HV:63
D	76	54	HV:64
G	77	55	HV:65
S	78	56	HV:66
Q	79	57	HV:67
K	80	58	HV:68
Y	81	59	HV:69
Y	82	60	HV:70
A	83	61	HV:71
D	84	62	HV:72
S	85	63	HV:73
V	86	64	HV:74
Q	87	65	HV:75
G	88	66	HV:76
R	89	67	HV:77
F	90	68	HV:78
I	91	69	HV:79
I	92	70	HV:80
S	93	71	HV:81
R	94	72	HV:82
D	95	73	HV:83
N	96	74	HV:84
H	97	75	HV:85
K	98	76	HV:86
N	99	77	HV:87
T	100	78	HV:88
L	101	79	HV:89
S	102	80	HV:90
L	103	81	HV:91
Q	104	82	HV:92
M	105	83	HV:93
N	106	84	HV:94
G	107	85	HV:95
L	108	86	HV:96
R	109	87	HV:97
A	110	88	HV:98
E	111	89	HV:99
D	112	90	HV:100
T	113	91	HV:101
A	114	92	HV:102
V	115	93	HV:103

FIG. 9 Continued



AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
Y	116	94	HV:104
F	117	95	HV:105
C	118	96	HV:106
V	119	97	HV:107
R	120	98	HV:108
V	121	99	HV:109
R	122	100	HV:110
F	123	101	HV:111
S	124	102	HV:112
V	125	103	HV:113
G	126	104	HV:114
-	126.1	104.1	HV:115
-	126.2	104.2	HV:116
-	126.3	104.3	HV:117
-	126.4	104.4	HV:118
-	126.5	104.5	HV:119
-	126.6	104.6	HV:120
-	126.7	104.7	HV:121
-	126.8	104.8	HV:122
-	126.9	104.9	HV:123
-	126.10	104.10	HV:124
-	126.11	104.11	HV:125
-	126.12	104.12	HV:126
-	126.13	104.13	HV:127
-	126.14	104.14	HV:128
-	126.15	104.15	HV:129
-	126.16	104.16	HV:130
P	127	105	HV:131
H	128	106	HV:132
G	129	107	HV:133
S	130	108	HV:134
A	131	109	HV:135
F	132	110	HV:136
D	133	111	HV:137
L	134	112	HV:138
W	135	113	HV:139
G	136	114	HV:140
Q	137	115	HV:141
G	138	116	HV:142
T	139	117	HV:143
M	140	118	HV:144
V	141	119	HV:145
I	142	120	HV:146

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
V	143	121	HV:147
S	144	122	HV:148
S	145	123	HV:149
-	145.1	123.1	HCnst-Ig:1
-	145.2	123.2	HCnst-Ig:2
A	146	124	HCnst-Ig:3
S	147	125	HCnst-Ig:4
T	148	126	HCnst-Ig:5
K	149	127	HCnst-Ig:6
G	150	128	HCnst-Ig:7
P	151	129	HCnst-Ig:8
S	152	130	HCnst-Ig:9
V	153	131	HCnst-Ig:10
F	154	132	HCnst-Ig:11
P	155	133	HCnst-Ig:12
L	156	134	HCnst-Ig:13
A	157	135	HCnst-Ig:14
P	158	136	HCnst-Ig:15
-	158.1	136.1	HCnst-Ig:16
S	159	137	HCnst-Ig:17
-	159.1	137.1	HCnst-Ig:18
S	160	138	HCnst-Ig:19
K	161	139	HCnst-Ig:20
S	162	140	HCnst-Ig:21
T	163	141	HCnst-Ig:22
S	164	142	HCnst-Ig:23
G	165	143	HCnst-Ig:24
G	166	144	HCnst-Ig:25
T	167	145	HCnst-Ig:26
A	168	146	HCnst-Ig:27
A	169	147	HCnst-Ig:28
L	170	148	HCnst-Ig:29
G	171	149	HCnst-Ig:30
C	172	150	HCnst-Ig:31
L	173	151	HCnst-Ig:32
V	174	152	HCnst-Ig:33
K	175	153	HCnst-Ig:34
D	176	154	HCnst-Ig:35
Y	177	155	HCnst-Ig:36
F	178	156	HCnst-Ig:37
P	179	157	HCnst-Ig:38
-	179.1	157.1	HCnst-Ig:39
-	179.2	157.2	HCnst-Ig:40

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
E	180	158	HCnst-Ig:41
P	181	159	HCnst-Ig:42
V	182	160	HCnst-Ig:43
T	183	161	HCnst-Ig:44
V	184	162	HCnst-Ig:45
S	185	163	HCnst-Ig:46
W	186	164	HCnst-Ig:47
-	186.1	164.1	HCnst-Ig:48
N	187	165	HCnst-Ig:49
S	188	166	HCnst-Ig:50
G	189	167	HCnst-Ig:51
A	190	168	HCnst-Ig:52
L	191	169	HCnst-Ig:53
T	192	170	HCnst-Ig:54
S	193	171	HCnst-Ig:55
G	194	172	HCnst-Ig:56
V	195	173	HCnst-Ig:57
H	196	174	HCnst-Ig:58
T	197	175	HCnst-Ig:59
-	197.1	175.1	HCnst-Ig:60
-	197.2	175.2	HCnst-Ig:61
-	197.3	175.3	HCnst-Ig:62
F	198	176	HCnst-Ig:63
P	199	177	HCnst-Ig:64
A	200	178	HCnst-Ig:65
V	201	179	HCnst-Ig:66
L	202	180	HCnst-Ig:67
Q	203	181	HCnst-Ig:68
-	203.1	181.1	HCnst-Ig:69
-	203.2	181.2	HCnst-Ig:70
-	203.3	181.3	HCnst-Ig:71
-	203.4	181.4	HCnst-Ig:72
S	204	182	HCnst-Ig:73
S	205	183	HCnst-Ig:74
G	206	184	HCnst-Ig:75
L	207	185	HCnst-Ig:76
Y	208	186	HCnst-Ig:77
S	209	187	HCnst-Ig:78
L	210	188	HCnst-Ig:79
S	211	189	HCnst-Ig:80
S	212	190	HCnst-Ig:81
V	213	191	HCnst-Ig:82
V	214	192	HCnst-Ig:83

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
T	215	193	HCnst-Ig:84
V	216	194	HCnst-Ig:85
P	217	195	HCnst-Ig:86
S	218	196	HCnst-Ig:87
S	219	197	HCnst-Ig:88
S	220	198	HCnst-Ig:89
L	221	199	HCnst-Ig:90
-	221.1	199.1	HCnst-Ig:91
G	222	200	HCnst-Ig:92
T	223	201	HCnst-Ig:93
Q	224	202	HCnst-Ig:94
T	225	203	HCnst-Ig:95
-	225.1	203.1	HCnst-Ig:96
-	225.2	203.2	HCnst-Ig:97
-	225.3	203.3	HCnst-Ig:98
Y	226	204	HCnst-Ig:99
I	227	205	HCnst-Ig:100
C	228	206	HCnst-Ig:101
N	229	207	HCnst-Ig:102
V	230	208	HCnst-Ig:103
N	231	209	HCnst-Ig:104
H	232	210	HCnst-Ig:105
K	233	211	HCnst-Ig:106
P	234	212	HCnst-Ig:107
S	235	213	HCnst-Ig:108
N	236	214	HCnst-Ig:109
-	236.1	214.1	HCnst-Ig:110
-	236.2	214.2	HCnst-Ig:111
T	237	215	HCnst-Ig:112
K	238	216	HCnst-Ig:113
V	239	217	HCnst-Ig:114
D	240	218	HCnst-Ig:115
K	241	219	HCnst-Ig:116
-	241.1	219.1	HCnst-Ig:117
K	242	220	HCnst-Ig:118
V	243	221	HCnst-Ig:119
-	243.1	221.1	HCnst-Ig:120
-	243.2	221.2	HCnst-Ig:121
-	243.3	221.3	HCnst-Ig:122
-	243.4	221.4	HCnst-Ig:123
-	243.5	221.1	Hinge:1
-	243.6	221.2	Hinge:2
-	243.7	221.3	Hinge:3

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	243.8	221.4	Hinge:4
-	243.9	221.5	Hinge:5
-	243.10	221.6	Hinge:6
-	243.11	221.7	Hinge:7
-	243.12	221.8	Hinge:8
-	243.13	221.9	Hinge:9
-	243.14	221.10	Hinge:10
-	243.15	221.11	Hinge:11
-	243.16	221.12	Hinge:12
-	243.17	221.13	Hinge:13
-	243.18	221.14	Hinge:14
-	243.19	221.15	Hinge:15
-	243.20	221.16	Hinge:16
-	243.21	221.17	Hinge:17
-	243.22	221.18	Hinge:18
-	243.23	221.19	Hinge:19
-	243.24	221.20	Hinge:20
-	243.25	221.21	Hinge:21
-	243.26	221.22	Hinge:22
-	243.27	221.23	Hinge:23
-	243.28	221.24	Hinge:24
-	243.29	221.25	Hinge:25
-	243.30	221.26	Hinge:26
-	243.31	221.27	Hinge:27
-	243.32	221.28	Hinge:28
-	243.33	221.29	Hinge:29
-	243.34	221.30	Hinge:30
-	243.35	221.31	Hinge:31
-	243.36	221.32	Hinge:32
-	243.37	221.33	Hinge:33
-	243.38	221.34	Hinge:34
-	243.39	221.35	Hinge:35
-	243.40	221.36	Hinge:36
-	243.41	221.37	Hinge:37
-	243.42	221.38	Hinge:38
-	243.43	221.39	Hinge:39
-	243.44	221.40	Hinge:40
-	243.45	221.41	Hinge:41
-	243.46	221.42	Hinge:42
-	243.47	221.43	Hinge:43
-	243.48	221.44	Hinge:44
-	243.49	221.45	Hinge:45
-	243.50	221.46	Hinge:46

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	243.51	221.47	Hinge:47
-	243.52	221.48	Hinge:48
-	243.53	221.49	Hinge:49
-	243.54	221.50	Hinge:50
-	243.55	221.51	Hinge:51
-	243.56	221.52	Hinge:52
-	243.57	221.53	Hinge:53
-	243.58	221.54	Hinge:54
-	243.59	221.55	Hinge:55
-	243.60	221.56	Hinge:56
-	243.61	221.57	Hinge:57
-	243.62	221.58	Hinge:58
-	243.63	221.59	Hinge:59
-	243.64	221.60	Hinge:60
-	243.65	221.61	Hinge:61
-	243.66	221.62	Hinge:62
-	243.67	221.63	Hinge:63
-	243.68	221.64	Hinge:64
-	243.69	221.65	Hinge:65
-	243.70	221.66	Hinge:66
-	243.71	221.67	Hinge:67
-	243.72	221.68	Hinge:68
-	243.73	221.69	Hinge:69
-	243.74	221.70	Hinge:70
-	243.75	221.71	Hinge:71
-	243.76	221.72	Hinge:72
-	243.77	221.73	Hinge:73
-	243.78	221.74	Hinge:74
-	243.79	221.75	Hinge:75
-	243.80	221.76	Hinge:76
-	243.81	221.77	Hinge:77
-	243.82	221.78	Hinge:78
-	243.83	221.79	Hinge:79
-	243.84	221.80	Hinge:80
-	243.85	221.81	Hinge:81
-	243.86	221.82	Hinge:82
-	243.87	221.83	Hinge:83
-	243.88	221.84	Hinge:84
-	243.89	221.85	Hinge:85
-	243.90	221.86	Hinge:86
-	243.91	221.87	Hinge:87
-	243.92	221.88	Hinge:88
-	243.93	221.89	Hinge:89

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	243.94	221.90	Hinge:90
-	243.95	221.91	Hinge:91
-	243.96	221.92	Hinge:92
-	243.97	221.93	Hinge:93
-	243.98	221.94	Hinge:94
-	243.99	221.95	Hinge:95
E	244	222	Hinge:96
P	245	223	Hinge:97
K	246	224	Hinge:98
S	247	225	Hinge:99
-	247.1	225.1	Hinge:100
-	247.2	225.2	Hinge:101
-	247.3	225.3	Hinge:102
-	247.4	225.4	Hinge:103
-	247.5	225.5	Hinge:104
-	247.6	225.6	Hinge:105
-	247.7	225.7	Hinge:106
C	248	226	Hinge:107
D	249	227	Hinge:108
K	250	228	Hinge:109
T	251	229	Hinge:110
H	252	230	Hinge:111
T	253	231	Hinge:112
C	254	232	Hinge:113
P	255	233	Hinge:114
P	256	234	Hinge:115
C	257	235	Hinge:116
P	258	236	Hinge:117
A	259	237	Hinge:118
P	260	238	Hinge:119
E	261	239	Hinge:120
L	262	240	Hinge:121
L	263	241	Hinge:122
G	264	242	Hinge:123
-	264.1	242.1	Fc-N:1
-	264.2	242.2	Fc-N:2
-	264.3	242.3	Fc-N:3
-	264.4	242.4	Fc-N:4
G	265	243	Fc-N:5
P	266	244	Fc-N:6
S	267	245	Fc-N:7
V	268	246	Fc-N:8
F	269	247	Fc-N:9

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
L	270	248	Fc-N:10
F	271	249	Fc-N:11
P	272	250	Fc-N:12
P	273	251	Fc-N:13
-	273.1	251.1	Fc-N:14
K	274	252	Fc-N:15
P	275	253	Fc-N:16
K	276	254	Fc-N:17
-	276.1	254.1	Fc-N:18
D	277	255	Fc-N:19
T	278	256	Fc-N:20
L	279	257	Fc-N:21
M	280	258	Fc-N:22
I	281	259	Fc-N:23
S	282	260	Fc-N:24
R	283	261	Fc-N:25
T	284	262	Fc-N:26
P	285	263	Fc-N:27
E	286	264	Fc-N:28
V	287	265	Fc-N:29
T	288	266	Fc-N:30
C	289	267	Fc-N:31
V	290	268	Fc-N:32
V	291	269	Fc-N:33
V	292	270	Fc-N:34
D	293	271	Fc-N:35
V	294	272	Fc-N:36
S	295	273	Fc-N:37
H	296	274	Fc-N:38
E	297	275	Fc-N:39
D	298	276	Fc-N:40
P	299	277	Fc-N:41
E	300	278	Fc-N:42
V	301	279	Fc-N:43
K	302	280	Fc-N:44
F	303	281	Fc-N:45
N	304	282	Fc-N:46
W	305	283	Fc-N:47
-	305.1	283.1	Fc-N:48
Y	306	284	Fc-N:49
V	307	285	Fc-N:50
D	308	286	Fc-N:51
G	309	287	Fc-N:52

FIG. 9 Continued



AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
V	310	288	Fc-N:53
E	311	289	Fc-N:54
-	311.1	289.1	Fc-N:55
-	311.2	289.2	Fc-N:56
V	312	290	Fc-N:57
H	313	291	Fc-N:58
N	314	292	Fc-N:59
A	315	293	Fc-N:60
K	316	294	Fc-N:61
T	317	295	Fc-N:62
K	318	296	Fc-N:63
P	319	297	Fc-N:64
R	320	298	Fc-N:65
E	321	299	Fc-N:66
E	322	300	Fc-N:67
Q	323	301	Fc-N:68
-	323.1	301.1	Fc-N:69
-	323.2	301.2	Fc-N:70
-	323.3	301.3	Fc-N:71
-	323.4	301.4	Fc-N:72
Y	324	302	Fc-N:73
N	325	303	Fc-N:74
S	326	304	Fc-N:75
T	327	305	Fc-N:76
Y	328	306	Fc-N:77
R	329	307	Fc-N:78
V	330	308	Fc-N:79
V	331	309	Fc-N:80
S	332	310	Fc-N:81
V	333	311	Fc-N:82
L	334	312	Fc-N:83
T	335	313	Fc-N:84
V	336	314	Fc-N:85
L	337	315	Fc-N:86
H	338	316	Fc-N:87
Q	339	317	Fc-N:88
D	340	318	Fc-N:89
W	341	319	Fc-N:90
-	341.1	319.1	Fc-N:91
L	342	320	Fc-N:92
N	343	321	Fc-N:93
G	344	322	Fc-N:94
K	345	323	Fc-N:95

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
E	346	324	Fc-N:96
-	346.1	324.1	Fc-N:97
-	346.2	324.2	Fc-N:98
Y	347	325	Fc-N:99
K	348	326	Fc-N:100
C	349	327	Fc-N:101
K	350	328	Fc-N:102
V	351	329	Fc-N:103
S	352	330	Fc-N:104
N	353	331	Fc-N:105
K	354	332	Fc-N:106
A	355	333	Fc-N:107
L	356	334	Fc-N:108
P	357	335	Fc-N:109
-	357.1	335.1	Fc-N:110
-	357.2	335.2	Fc-N:111
A	358	336	Fc-N:112
P	359	337	Fc-N:113
I	360	338	Fc-N:114
E	361	339	Fc-N:115
K	362	340	Fc-N:116
T	363	341	Fc-N:117
I	364	342	Fc-N:118
S	365	343	Fc-N:119
K	366	344	Fc-N:120
A	367	345	Fc-N:121
K	368	346	Fc-N:122
G	369	347	Fc-N:123
-	369.1	347.1	Fc-C:1
Q	370	348	Fc-C:2
P	371	349	Fc-C:3
R	372	350	Fc-C:4
E	373	351	Fc-C:5
P	374	352	Fc-C:6
Q	375	353	Fc-C:7
V	376	354	Fc-C:8
Y	377	355	Fc-C:9
T	378	356	Fc-C:10
L	379	357	Fc-C:11
P	380	358	Fc-C:12
P	381	359	Fc-C:13
-	381.1	359.1	Fc-C:14
S	382	360	Fc-C:15

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
R	383	361	Fc-C:16
D	384	362	Fc-C:17
-	384.1	362.1	Fc-C:18
E	385	363	Fc-C:19
L	386	364	Fc-C:20
-	386.1	364.1	Fc-C:21
-	386.2	364.2	Fc-C:22
T	387	365	Fc-C:23
K	388	366	Fc-C:24
N	389	367	Fc-C:25
Q	390	368	Fc-C:26
V	391	369	Fc-C:27
S	392	370	Fc-C:28
L	393	371	Fc-C:29
T	394	372	Fc-C:30
C	395	373	Fc-C:31
L	396	374	Fc-C:32
V	397	375	Fc-C:33
K	398	376	Fc-C:34
G	399	377	Fc-C:35
F	400	378	Fc-C:36
Y	401	379	Fc-C:37
P	402	380	Fc-C:38
-	402.1	380.1	Fc-C:39
-	402.2	380.2	Fc-C:40
S	403	381	Fc-C:41
D	404	382	Fc-C:42
I	405	383	Fc-C:43
A	406	384	Fc-C:44
V	407	385	Fc-C:45
E	408	386	Fc-C:46
W	409	387	Fc-C:47
-	409.1	387.1	Fc-C:48
E	410	388	Fc-C:49
S	411	389	Fc-C:50
N	412	390	Fc-C:51
G	413	391	Fc-C:52
Q	414	392	Fc-C:53
P	415	393	Fc-C:54
-	415.1	393.1	Fc-C:55
-	415.2	393.2	Fc-C:56
E	416	394	Fc-C:57
N	417	395	Fc-C:58

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
N	418	396	Fc-C:59
Y	419	397	Fc-C:60
K	420	398	Fc-C:61
T	421	399	Fc-C:62
T	422	400	Fc-C:63
P	423	401	Fc-C:64
P	424	402	Fc-C:65
V	425	403	Fc-C:66
L	426	404	Fc-C:67
D	427	405	Fc-C:68
-	427.1	405.1	Fc-C:69
-	427.2	405.2	Fc-C:70
-	427.3	405.3	Fc-C:71
-	427.4	405.4	Fc-C:72
S	428	406	Fc-C:73
D	429	407	Fc-C:74
G	430	408	Fc-C:75
S	431	409	Fc-C:76
F	432	410	Fc-C:77
F	433	411	Fc-C:78
L	434	412	Fc-C:79
Y	435	413	Fc-C:80
S	436	414	Fc-C:81
K	437	415	Fc-C:82
L	438	416	Fc-C:83
T	439	417	Fc-C:84
V	440	418	Fc-C:85
D	441	419	Fc-C:86
K	442	420	Fc-C:87
S	443	421	Fc-C:88
R	444	422	Fc-C:89
W	445	423	Fc-C:90
-	445.1	423.1	Fc-C:91
Q	446	424	Fc-C:92
Q	447	425	Fc-C:93
G	448	426	Fc-C:94
N	449	427	Fc-C:95
V	450	428	Fc-C:96
-	450.1	428.1	Fc-C:97
-	450.2	428.2	Fc-C:98
F	451	429	Fc-C:99
S	452	430	Fc-C:100
C	453	431	Fc-C:101

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
S	454	432	Fc-C:102
V	455	433	Fc-C:103
L	456	434	Fc-C:104
H	457	435	Fc-C:105
E	458	436	Fc-C:106
A	459	437	Fc-C:107
L	460	438	Fc-C:108
H	461	439	Fc-C:109
-	461.1	439.1	Fc-C:110
-	461.2	439.2	Fc-C:111
S	462	440	Fc-C:112
H	463	441	Fc-C:113
Y	464	442	Fc-C:114
T	465	443	Fc-C:115
-	465.1	443.1	Fc-C:116
Q	466	444	Fc-C:117
K	467	445	Fc-C:118
S	468	446	Fc-C:119
L	469	447	Fc-C:120
S	470	448	Fc-C:121
L	471	449	Fc-C:122
S	472	450	Fc-C:123
P	473	451	HCnst-Po:1
G	474	452	HCnst-Po:2
K	475	453	HCnst-Po:3
-	475.1	453.1	HCnst-Po:4
-	475.2	453.2	HCnst-Po:5
-	475.3	453.3	HCnst-Po:6
-	475.4	453.4	HCnst-Po:7
-	475.5	453.5	HCnst-Po:8
-	475.6	453.6	HCnst-Po:9
-	475.7	453.7	HCnst-Po:10
-	475.8	453.8	HCnst-Po:11
-	475.9	453.9	HCnst-Po:12
-	475.10	453.10	HCnst-Po:13
-	475.11	453.11	HCnst-Po:14
-	475.12	453.12	HCnst-Po:15
-	475.13	453.13	HCnst-Po:16
-	475.14	453.14	HCnst-Po:17
-	475.15	453.15	HCnst-Po:18
-	475.16	453.16	HCnst-Po:19
-	475.17	453.17	HCnst-Po:20
-	475.18	453.18	HCnst-Po:21

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	475.19	453.19	HCnst-Po:22
-	475.20	453.20	HCnst-Po:23
-	475.21	453.21	HCnst-Po:24
-	475.22	453.22	HCnst-Po:25
-	475.23	453.23	HCnst-Po:26
-	475.24	453.24	HCnst-Po:27
-	475.25	453.25	HCnst-Po:28
-	475.26	453.26	HCnst-Po:29
-	475.27	453.27	HCnst-Po:30
-	475.28	453.28	HCnst-Po:31
-	475.29	453.29	HCnst-Po:32
-	475.30	453.30	HCnst-Po:33
-	475.31	453.31	HCnst-Po:34
-	475.32	453.32	HCnst-Po:35
-	475.33	453.33	HCnst-Po:36
-	475.34	453.34	HCnst-Po:37
-	475.35	453.35	HCnst-Po:38
-	475.36	453.36	HCnst-Po:39
-	475.37	453.37	HCnst-Po:40
-	475.38	453.38	HCnst-Po:41
-	475.39	453.39	HCnst-Po:42
-	475.40	453.40	HCnst-Po:43
-	475.41	453.41	HCnst-Po:44
-	475.42	453.42	HCnst-Po:45
-	475.43	453.43	HCnst-Po:46
-	475.44	453.44	HCnst-Po:47
-	475.45	453.45	HCnst-Po:48
-	475.46	453.46	HCnst-Po:49
-	475.47	453.47	HCnst-Po:50
-	475.48	453.48	HCnst-Po:51
-	475.49	453.49	HCnst-Po:52
-	475.50	453.50	HCnst-Po:53
-	475.51	453.51	HCnst-Po:54
-	475.52	453.52	HCnst-Po:55
-	475.53	453.53	HCnst-Po:56
-	475.54	453.54	HCnst-Po:57
-	475.55	453.55	HCnst-Po:58
-	475.56	453.56	HCnst-Po:59
-	475.57	453.57	HCnst-Po:60
-	475.58	453.58	HCnst-Po:61
-	475.59	453.59	HCnst-Po:62
-	475.60	453.60	HCnst-Po:63
-	475.61	453.61	HCnst-Po:64

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	475.62	453.62	HCnst-Po:65
-	475.63	453.63	HCnst-Po:66
-	475.64	453.64	HCnst-Po:67
-	475.65	453.65	HCnst-Po:68
-	475.66	453.66	HCnst-Po:69
-	475.67	453.67	HCnst-Po:70
-	475.68	453.68	HCnst-Po:71
-	475.69	453.69	HCnst-Po:72
-	475.70	453.70	HCnst-Po:73
-	475.71	453.71	HCnst-Po:74
-	475.72	453.72	HCnst-Po:75
-	475.73	453.73	HCnst-Po:76
-	475.74	453.74	HCnst-Po:77
-	475.75	453.75	HCnst-Po:78
-	475.76	453.76	HCnst-Po:79
-	475.77	453.77	HCnst-Po:80
-	475.78	453.78	HCnst-Po:81
-	475.79	453.79	HCnst-Po:82
-	475.80	453.80	HCnst-Po:83
-	475.81	453.81	HCnst-Po:84
-	475.82	453.82	HCnst-Po:85
-	475.83	453.83	HCnst-Po:86
-	475.84	453.84	HCnst-Po:87
-	475.85	453.85	HCnst-Po:88
-	475.86	453.86	HCnst-Po:89
-	475.87	453.87	HCnst-Po:90
-	475.88	453.88	HCnst-Po:91
-	475.89	453.89	HCnst-Po:92
-	475.90	453.90	HCnst-Po:93
-	475.91	453.91	HCnst-Po:94
-	475.92	453.92	HCnst-Po:95
-	475.93	453.93	HCnst-Po:96
-	475.94	453.94	HCnst-Po:97
-	475.95	453.95	HCnst-Po:98
-	475.96	453.96	HCnst-Po:99
-	475.97	453.97	HCnst-Po:100
-	475.98	453.98	HCnst-Po:101
-	475.99	453.99	HCnst-Po:102
-	475.100	453.100	HCnst-Po:103
-	475.101	453.101	HCnst-Po:104
-	475.102	453.102	HCnst-Po:105
-	475.103	453.103	HCnst-Po:106
-	475.104	453.104	HCnst-Po:107

FIG. 9 Continued

AB-007088_LS_Heavy Chain			
Residue	Linear #	Mat. Linear #	ASN #
-	475.105	453.105	HCnst-Po:108
-	475.106	453.106	HCnst-Po:109
-	475.107	453.107	HCnst-Po:110
-	475.108	453.108	HCnst-Po:111
-	475.109	453.109	HCnst-Po:112
-	475.110	453.110	HCnst-Po:113
-	475.111	453.111	HCnst-Po:114
-	475.112	453.112	HCnst-Po:115
-	475.113	453.113	HCnst-Po:116
-	475.114	453.114	HCnst-Po:117
-	475.115	453.115	HCnst-Po:118
-	475.116	453.116	HCnst-Po:119
-	475.117	453.117	HCnst-Po:120
-	475.118	453.118	HCnst-Po:121
-	475.119	453.119	HCnst-Po:122
-	475.120	453.120	HCnst-Po:123

FIG. 9 Continued






FIG. 10A




FIG. 10B




FIG. 10C




FIG. 10D




FIG. 10E




FIG. 10F




FIG. 10H




FIG. 10G




FIG. 10I




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 11E




FIG. 11E




FIG. 11D




FIG. 12A




FIG. 12A Continued








FIG. 12A Continued



HV:H69K	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HV:188T	0	0	0	1	1	0	0	1	0	0	1	0	1	0	1	0	1	1	1
HV:P22S	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HV:R75K	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HV:T107A	0	0	0	0	1	0	1	1	0	1	0	1	1	1	0	0	0	0	1
HV:T24A	0	0	1	0	1	1	1	0	0	0	1	0	1	1	0	0	1	0	0
HV:T98A	0	0	1	1	0	0	1	0	1	1	0	0	1	0	0	0	1	1	1
LmdV:E1Q	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LmdV:N135D	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LmdV:R50T	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AB-000224 LS																			
AB-000224 LS.017																			
AB-000224 LS.007																			
AB-000224 LS.009																			
AB-000224 LS.013																			
AB-000224 LS.002																			
AB-000224 LS.014																			
AB-000224 LS.010																			
AB-000224 LS.004																			
AB-000224 LS.011																			
AB-000224 LS.006																			
AB-000224 LS.005																			
AB-000224 LS.016																			
AB-000224 LS.008																			
AB-000224 LS.003																			
AB-000224 LS.001																			
AB-000224 LS.012																			
AB-000224 LS.015																			

FIG. 12B



HV:H69K	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HV:188T	0	0	0	1	1	0	0	0	1	0	1	0	1	1	0	1	0	1
HV:P22S	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HV:R75K	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HV:T107A	0	0	0	1	0	0	1	1	1	0	1	1	0	0	0	0	1	1
HV:T24A	0	0	1	1	0	1	1	0	1	0	0	0	1	1	0	0	1	0
HV:T98A	0	0	1	0	1	0	1	1	1	1	0	0	1	0	0	0	0	1
LmdV:E1Q	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LmdV:N135D	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LmdV:R50T	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AB-000224 LS																		
AB-000224 LS.017																		
AB-000224 LS.007																		
AB-000224 LS.013																		
AB-000224 LS.009																		
AB-000224 LS.002																		
AB-000224 LS.014																		
AB-000224 LS.011																		
AB-000224 LS.016																		
AB-000224 LS.004																		
AB-000224 LS.010																		
AB-000224 LS.005																		
AB-000224 LS.012																		
AB-000224 LS.006																		
AB-000224 LS.001																		
AB-000224 LS.003																		
AB-000224 LS.008																		
AB-000224 LS.015																		

FIG. 12C




FIG. 13A




FIG. 13A Continued






FIG. 13A Continued



HV:A30T	0	0	1	0	1	1
HV:G95S	1	1	1	0	1	1
HV:I146T	1	1	1	0	1	1
HV:I179T	1	0	1	0	0	1
HV:S90Y	0	0	0	0	0	1
HV:T47A	1	1	1	0	1	1
AB-007088_LS.003	0	0	1	0	1	1
AB-007088_LS.001	1	1	1	0	1	1
AB-007088_LS.004	1	1	1	0	1	1
AB-007088_LS	0	0	0	0	0	1
AB-007088_LS.002	1	1	1	0	1	1
AB-007088_LS.005	1	1	1	0	1	1

HV:A30T	0	1	0	1	1	0
HV:G95S	0	1	1	1	1	1
HV:I146T	0	1	1	1	1	1
HV:I179T	0	1	0	0	1	1
HV:S90Y	0	0	0	0	1	0
HV:T47A	0	1	1	1	1	1
AB-007088_LS	0	1	0	1	1	0
AB-007088_LS.004	0	1	1	1	1	1
AB-007088_LS.001	0	1	1	1	1	1
AB-007088_LS.002	0	1	0	0	1	1
AB-007088_LS.005	0	0	0	0	1	0
AB-007088_LS.003	0	1	1	1	1	1

FIG. 13B

FIG. 13C

**ANTI-CSP ANTIBODIES****CROSS-REFERENCE TO RELATED APPLICATIONS**

**[0001]** This application claims priority to U.S. Provisional Application No. 63/211,820, filed Jun. 17, 2021, the content of which is incorporated by reference in its entirety.

**SEQUENCE LISTING**

**[0002]** This application contains a Sequence Listing which has been submitted in ASCII format via EFS-Web and is hereby incorporated by reference in its entirety. Said ASCII copy, created on Jun. 16, 2022, is named 087996\_0107\_SL.txt and is 461,438 bytes in size.

**FIELD**

**[0003]** The present disclosure relates to compositions for treating or preventing malaria, and to antibodies conferring protection against infection by malarial parasites such as *Plasmodium falciparum* by insect vector transmission. The present disclosure also relates to methods for treating, preventing, or diagnosing *Plasmodium* infection in a mammal.

**BACKGROUND**

**[0004]** Malaria causes a large burden of morbidity and mortality, especially in the developing world. The causative agent of malaria is a protozoal parasite, which is transmitted by mosquitoes. Several infectious *Plasmodium* species cause malaria, the deadliest of which is *Plasmodium falciparum*. Others include *P. vivax*, *P. ovale*, and *P. malariae*. A first-generation vaccine (RTS,S) has been developed using portions of the malaria protein CSP, including part of the NANP repeats. CSP-based vaccines have consistently shown 30-50% efficacy in the prevention of erythrocytic-stage infection. This level of efficacy is not sufficient for eradication and new pre-erythrocytic treatments will need superior efficacy. Despite the existence of other anti-malarial products such as mefloquine, doxycycline, and atovaquone/proguanil, there is a need for new antimalarials options for cases that are resistant to existing antimalarial drugs.

**SUMMARY**

**[0005]** The present disclosure provides to antibodies targeting *Plasmodium falciparum*. In certain non-limiting embodiments, the antibody is a recombinant anti-circumsporozoite (CSP) antibody. In certain embodiments, the recombinant antibody comprises a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 1, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 2, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 3; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 4, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 5, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 6.

**[0006]** In certain embodiments, the VL comprises the amino acid sequence set forth in SEQ ID NO: 163; the amino acid sequence set forth in SEQ ID NO: 23; the amino

acid sequence set forth in SEQ ID NO: 33; the amino acid sequence set forth in SEQ ID NO: 43; the amino acid sequence set forth in SEQ ID NO: 53; the amino acid sequence set forth in SEQ ID NO: 63; the amino acid sequence set forth in SEQ ID NO: 73; the amino acid sequence set forth in SEQ ID NO: 83; the amino acid sequence set forth in SEQ ID NO: 93; the amino acid sequence set forth in SEQ ID NO: 103; the amino acid sequence set forth in SEQ ID NO: 113; the amino acid sequence set forth in SEQ ID NO: 123; the amino acid sequence set forth in SEQ ID NO: 133; the amino acid sequence set forth in SEQ ID NO: 143; the amino acid sequence set forth in SEQ ID NO: 153; or the amino acid sequence set forth in SEQ ID NO: 173. In certain embodiments, the VH comprises the amino acid sequence set forth in SEQ ID NO: 164; the amino acid sequence set forth in SEQ ID NO: 24; the amino acid sequence set forth in SEQ ID NO: 34; the amino acid sequence set forth in SEQ ID NO: 44; the amino acid sequence set forth in SEQ ID NO: 54; the amino acid sequence set forth in SEQ ID NO: 64; the amino acid sequence set forth in SEQ ID NO: 74; the amino acid sequence set forth in SEQ ID NO: 84; the amino acid sequence set forth in SEQ ID NO: 94; the amino acid sequence set forth in SEQ ID NO: 104; the amino acid sequence set forth in SEQ ID NO: 114; the amino acid sequence set forth in SEQ ID NO: 124; the amino acid sequence set forth in SEQ ID NO: 134; the amino acid sequence set forth in SEQ ID NO: 144; the amino acid sequence set forth in SEQ ID NO: 154; or the amino acid sequence set forth in SEQ ID NO: 174.

**[0007]** In certain embodiments, the VL comprises the amino acid sequence set forth in SEQ ID NO: 163, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164; the VL comprises the amino acid sequence set forth in SEQ ID NO: 33, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 34; the VL comprises the amino acid sequence set forth in SEQ ID NO: 43, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 44; the VL comprises the amino acid sequence set forth in SEQ ID NO: 53, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 54; the VL comprises the amino acid sequence set forth in SEQ ID NO: 63, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64; the VL comprises the amino acid sequence set forth in SEQ ID NO: 73, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 74; the VL comprises the amino acid sequence set forth in SEQ ID NO: 83, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 84; the VL comprises the amino acid sequence set forth in SEQ ID NO: 93, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 94; the VL comprises the amino acid sequence set forth in SEQ ID NO: 103, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 104; the VL comprises the amino acid sequence set forth in SEQ ID NO: 113, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 114; the VL comprises the amino acid sequence set forth in SEQ ID NO: 123, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 124; the VL comprises the amino acid sequence set forth in SEQ ID NO: 133, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134; the VL comprises the amino acid sequence set forth in SEQ ID NO: 143, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 144; the VL comprises the amino





E1Q. In certain embodiments, the amino acid substitution at position 44 is R44T. In certain embodiments, the amino acid substitution at position 21 is P21S. In certain embodiments, the amino acid substitution at position 23 is T23A. In certain embodiments, the amino acid substitution at position 80 is I80T. In certain embodiments, the amino acid substitution at position 90 is T90A.

**[0013]** In certain embodiments, the recombinant antibody comprises a heavy chain (HC) comprising the amino acid sequence set forth in SEQ ID NO: 18. In certain embodiments, the HC comprises at least one amino acid substitution. In certain embodiments, the at least one amino acid substitution is at position 438 and/or or at position 444. In certain embodiments, the amino acid substitution at position 438 is M438L. In certain embodiments, the amino acid substitution at position 444 is N444S.

**[0014]** In certain non-limiting embodiments, the present disclosure also provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 163 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 167 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 169.

**[0015]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 63 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 67 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 69.

**[0016]** In certain non-limiting embodiments, the present disclosure further provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 133 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 137 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 139.

**[0017]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 183, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 184, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 185; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 186, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 187, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 188. In certain embodiments, the

VL comprises the amino acid sequence set forth in SEQ ID NO: 195, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 196. In certain embodiments, the antibody comprises comprising a LC and a HC. In certain embodiments, the LC comprises the amino acid sequence set forth in SEQ ID NO: 199, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 200 or SEQ ID NO: 201.

**[0018]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 205, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 206, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 207; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 208, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 209, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 210.

**[0019]** In certain embodiments, the amino acid sequence set forth in SEQ ID NO: 227; the amino acid sequence set forth in SEQ ID NO: 237; the amino acid sequence set forth in SEQ ID NO: 247; the amino acid sequence set forth in SEQ ID NO: 257; or the amino acid sequence set forth in SEQ ID NO: 267. In certain embodiments, the VH comprises the amino acid sequence set forth in SEQ ID NO: 228; the amino acid sequence set forth in SEQ ID NO: 238; the amino acid sequence set forth in SEQ ID NO: 248; the amino acid sequence set forth in SEQ ID NO: 258; or the amino acid sequence set forth in SEQ ID NO: 268.

**[0020]** In certain embodiments, the VL comprises the amino acid sequence set forth in SEQ ID NO: 227, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 228; the VL comprises the amino acid sequence set forth in SEQ ID NO: 237, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 238; the VL comprises the amino acid sequence set forth in SEQ ID NO: 247, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 248; the VL comprises the amino acid sequence set forth in SEQ ID NO: 257, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 258; or the VL comprises the amino acid sequence set forth in SEQ ID NO: 267, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 268.

**[0021]** In certain embodiments, the recombinant antibody comprises a LC and a HC. In certain embodiments, the LC comprises the amino acid sequence set forth in SEQ ID NO: 231; the amino acid sequence set forth in SEQ ID NO: 241; the amino acid sequence set forth in SEQ ID NO: 251; the amino acid sequence set forth in SEQ ID NO: 261; or the amino acid sequence set forth in SEQ ID NO: 271. In certain embodiments, the HC comprises the amino acid sequence set forth in SEQ ID NO: 232 or SEQ ID NO: 233; the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243; the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253; the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273.

**[0022]** In certain embodiments, the LC comprises the amino acid sequence set forth in SEQ ID NO: 231, and the HC comprises the amino acid sequence set forth in SEQ ID

NO: 232 or SEQ ID NO: 233; the LC comprises the amino acid sequence set forth in SEQ ID NO: 241, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243; the LC comprises the amino acid sequence set forth in SEQ ID NO: 251, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253; the LC comprises the amino acid sequence set forth in SEQ ID NO: 261, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or the LC comprises the amino acid sequence set forth in SEQ ID NO: 271, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273.

**[0023]** In certain embodiments, the VH comprises the amino acid sequence set forth in SEQ ID NO: 218. In certain embodiments, the VH comprises at least one amino acid substitution. In certain embodiments, the at least one amino acid substitution is at position 40, position 69, position 80, position 85, position 120, or a combination thereof. In certain embodiments, the amino acid substitution at position 40 is T40A. In certain embodiments, the amino acid substitution at position 69 is I69T. In certain embodiments, the amino acid substitution at position 80 is S80Y. In certain embodiments, the amino acid substitution at position 85 is G85S. In certain embodiments, the amino acid substitution at position 120 is I120T. In certain embodiments, the HC comprises the amino acid sequence set forth in SEQ ID NO: 222. In certain embodiments, the HC comprises at least one amino acid substitution. In certain embodiments, the at least one amino acid substitution is at position 434 and/or at position 440. In certain embodiments, the amino acid substitution at position 434 is M434L. In certain embodiments, the amino acid substitution at position 440 is N440S.

**[0024]** In certain embodiments, the recombinant antibody exhibits at least 20% reduction in parasite liver load as compared to a reference antibody. In certain embodiments, the recombinant antibody exhibits at least 20% increase in survival rate as compared to a reference antibody. In certain embodiments, the recombinant antibody exhibits increased conformational stability as compared to a reference antibody. In certain embodiments, the recombinant antibody exhibits increased colloidal stability as compared to a reference antibody. In certain embodiments, the reference antibody is AB-000317. In certain embodiments, the reference antibody is AB-000224. In certain embodiments, the reference antibody is AB-007088.

**[0025]** In certain embodiments, the recombinant antibody binds to a NANP repeat region. In certain embodiments, the recombinant antibody binds to a polypeptide comprising or consisting of the amino acid sequence set forth in SEQ ID NO: 280.

**[0026]** In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-000224 variable heavy chain amino acid sequence set forth in SEQ ID NO: 14. In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 13. In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-000224 variable heavy chain amino acid sequence set forth in SEQ ID NO: 14 and at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 13.

**[0027]** In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-007088 variable heavy chain amino acid sequence set forth in SEQ ID NO: 218. In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-007088 variable light chain amino acid sequence set forth in SEQ ID NO: 217. In certain embodiments, the recombinant antibody comprises at least one modification relative to the native AB-007088 variable heavy chain amino acid sequence set forth in SEQ ID NO: 218 and at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 217.

**[0028]** In certain non-limiting embodiments, the present disclosure provides a polynucleotide encoding an antibody disclosed herein. In certain non-limiting embodiments, the present disclosure provides an expression vector comprising the polynucleotide disclosed herein. In certain non-limiting embodiments, the present disclosure provides a host cell comprising the expression vector or the polynucleotide disclosed herein.

**[0029]** In certain non-limiting embodiments, the present disclosure provides a composition comprising the antibody disclosed herein. In certain embodiments, the composition further comprises a pharmaceutically acceptable carrier.

**[0030]** In certain non-limiting embodiments, the present disclosure provides a method of preventing and/or treating malaria in a subject in need thereof, comprising administering an effective amount of the antibody disclosed herein or of the composition disclosed herein. In certain embodiments, the subject is a pediatric patient.

**[0031]** In certain non-limiting embodiments, the present disclosure provides the antibodies or compositions disclosed herein for use in the prevention and/or treatment of malaria in a subject in need thereof. Additionally, in certain non-limiting embodiments, the present disclosure provides the antibodies or compositions disclosed herein for the manufacture of a medicament for the prevention and/or treatment of malaria in a subject in need thereof. Furthermore, the present disclosure provides use of the antibodies or compositions disclosed herein for the prevention and/or treatment and/or prevention of malaria in a subject in need thereof. In certain embodiments, the subject is a pediatric patient.

#### BRIEF DESCRIPTION OF THE DRAWINGS

**[0032]** FIG. 1A illustrates parasite liver load following administration of experimental anti-CSP antibodies, AB-000224 and AB-007088. Parasite liver burden load was measured by bioluminescence (photons/sec) generated from the fluorescent sporozoites (y-axis). The individual points indicate the total amount of bioluminescence measured in a single mouse and by extension, the sporozoite liver burden. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control. FIG. 1B illustrates the associated human IgG serum concentrations determined by ELISA obtained 15 hours following antibody administration. The individual points indicate the total amount of human IgG in a single mouse. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control.

**[0033]** FIGS. 2A and 2C illustrate the survival rate of mice following administration of anti-CSP antibody AB-000224 and exposure to mosquitoes infected with chimeric *P. ber-*

*ghei* expressing *P. falciparum* CSP protein in two experiments. FIG. 2B shows the associated human IgG serum concentrations determined by ELISA obtained 15 hours following antibody administration in the experiment shown in FIG. 2A. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control.

[0034] FIGS. 3A and 3C illustrate the survival rate of mice following administration of anti-CSP antibody AB-007088 and exposure to mosquitoes infected with chimeric *P. berghei* expressing *P. falciparum* CSP protein in two experiments. FIG. 3B shows the associated human IgG serum concentrations determined by ELISA obtained 15 hours following antibody administration in the experiment shown in FIG. 3A. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control.

[0035] FIGS. 4A-4B illustrate sequences for the AB-000224 antibody. FIG. 4A shows the AB-000224 Lambda Light Chain sequence (SEQ ID NO: 286). FIG. 4B shows the AB-000224 IgG1 Heavy Chain sequence (SEQ ID NO: 287). Framework and CDR regions are designated using the ASN system.

[0036] FIGS. 5A-5B illustrate sequences for the AB-007088 antibody. FIG. 5A shows the AB-007088 Lambda Light Chain sequence (SEQ ID NO: 288). FIG. 5B shows the AB-007088 IgG1 Heavy Chain sequence (SEQ ID NO: 289). Framework and CDR regions are designated using the ASN system.

[0037] FIG. 6 shows the ASN numbering system for the light chain of AB-000224.

[0038] FIG. 7 shows the ASN numbering system for the heavy chain of AB-000224.

[0039] FIG. 8 shows the ASN numbering system for the light chain of AB-007088.

[0040] FIG. 9 shows the ASN numbering system for the heavy chain of AB-007088.

[0041] FIGS. 10A-10F illustrate parasite liver load following administration of experimental anti-CSP antibodies variants disclosed herein. Results are expressed as percentage inhibition, where naïve infected were considered as 100%. FIGS. 10G-10I show concentration of human antibodies that were circulating in the mice at the time of infection as determined by ELISA for the assays shown in FIGS. 10D-F, respectively. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control.

[0042] FIGS. 11A-11C illustrate the survival rate of mice following administration of anti-CSP antibody variants disclosed herein and exposure to mosquitoes infected with chimeric *P. berghei* expressing *P. falciparum* CSP protein. FIGS. 11D-F show concentration of human antibodies that were circulating in the mice at the time of infection as determined by ELISA for the assays shown in FIGS. 11A-C, respectively. AB-001245 is a non-malaria-specific antibody that was used as a negative control. AB-000317 is a positive control.

[0043] FIG. 12A illustrates the biophysical characterization of AB-000224 and variants thereof. FIG. 12B shows the ranking of the AB-000224 and variants thereof based on all data obtained during biophysical characterization. FIG. 12C shows the ranking of the AB-000224 and variants thereof excluding polyreactivity and including titer.

[0044] FIG. 13A illustrates the biophysical characterization of AB-007088 and variants thereof. FIG. 13B shows the ranking of the AB-007088 and variants thereof based on all data obtained during biophysical characterization. FIG. 13C shows the ranking of the AB-007088 and variants thereof excluding polyreactivity and including titer.

#### DETAILED DESCRIPTION

[0045] The present disclosure is based, at least in part, on the finding of several anti-CSP antibody variants. The present disclosure surprisingly shows that the disclosed anti-CSP antibodies and variants thereof have superior properties as compared to previously disclosed antibodies.

#### Definitions

[0046] For purposes of interpreting this specification, the following definitions will apply and whenever appropriate, terms used in the singular will also include the plural and vice versa. In the event that any definition set forth below conflicts with any document incorporated herein by reference, the definition set forth below shall control.

[0047] Unless defined otherwise, technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Singleton et al., Dictionary of Microbiology and Molecular Biology 2nd ed., J. Wiley & Sons (New York, N.Y. 1994), and March, Advanced Organic Chemistry Reactions, Mechanisms and Structure 4th ed., John Wiley & Sons (New York, N.Y. 1992), provide one skilled in the art with a general guide to many of the terms used in the present application.

[0048] As used in this specification and the appended claims, the singular forms “a,” “an” and “the” include plural referents unless the context dictates otherwise. Thus, for example, reference to “a protein” or an “antibody” includes a plurality of proteins or antibodies, respectively; reference to “a cell” includes mixtures of cells and the like.

[0049] As used herein, the term “about” or “approximately” refers to the usual error range for the respective value readily known to the skilled person in this technical field, for example,  $\pm 20\%$ ,  $\pm 10\%$ , or  $\pm 5\%$ , are within the intended meaning of the recited value.

[0050] As used herein, the term “antibody” means an isolated or recombinant binding agent that comprises the necessary variable region sequences to specifically bind an antigenic epitope. Therefore, an “antibody” as used herein is any form of antibody or fragment thereof that exhibits the desired biological activity, e.g., binding the specific target antigen. Thus, it is used in the broadest sense and specifically covers a monoclonal antibody (including full-length monoclonal antibodies), human antibodies, chimeric antibodies, nanobodies, diabodies, multispecific antibodies (e.g., bispecific antibodies), and antibody fragments including but not limited to scFv, Fab, and the like so long as they exhibit the desired biological activity.

[0051] “Antibody fragments” comprise a portion of an intact antibody, for example, the antigen-binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')<sub>2</sub>, and Fv fragments; diabodies; linear antibodies (e.g., Zapata et al., Protein Eng. 8(10): 1057-1062 (1995)); single-chain antibody molecules (e.g., scFv); and multispecific antibodies formed from antibody fragments. Papain digestion of antibodies produces two

identical antigen-binding fragments, called “Fab” fragments, each with a single antigen-binding site, and a residual “Fc” fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')<sub>2</sub> fragment that has two antigen combining sites and is still capable of cross-linking antigen.

**[0052]** As used herein, “recombinant antibody” refers to an antibody wherein the exact amino acid sequence of the antibody is not naturally found in a given organism (e.g., an antibody from a mammal). In certain embodiments, this term can refer to an antibody including one or more amino acid residues that are not found in a naturally occurring antibody. In certain embodiments, a recombinant antibody can have a CDR including an amino acid residue that is not found in a naturally occurring antibody (e.g., an antibody from a mammal). In another exemplary embodiment, a recombinant antibody can have a framework (FR) including an amino acid residue that is not found in a naturally occurring antibody (e.g., an antibody from a mammal). In certain embodiments, a recombinant antibody can have a constant region including an amino acid residue that is not found in a naturally occurring antibody (e.g., an antibody from a mammal). In certain embodiments, a recombinant antibody is variant of a naturally occurring antibody (e.g., AB-000224) including at least one modification, e.g., substitution, relative to the native variable heavy chain amino acid sequence or variable light chain amino acid sequence. For example, but without any limitation, a recombinant antibody can be an anti-CSP antibody AB-000224 disclosed herein comprising at least one modification, e.g., substitution, relative to the native AB-000224 variable heavy chain amino acid sequence (SEQ ID NO: 14) or variable light chain amino acid sequence (SEQ ID NO: 13) described herein. A recombinant antibody has improved developability, e.g., decreased heterogeneity, increased yield, increased stability, improved net charges to improve pharmacokinetics, and/or reduced immunogenicity.

**[0053]** As used herein, the terms, “anti-CSP antibody” and “CSP antibody” are used synonymously and refer to an antibody that binds to *Plasmodium falciparum* circumsporozoite (CSP) antigen.

**[0054]** An “antibody that binds to the same epitope” as a reference antibody refers to an antibody that blocks binding of the reference antibody to its antigen in a competition assay by 50% or more, and conversely, the reference antibody blocks binding of the antibody to its antigen in a competition assay by 50% or more.

**[0055]** As used herein, “V-region” refers to an antibody variable region domain comprising the segments of Framework 1, CDR1, Framework 2, CDR2, Framework 3, CDR3, and Framework 4. The heavy chain V-region, VH, is a consequence of rearrangement of a V-gene (HV), a D-gene (HD), and a J-gene (HJ), in what is known as V(D)J recombination during B-cell differentiation. The light chain V-region, VL, is a consequence of the rearrangement of a V-gene (LV) and a J-gene. In certain embodiments, the terms “VH” and “heavy chain variable” refer to the heavy chain V-region of an antibody. In certain embodiments, the terms “VL” and “light chain variable” refer to the light chain V-region of an antibody.

**[0056]** As used herein, “complementarity-determining region (CDR)” refers to the three hypervariable regions (HVRs) in each chain that interrupt the four “framework” regions established by the light and heavy chain variable

regions. The CDRs are the primary contributors to binding to an epitope of an antigen. The CDRs of each chain are referred to as CDR1, CDR2, and CDR3 numbered sequentially starting from the N-terminus, and are also identified by the chain in which the particular CDR is located. Thus, a VH CDR3 (HCDR3) is located in the variable domain of the heavy chain of the antibody in which it is found, whereas a VL CDR3 (LCDR3) is the CDR3 from the variable domain of the light chain of the antibody in which it is found. The term “CDR” is used interchangeably with “HVR” when referring to CDR sequences.

**[0057]** The amino acid sequences of the CDRs and framework regions can be determined using various definitions in the art, e.g., Kabat, Chothia, international ImmunoGeneTics database (IMGT), and AbM (see, e.g., Chothia & Lesk, 1987, Canonical structures for the hypervariable regions of immunoglobulins. *J. Mol. Biol.* 196, 901-917; Chothia C. et al., 1989, Conformations of immunoglobulin hypervariable regions. *Nature* 342, 877-883; Chothia C. et al., 1992, Structural repertoire of the human VH segments *J. Mol. Biol.* 227, 799-817; Al-Lazikani et al., *J. Mol. Biol.* 1997, 273(4)). Definitions of antigen combining sites are also described in the following: Ruiz et al., IMGT, the international ImmunoGeneTics database. *Nucleic Acids Res.*, 28, 219-221 (2000); and Lefranc, M.-P. IMGT, the international ImmunoGeneTics database. *Nucleic Acids Res.* January 1; 29(1):207-9 (2001); MacCallum et al, Antibody-antigen interactions: Contact analysis and binding site topography, *J. Mol. Biol.*, 262 (5), 732-745 (1996); and Martin et al, *Proc. Natl Acad. Sci. USA*, 86, 9268-9272 (1989); Martin, et al, *Methods Enzymol.*, 203, 121-153, (1991); Pedersen et al, *Immunomethods*, 1, 126, (1992); and Rees et al, In Sternberg M. J. E. (ed.), *Protein Structure Prediction*. Oxford University Press, Oxford, 141-172 (1996). Reference to CDRs as determined by Kabat numbering is based, for example, on Kabat et al., *Sequences of Proteins of Immunological Interest*, 5th Ed. Public Health Service, National Institute of Health, Bethesda, Md. (1991)). Chothia CDRs are determined as defined by Chothia (see, e.g., Chothia and Lesk *J. Mol. Biol.* 196:901-917 (1987)). In certain embodiments, the amino acid sequences of the CDRs and framework regions are numbered using the Antibody Structural Numbering (ASN) system. Antibody Structural Numbering (ASN) is a numbering system developed based on the AHO numbering system (Honegger & Plückthun, *J. Mol. Biol.* 309:657-670 (2001)) defined by Annemarie Honegger for the variable region, but extended to include constant domains. FIGS. 6-7 illustrates ASN numbering for AB-000224-LS light and heavy chain, respectively. FIGS. 8-9 illustrates ASN numbering for AB-007088-LS light and heavy chain, respectively.

**[0058]** An “Fc region” refers to the constant region of an antibody excluding the first constant region immunoglobulin domain. Thus, Fc refers to the last two constant region immunoglobulin domains of IgA, IgD, and IgG, and the last three constant region immunoglobulin domains of IgE and IgM, and the flexible hinge N-terminal to these domains. For IgA and IgM Fc may include the J chain. For IgG, Fc comprises immunoglobulin domains Cy2 and Cy3 and the hinge between Cy1 and Cy. It is understood in the art that the boundaries of the Fc region may vary, however, the human IgG heavy chain Fc region is usually defined to comprise residues C226 or P230 to its carboxyl-terminus, using the numbering according to the EU index as in Kabat et al.

(1991, NIH Publication 91-3242, National Technical Information Service, Springfield, Va.). The term “Fc region” may refer to this region in isolation or this region in the context of an antibody or antibody fragment. “Fc region” includes naturally occurring allelic variants of the Fc region as well as modifications that modulate effector function. Fc regions also include variants that don’t result in alterations to biological function. For example, one or more amino acids can be deleted from the N-terminus or C-terminus of the Fc region of an immunoglobulin without substantial loss of biological function. Such variants can be selected according to general rules known in the art to have minimal effect on activity (see, e.g., Bowie, et al., *Science* 247:306-1310, 1990). For example, for IgG4 antibodies, a single amino acid substitution (S228P according to Kabat numbering; designated IgG4Pro) may be introduced to abolish the heterogeneity observed in recombinant IgG4 antibodies (see, e.g., Angal, et al., *Mol Immunol* 30:105-108, 1993). In certain embodiments, the Fc region includes substitutions that improve pharmacokinetics properties of an antibody, e.g., increased serum half-life. Non-limiting examples of substitutions of the Fc region can be found in U.S. Pat. No. 8,088,376, the content of which is incorporated by reference in its entirety.

**[0059]** The term “equilibrium dissociation constant” abbreviated (KD), refers to the dissociation rate constant ( $k_d$ ,  $\text{time}^{-1}$ ) divided by the association rate constant ( $k_a$ ,  $\text{time}^{-1} \text{M}^{-1}$ ). Equilibrium dissociation constants can be measured using any method. Thus, in certain embodiments, the antibodies of the present disclosure have a KD of less than about 50 nM, typically less than about 25 nM, or less than 10 nM, e.g., less than about 5 nM, or than about 1 nM and often less than about 10 nM as determined by surface plasmon resonance analysis using a biosensor system such as a Biacore® system performed at 37° C. In certain embodiments, an antibody of the present disclosure has a KD of less than  $5 \times 10^{-5} \text{M}$ , less than  $10^{-5} \text{M}$ , less than  $5 \times 10^{-6} \text{M}$ , less than  $10^{-6} \text{M}$ , less than  $5 \times 10^{-7} \text{M}$ , less than  $10^{-7} \text{M}$ , less than  $5 \times 10^{-8} \text{M}$ , less than  $10^{-8} \text{M}$ , less than  $5 \times 10^{-9} \text{M}$ , less than  $10^{-9} \text{M}$ , less than  $5 \times 10^{-10} \text{M}$ , less than  $10^{-10} \text{M}$ , less than  $5 \times 10^{-11} \text{M}$ , less than  $10^{-11} \text{M}$ , less than  $5 \times 10^{-12} \text{M}$ , less than  $10^{-12} \text{M}$ , less than  $5 \times 10^{-13} \text{M}$ , less than  $10^{-13} \text{M}$ , less than  $5 \times 10^{-14} \text{M}$ , less than  $10^{-14} \text{M}$ , less than  $5 \times 10^{-15} \text{M}$ , or less than  $10^{-15} \text{M}$  or lower as measured as a bivalent antibody. As used herein, an “improved” KD refers to a lower KD. In certain embodiments, an antibody of the present disclosure has a KD of less than  $5 \times 10^{-5} \text{M}$ , less than  $10^{-5} \text{M}$ , less than  $5 \times 10^{-6} \text{M}$ , less than  $10^{-6} \text{M}$ , less than  $5 \times 10^{-7} \text{M}$ , less than  $10^{-7} \text{M}$ , less than  $5 \times 10^{-8} \text{M}$ , less than  $10^{-8} \text{M}$ , less than  $5 \times 10^{-9} \text{M}$ , less than  $10^{-9} \text{M}$ , less than  $5 \times 10^{-10} \text{M}$ , less than  $10^{-10} \text{M}$ , less than  $5 \times 10^{-11} \text{M}$ , less than  $10^{-11} \text{M}$ , less than  $5 \times 10^{-12} \text{M}$ , less than  $10^{-12} \text{M}$ , less than  $5 \times 10^{-13} \text{M}$ , less than  $10^{-13} \text{M}$ , less than  $5 \times 10^{-14} \text{M}$ , less than  $10^{-14} \text{M}$ , less than  $5 \times 10^{-15} \text{M}$ , or less than  $10^{-15} \text{M}$  or lower as measured as a monovalent antibody, such as a monovalent Fab. In certain embodiments, an anti-CSP antibody of the present disclosure has KD less than 100 pM, e.g., or less than 75 pM, e.g., in the range of 1 to 100 pM, when measured by surface plasmon resonance analysis using a biosensor system such as a Biacore® system performed at 37° C. In certain embodiments, an anti-CSP antibody of the present disclosure has KD of greater than 100 pM, e.g., in the range of 100-1000 pM or 500-1000 pM when measured

by surface plasmon resonance analysis using a biosensor system such as a Biacore® system performed at 37° C.

**[0060]** The term “monovalent molecule” as used herein refers to a molecule that has one antigen-binding site, e.g., a Fab or scFv.

**[0061]** The term “bivalent molecule” as used herein refers to a molecule that has two antigen-binding sites. In certain embodiments, a bivalent molecule of the present invention is a bivalent antibody or a bivalent fragment thereof. In certain embodiments, a bivalent molecule of the present invention is a bivalent antibody. In certain embodiments, a bivalent molecule of the present invention is an IgG. In certain embodiments, monoclonal antibodies have a bivalent basic structure. IgG and IgE have only one bivalent unit, while IgA and IgM consist of multiple bivalent units (2 and 5, respectively) and thus have higher valencies. This bivalency increases the avidity of antibodies for antigens.

**[0062]** The terms “monovalent binding” or “monovalently binds to” as used herein refer to the binding of one antigen-binding site to its antigen.

**[0063]** The terms “bivalent binding” or “bivalently binds to” as used herein refer to the binding of both antigen-binding sites of a bivalent molecule to its antigen. In certain embodiments, both antigen-binding sites of a bivalent molecule share the same antigen specificity.

**[0064]** The term “valency” as used herein refers to the number of different binding sites of an antibody for an antigen. A monovalent antibody includes one binding site for an antigen. A bivalent antibody (e.g., a bivalent IgG antibody) includes two binding sites for the same antigen.

**[0065]** The term “affinity” as used herein refers to either the single or combined strength of one or both arms of an antibody (e.g., an IgG antibody) binding to either a simple or complex antigen-expressing one or more epitopes. As defined here, the term “affinity” does not imply a specific number of valencies between the two binding partners.

**[0066]** The phrase “specifically (or selectively) binds” to an antigen or target or “specifically (or selectively) immunoreactive with,” when referring to a protein or peptide, refers to a binding reaction whereby the antibody binds to the antigen or target of interest with an affinity that can be distinguished from non-specific interactions occurring between two proteins.

**[0067]** The terms “identical” or percent “identity,” in the context of two or more polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues that are the same (e.g., at least 70%, at least 75%, at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher) identity over a specified region, e.g., the length of the two sequences, when compared and aligned for maximum correspondence over a comparison window or designated region. Alignment for purposes of determining percent amino acid sequence identity can be performed in various methods, including, without any limitation, BLAST, BLAST-2, ALIGN, or Megalign (DNASTAR) software. Examples of algorithms that are suitable for determining percent sequence identity and sequence similarity the BLAST 2.0 algorithms, which are described in Altschul et al., *Nuc. Acids Res.* 25:3389-3402 (1997) and Altschul et al., *J. Mol. Biol.* 215:403-410 (1990). In certain embodiments, BLAST 2.0 can be used with the default parameters to determine percent sequence identity.

**[0068]** A “substitution,” as used herein, denotes the replacement of one or more amino acids or nucleotides by different amino acids or nucleotides, respectively.

**[0069]** A “conservative” substitution as used herein refers to a substitution of an amino acid such that charge, polarity, hydrophathy (hydrophobic, neutral, or hydrophilic), and/or size of the side group chain is maintained. Illustrative sets of amino acids that may be substituted for one another include (i) positively-charged amino acids Lys and Arg; and His at pH of about 6; (ii) negatively charged amino acids Glu and Asp; (iii) aromatic amino acids Phe, Tyr and Trp; (iv) nitrogen ring amino acids His and Trp; (v) aliphatic hydrophobic amino acids Ala, Val, Leu and Ile, (vi) hydrophobic sulfur-containing amino acids Met and Cys, which are not as hydrophobic as Val, Leu, and Ile, (vii) small polar uncharged amino acids Ser, Thr, Asp, and Asn (viii) small hydrophobic or neutral amino acids Gly, Ala, and Pro; (ix) amide-comprising amino acids Asn and Gln; and (xi) beta-branched amino acids Thr, Val, and Ile. Reference to the charge of an amino acid refers to the charge at pH 6-7.

**[0070]** As used herein, the terms “nucleic acid” and “polynucleotide” are used interchangeably and as used herein refer to both sense and anti-sense strands of RNA, cDNA, genomic DNA, and synthetic forms and mixed polymers of the above. In certain embodiments, a polynucleotide refers to a polyribonucleotide, polydeoxynucleotide or a modified form of either type of nucleotide, and combinations thereof. The terms also include, but are not limited to, single- and double-stranded forms of DNA. In addition, a polynucleotide, e.g., a cDNA or mRNA, may include either or both naturally occurring and modified nucleotides linked together by naturally occurring and/or non-naturally occurring nucleotide linkages. The nucleic acid molecules may be modified chemically or biochemically or may contain non-natural or derivatized nucleotide bases, as will be readily appreciated by those of skill in the art. Such modifications include, for example, labels, methylation, substitutions of one or more of the naturally occurring nucleotides with an analogue, internucleotide modifications such as uncharged linkages (e.g., methyl phosphonates, phosphotriesters, phosphoramidates, carbamates, etc.), charged linkages (e.g., phosphorothioates, phosphorodithioates, etc.), pendent moieties (e.g., polypeptides), intercalators (e.g., acridine, psoralen, etc.), chelators, alkylators, and modified linkages (e.g., alpha anomeric nucleic acids, etc.). The above term is also intended to include any topological conformation, including single-stranded, double-stranded, partially duplexed, triplex, hairpinned, circular, and padlocked conformations. A reference to a nucleic acid sequence encompasses its complement unless otherwise specified. Thus, a reference to a nucleic acid molecule having a particular sequence should be understood to encompass its complementary strand, with its complementary sequence. The term also includes codon-optimized nucleic acids that encode the same polypeptide sequence.

**[0071]** An “isolated” nucleic acid refers to a nucleic acid molecule that has been separated from a component of its natural environment. An isolated nucleic acid includes a nucleic acid molecule contained in cells that ordinarily

contain the nucleic acid molecule, but the nucleic acid molecule is present extrachromosomally or at a chromosomal location that is different from its natural chromosomal location.

**[0072]** “Isolated nucleic acid encoding an antibody or fragment thereof” refers to one or more nucleic acid molecules encoding antibody heavy and light chains (or fragments thereof), including such nucleic acid molecule(s) in a single vector or separate vectors, and such nucleic acid molecule(s) present at one or more locations in a host cell.

**[0073]** The term “vector,” as used herein, refers to a nucleic acid molecule capable of propagating another nucleic acid to which it is linked. The term includes the vector as a self-replicating nucleic acid structure as well as the vector incorporated into the genome of a host cell into which it has been introduced. A “vector,” as used herein, refers to a recombinant construct in which a nucleic acid sequence of interest is inserted into the vector. Certain vectors can direct the expression of nucleic acids to which they are operatively linked. Such vectors are referred to herein as “expression vectors”.

**[0074]** The terms “host cell,” “host cell line,” and “host cell culture” are used interchangeably and refer to cells into which exogenous nucleic acid has been introduced, including the progeny of such cells. A host cell can be a recombinant host cell and includes the primary transformed cell and progeny derived therefrom without regard to the number of passages.

**[0075]** A polypeptide “variant,” as the term is used herein, is a polypeptide that typically differs from a polypeptide specifically disclosed herein in one or more substitutions, deletions, additions, and/or insertions. In the present invention, a “variant” with reference to the sequences described in the “Anti-CSP Antibody Variants” section refers to an engineered sequence, rather than a naturally occurring sequence.

**[0076]** The term “comparable,” in the context of describing the strength of binding of two antibodies to the same target, refers to two dissociation constant (KD) values calculated from two binding reactions that are within three (3) fold from each other. In certain embodiments, the ratio between the first KD (the KD of the binding reaction between the first antibody and the target) and the second KD (the KD of the binding reaction between the second antibody and the target) is within the range of 1:3 or 3:1, endpoints exclusive. A lower KD value denotes stronger binding. For example, without any limitation, an antibody variant that has stronger binding as compared to AB-000224 binds to the target with a KD that is at least  $\frac{1}{3}$  of the KD measured against the same target for AB-000224.

#### Anti-CSP Antibodies

**[0077]** The present disclosure provides anti-CSP antibodies AB-000224 and AB-007088 and variants thereof. AB-000224 and AB-007088 were discovered in antibody repertoires generated by Immune Repertoire Capture® (IRC®) technology from plasmablast B cells isolated from two donors enrolled in a Phase 2a study evaluating the efficacy of the RTS,S vaccine in preventing malaria infec-

tion. The IRC® technology and its use in antibody discovery is well known and disclosed in, e.g., WO 2012148497A2, the entire content of which is herein incorporated by reference. The RTS,S vaccine is a pseudo-viral particle vaccine that combines the hepatitis B surface antigen and the central repeat and C-terminal regions of the *Plasmodium falciparum* (*P. falciparum*) circumsporozoite protein (CSP). RTS,S consists of two polypeptides; RTS is a single polypeptide chain corresponding to amino acids 207 to 395 of *P. falciparum* (3D7) that is fused to HBsAg and S is a polypeptide of 226 amino acids that corresponds to HBsAg. Stoute, et. al., N Engl J Med; 336:86-91(1997); RTS,S Clinical Trials Partnership, PLoS Med. 11(7):e1001685, (2014), WO1993/10152.

**[0078]** CSP is composed of an N-terminal domain containing a heparan sulfate binding site for hepatocyte adhesion, a central repeat region, and a structured C-terminal  $\alpha$ -thrombospondin repeat ( $\alpha$ TSR) that is followed by a GPI anchor, which attaches CSP to the sporozoite membrane. The central repeat region of CSP is highly immunogenic, and in all *P. falciparum* strains with a CSP sequence available, the repeat region is composed of 1 NPDP repeat, 3-5 NVDP repeats, and 35-41 NANP repeats (e.g., a total of 1/4/38 of NPDP/NVDP/NANP motifs are present in the *P. falciparum* 3D7 strain). The repeat region begins with the junctional NPDP sequence, typically followed by three alternations of NANP and NVDP sequences, and continues with the remaining NANP repeats, with most *P. falciparum* strains having one NVDP interspersed in the middle of the long NANP repeat region. Pholcharee, T. et al., J. Mol. Bio. 432: 1048-1063 (2020).

**[0079]** In certain embodiments, the anti-CSP antibodies disclosed herein bind to the central repeat region of *P. falciparum* CSP. In certain embodiments, the antibodies disclosed herein bind to *P. falciparum* CSP protein in the repeat and/or junctional regions that contain NPNA, NPDP, and/or NVDP motifs. In certain embodiments, the anti-CSP antibodies disclosed herein bind to the NANP repeat region of *P. falciparum* CSP. In certain embodiments, the anti-CSP antibodies disclosed herein bind to a polypeptide comprising the amino acid sequence of (NPNA)<sub>3</sub> (SEQ ID NO: 280).

**[0080]** In certain embodiments, the present disclosure provides anti-CSP antibody variants of AB-000224. In certain embodiments, the present disclosure provides anti-CSP antibody variants of AB-007088. In certain embodiments, the variants exhibit protective effects in vivo, e.g., as shown by a reduction in parasite number in a mouse model of malaria infection.

**[0081]** In certain embodiments, the anti-CSP variants disclosed herein maintain the binding specificity, activity and stability and/or manufacturing properties of the parental antibody. In certain embodiments, the anti-CSP variants disclosed herein generated have improved developability, e.g., as identified through various in vitro assays, such as aggregation assessment by HPLC or UPLC, hydrophobic interaction chromatography (HIC), polyspecificity assays (e.g., baculovirus particle binding), self-interaction nanoparticle spectroscopy (SINS), or mass spec analysis after incubation in an accelerated degradation condition such as high temperature, low pH, high pH, or oxidative H<sub>2</sub>O<sub>2</sub>. Mutations are successful if the activity is maintained (or enhanced) while removing or reducing the severity of the liability.

**[0082]** Antibody liabilities are further described in Table 1 below:

TABLE 1

Description of potential development liabilities			
Free cysteine <sup>1</sup>	Yield, heterogeneity, stability, activity	sequence comprises an odd number of cysteines	High
N-linked glycosylation	Yield, heterogeneity, activity	N(-P)(S, T) <sup>2</sup>	High
Abnormal net charge	Platform fit, PK	Sharma 2014 <sup>3</sup>	High
Patches of hydrophobicity	Stability, PK	Sharma 2014	High
Patches of same charge	Stability, PK	N/A (based on structure)	Medium
Proteolysis	Stability, PK	(K, R)(K, R) <sup>4</sup>	Medium
Proteolysis	Stability, PK	DP	Medium
Asparagine deamidation	Heterogeneity, stability, activity	NG;	Medium;
Aspartate isomerization	Heterogeneity, stability, activity	N(A, N, S, T) <sup>5</sup>	Low
Lysine glycation	Heterogeneity, stability, activity	DG	Medium
Methionine oxidation	Heterogeneity, stability, activity	D(A, D, S, T) <sup>6</sup>	Low
Tryptophan oxidation	Heterogeneity, stability, activity	K	Low
		M	Low
		W	Low

<sup>1</sup>“Free cysteine” refers to a cysteine that does not form a disulfide bond with another cysteine and thus is left “free” as thiols. The presence of free cysteines in the antibody can be a potential development liability. Typically, an odd net number of cysteines in the protein shows a likelihood there is a free cysteine.

<sup>2</sup>The N-linked glycosylation site is N-X-S/T, where X is any residue other than proline.

<sup>3</sup>Sharma et al., Proc. Natl. Acad. Sci. USA 111: 18601-18606, 2014.

<sup>4</sup>This motif consists of a K or R, followed by a K or R. Stated differently, the motif can be KK, KR, RK, or RR.

<sup>5</sup>The dipeptide NG poses a medium risk of development liability. The dipeptides NA, NN, NS, and NT pose a low risk of development liability. N may also exhibit low risk of liability for other successor residues, e.g., D, H, or P. Stated differently, dipeptide ND, NH, or NP poses a low risk of development liability.

<sup>6</sup>Similarly to the above, the dipeptide DG poses a medium risk of development liability. The dipeptides DA, DD, DS, and DT pose a low risk of development liability. D may also exhibit low risk of development liability for other successor residues, e.g., N, H, or P.



**[0083]** Another goal for engineering variants is to reduce the risk of clinical immunogenicity. For example, reducing the generation of anti-drug antibodies against the therapeutic antibody. In certain embodiments, the anti-CSP antibody variants have reduced immunogenicity as compared to the parental antibody.

**[0084]** The factors that drive clinical immunogenicity can be classified into two groups. First are factors that are intrinsic to the drug, such as sequence, post-translational modifications, aggregates, degradation products, and contaminants. Second are factors related to how the drug is used, such as dose level, dose frequency, route of administration, patient immune status, and patient HLA type.

**[0085]** One approach to engineering a variant to be as much like self as possible is to identify a close germline sequence and mutate as many mismatched positions (also known as “germline deviations”) to the germline residue type as possible. This approach applies for germline genes IGHV, IGHJ, IGKV, IGKJ, IGLV, and IGLJ, and accounts for all of the variable heavy (VH) and variable light (VL) regions except for part of H-CDR3. Germline gene IGHD codes for part of the H-CDR3 region but typically exhibits too much variation in how it is recombined with IGHV and IGHJ (e.g., forward or reverse orientation, any of three translation frames, and 5' and 3' modifications and non-templated additions) to present a “self” sequence template from a population perspective.

**[0086]** Each germline gene can present as different alleles in the population. The least immunogenic drug candidate, in terms of minimizing the percent of patients with an immunogenic response, would likely be one that matches an allele commonly found in the patient population. Single nucleotide polymorphism (SNP) data from the human genome can be used to approximate the frequency of alleles in the population.

**[0087]** Another approach to engineering a lead for reduced immunogenicity risk is to use in silico predictions of immunogenicity, such as the prediction of T cell epitopes, or use in vitro assays of immunogenicity, such as ex vivo human T cell activation. For example, services such as those offered by Lonza, United Kingdom, are available that employ platforms for prediction of HLA binding and in vitro assessment to further identify potential epitopes.

**[0088]** In certain embodiments, antibody variants are additionally designed to enhance the efficacy of the antibody. Design parameters for this aspect focused on CDRs, e.g., CDR3. Positions to be mutated were identified based on structural analysis of antibody-antigen co-crystals (Oyen et al., Proc. Natl. Acad. Sci. USA 114:E10438-E10445, 2017) and based on sequence information of other antibodies from the same lineage as AB-000224 or AB-007088.

### 1. Approaches to Mutation Design

**[0089]** Development liabilities can be removed or reduced by one or more mutations. Mutations are designed to preserve antibody structure and function while removing or reducing development liabilities and to improve function. In certain embodiments, mutations to chemically similar residues were identified to maintain size, shape, charge, and/or polarity. Non-limiting examples of mutations are described in Table 2 below:

TABLE 2

Free cysteine	Odd #C	High	C(A, S)
N-linked glycosylation	N(-P)(S, T)	High	N-*(Q, D, S, A); (S, T)-*(A, N)
Proteolytic cleavage	(K, R)(K, R)	Medium	K,R-*(Q, S, A)
Proteolytic cleavage	DP	Medium	D(E, S, A)
Asparagine deamidation	NG;	Medium	N-*(Q, S, A);
	N(A, N, S, T)*	Low	G-*(A, S)
Aspartate isomerization	DG;	Medium	D-*(E, S, A);
	D(A, D, S, T)*	Low	G-*(A, S)
Lysine glycation	K	Low	K(R, Q, S, A)
Methionine oxidation	M	Low	M-*(Q, L, S, A)
Tryptophan oxidation	W	Low	W-*(Y, F)
Proteolytic cleavage	(K, R)(K, R)	Medium	K, R-*(Q, S, A)

### 2. Anti-CSP Antibody Variants of AB-000224

**[0090]** In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein comprises modifications compared to AB-000224 that provide improved pharmacokinetic properties, increased serum stability, stronger binding, and/or improved in vivo protective effects compared to AB-000224. In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein exhibits reduced immunogenicity and/or increased manufacturability as compared to AB-000224. In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein has at least one modification, e.g., substitution, relative to the native AB-000224 variable heavy chain amino acid sequence (SEQ ID NO: 14) or variable light chain amino acid sequence (SEQ ID NO: 13) described herein, and has improved developability, e.g., decreased heterogeneity, increased yield, increased stability, improved net charges to improve pharmacokinetics, and/or reduced immunogenicity. In certain embodiments, a VH region or a VL region of such a variant of an anti-CSP antibody AB-000224 disclosed herein has at least two, three, four, five, or six, or more modifications, e.g., substitutions. In certain embodiments, a variant of the an anti-CSP antibody AB-000224 disclosed herein has a total of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 modifications, e.g. substitutions, including both variable regions, compared to AB-000224.

**[0091]** In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein exhibits increased serum half-life as compared to AB-000224. In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein has at least one modification, e.g., substitution, relative to the native AB-000224 Fc region of the heavy chain sequence described herein, and has improved pharmacokinetics properties, e.g., half-life. In certain embodiments, an Fc region of the heavy chain of such a variant of an anti-CSP antibody AB-000224 disclosed herein has at least two, three, four, five, or six, or more modifications, e.g., substitutions. In certain embodiments, a variant of an anti-CSP antibody AB-000224 disclosed herein has a total of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 modifications, e.g. substitutions, including both heavy and light chains, compared to AB-000224. In certain non-limiting embodiments, an Fc region of the heavy chain of a variant of an anti-CSP antibody AB-000224 disclosed herein can include an isoleucine at position 250, a tyrosine at

position 252, an isoleucine at position 259, a glutamine at position 307, a phenylalanine at position 308, a leucine at position 319, a leucine at position 428, a histidine at position 434, a phenylalanine at position 434, an alanine at position 434, a serine at position 434, a methionine at position 434, or a combination thereof, wherein the numbering is defined by EU index as in Kabat. In certain embodiments, an Fc region of the heavy chain of a variant of an anti-CSP antibody AB-000224 disclosed herein includes a leucine at position 428 and a serine at position 434, wherein the numbering is defined by EU index as in Kabat.

[0092] The light and heavy chain CDRs of AB-000224 as defined by Kabat numbering system are shown in Table 3 below:

TABLE 3

AB-000224 CDR sequences (Kabat)			
	CDR1	CDR2	CDR3
VL region	TGMNSNI GAGYDVY (SEQ ID NO: 1)	GNSNRPS (SEQ ID NO: 2)	QSYDTSLNGWA (SEQ ID NO: 3)
VH region	DHAMS (SEQ ID NO: 4)	FIRKTTYGAT THYAAAVRG (SEQ ID NO: 5)	VQLDYGPGYQYYGMDV (SEQ ID NO: 6)

[0093] The light and heavy chain CDRs of AB-000224 as defined by ASN numbering system are shown in Table 4 below:

TABLE 4

AB-000224 CDR sequences (ASN)			
	CDR1	CDR2	CDR3
VL region	TGMNSNI GAGYDVY (SEQ ID NO: 7)	GNSNRPS (SEQ ID NO: 8)	QSYDTSLNGWA (SEQ ID NO: 9)
VH region	DHAMS (SEQ ID NO: 10)	FIRKTTYGAT THYAAAVRG (SEQ ID NO: 11)	VQLDYGPGYQYYGMDV (SEQ ID NO: 12)

[0094] The heavy chain variable region (VH) and light chain variable region (VL) sequences and heavy and light chain sequences of AB-000224 are shown in Table 5 below:

TABLE 5

AB-000224 variable region and full chain sequences	
VL region	ESVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVY WYQQLPGRAPKLLIYGNSNRPSGVPDRFSGRSRGTS ASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGTKL TVLG (SEQ ID NO: 13)
VH region	EVQLVESGGGLVQPGRSLRPLCTASGFSFGDHAMSW VRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTI SRDDSKSIVYLQMNLSKTEDTAVYFCTRVQLDYGPG YQYYGMDVWGQGTTVTVSS (SEQ ID NO: 14)

TABLE 5-continued

AB-000224 variable region and full chain sequences	
DNA for VL region	GAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGG GCCCCAGGGCAGAGGGTCACCATCTCCTGCACCTGGG ATGAACTCCAACATCGGGGAGGTTATGATGTATAC TGGTACCAACAACCTCCAGGAAGAGCCCCAAACTC CTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTC CCTGACCGATTCTCTGGCTCCAGGTCTGGCACCTCA GCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGAT GAGGCTGATTATTACTGCCAGTCTATGACACCAGC CTGAATGGTTGGGCTTTTCGGCGGAGGGACCAAGTTG ACCGTCCTAGGC [SEQ ID NO: 15]
DNA for VH region	GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTA CAGCCAGGGCGGTCCCTGAGACTCCCCTGTACAGCC TCTGGGTTTAGTTTTGGTGATCATGCTATGAGCTGG GTCCGCCAGGCTCCAGGAAGGGGCTGGAGTGGGTA GGTTTCATTAGAAAGACAACCTTATGGTGCACAACA CACTACGCCCGGCTGTGAGAGGCAGATTACCATC TCGCGAGATGATTCTAAAAGCATTGTCTATCTGCAA ATGAACAGCCTGAAAACCGAGACACAGCCGTGTAT TTCTGTACTAGAGTGCAGCTTACTATGGCCCGGGA TACCAGTACTACGGTATGGACGCTCTGGGGCCAAGGG ACCAGGTCACCGTCTCCTCA [SEQ ID NO: 16]
Light Chain	ESVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVY WYQQLPGRAPKLLIYGNSNRPSGVPDRFSGRSRGTS ASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGTKL TVLGQPKAAPSVTLFPPSSSEELQANKATLVCLVDF YPGAFTVAWKADGSPVKGVETTKPSKQSNKYAAS SYLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC S [SEQ ID NO: 17]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRPLCTASGFSFGDHAMSW VRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTI SRDDSKSIVYLQMNLSKTEDTAVYFCTRVQLDYGPG YQYYGMDVWGQGTTVTVSSASTKGPSVFPLAPSSKS TSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTF PAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKP SNTKVDKKEPKSCDKTHTCPPCPAPPELLGGPSVFL FPPKPKDTLMI SRTPEVTCVVVDVSHEDPEVKFNWY VDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWL NGKEYKCKVSNKALPAPIEKTI SKAKGQPREPQVY LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKLSLSLSPGK [SEQ ID NO: 18]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRPLCTASGFSFGDHAMSW VRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTI SRDDSKSIVYLQMNLSKTEDTAVYFCTRVQLDYGPG YQYYGMDVWGQGTTVTVSSASTKGPSVFPLAPSSKS TSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTF PAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKP SNTKVDKKEPKSCDKTHTCPPCPAPPELLGGPSVFL FPPKPKDTLMI SRTPEVTCVVVDVSHEDPEVKFNWY VDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWL NGKEYKCKVSNKALPAPIEKTI SKAKGQPREPQVY LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKLSLSLSPGK [SEQ ID NO: 19]
DNA for Light Chain	GAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGG GCCCCAGGGCAGAGGGTCACCATCTCCTGCACCTGGG ATGAACTCCAACATCGGGGAGGTTATGATGTATAC TGGTACCAACAACCTCCAGGAAGAGCCCCAAACTC CTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTC CCTGACCGATTCTCTGGCTCCAGGTCTGGCACCTCA GCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGAT GAGGCTGATTATTACTGCCAGTCTATGACACCAGC CTGAATGGTTGGGCTTTTCGGCGGAGGGACCAAGTTG

TABLE 5-continued

AB-000224 variable region and full chain sequences	
	ACCGTCCTAGGCCAGCCCAAGGCTGCCCCCTCGGTC ACTCTGTTCCACCCTCCTCTGAGGAGCTTCAAGCC AACAAGGCCACACTGGTGTGTCTCGTAAGTGACTTC TACCCGGGAGCCGTGACAGTGGCCTGGAAGCAGAT GGCAGCCCCGTCAAGGTGGGAGTGGAGACCACAAA CCCTCCAAACAAAGCAACAACAAGTATGCGCCAGC AGCTACCTGAGCTGACGCCCGAGCAGTGAAGTCC CACAGAAGCTACAGCTGCCGGGTACGCATGAAGGG AGCACCGTGGAGAAGACAGTGGCCCCTGAGAATGC TCT [SEQ ID NO: 20]
DNA for Heavy Chain ver- sion 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCCCTGTACAG CCTCTGGGTTTAGTTTTGGTGATCATGCTATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGG TAGGTTTCATTAGAAAAGACAACCTTATGGTGCGACAA CACACTACGCCCGGCTGTGAGAGGCAGATTCACCA TCTCGCGAGATGATTCTAAAAGCATTGTCTATCTGC AAATGAACAGCCTGAAAACCGAGGACACAGCCGTGT ATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCCG GATACCAGTACTACGGTATGGACGTCTGGGGCCAAG GGACCACGGTCACCGTCTCCTCAGCCTCCACCAAGG GCCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGA GCACCTCTGGGGGCACAGCAGCCCTGGGCTGCCTGG TCAAGGACTACTTCCCCGAACCGGTGACGGTGTTCGT GGAACTCAGGCGCCTGACCAGCGGCGTGACACCT TCCCCGGCTGTCTACAGTCTCAGGACTCTACTCCC TCAGCAGCGTGGTACCCTGCCCTCCAGCAGCTTGG GCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCA AATCTTGTGACAAAACCTCACACATGCCACCGTGCC CAGCACCTGAACTCCTGGGGGGACCGTCAGTCTTCC TCTTCCCCCAAACCCAAGGACACCCTCATGATCT CCCGGACCCCTGAGGTCACATGCGTGGTGGTGACG TGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGT ACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAA AGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGC TGAATGGCAAGGAGTACAAGTGAAGGTCTCCAACA AAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCA AAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACA CCCTGCCCCATCCCGGGATGAGCTGACCAAGAACC AGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATC CCAGCGACATCGCGTGGAGTGGGAGAGCAATGGGC AGCCGGAGAACAACACTACAAGACCACGCTCCCGTGC TGGACTCCGACGGCTCCTTCTTCTCTACAGCAAGC TCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACG TCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACA ACCACTACACACAGAAGAGCCTCTCCCTGTCTCCGG GTAAA [SEQ ID NO: 21]
DNA for Heavy Chain ver- sion 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCCCTGTACAG CCTCTGGGTTTAGTTTTGGTGATCATGCTATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGG TAGGTTTCATTAGAAAAGACAACCTTATGGTGCGACAA CACACTACGCCCGGCTGTGAGAGGCAGATTCACCA TCTCGCGAGATGATTCTAAAAGCATTGTCTATCTGC AAATGAACAGCCTGAAAACCGAGGACACAGCCGTGT ATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCCG GATACCAGTACTACGGTATGGACGTCTGGGGCCAAG GGACCACGGTCACCGTCTCCTCAGCCTCCACCAAGG GCCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGA GCACCTCTGGGGGCACAGCAGCCCTGGGCTGCCTGG TCAAGGACTACTTCCCCGAACCGGTGACGGTGTTCGT GGAACTCAGGCGCCTGACCAGCGGCGTGACACCT TCCCCGGCTGTCTACAGTCTCAGGACTCTACTCCC TCAGCAGCGTGGTACCCTGCCCTCCAGCAGCTTGG GCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCA AATCTTGTGACAAAACCTCACACATGCCACCGTGCC CAGCACCTGAACTCCTGGGGGGACCGTCAGTCTTCC

TABLE 5-continued

AB-000224 variable region and full chain sequences	
	TCTTCCCCCAAACCCAAGGACACCCTCATGATCT CCCGGACCCCTGAGGTACATGCGTGGTGGTGGACG TGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGT ACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAA AGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGC TGAATGGCAAGGAGTACAAGTGAAGGTCTCCAACA AAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCA AAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACA CCCTGCCCCATCCCGGGATGAGCTGACCAAGAACC AGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATC CCAGCGACATCGCGTGGAGTGGGAGAGCAATGGGC AGCCGGAGAACAACACTACAAGACCACGCTCCCGTGC TGGACTCCGACGGCTCCTTCTTCTCTACAGCAAGC TCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACG TCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACT CCCACTACACACAGAAGAGCCTCTCCCTGTCTCCGG GTAAA [SEQ ID NO: 22]

**[0095]** In certain embodiments, a variant of an anti-CSP antibody includes one, two, or three CDRs of a VL sequence of Table 5. In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., substitution, and no more than 10, 20, 30, 40, or 50 mutations in the VL amino acid sequence set forth in SEQ ID NO: 13. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 1. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 2. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 3. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 7. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 8. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 9. In certain embodiments, the mutation is a conservative substitution. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the framework of the amino acid sequence set forth in SEQ ID NO: 13. An exemplary nucleic acid sequence of SEQ ID NO: 13 is set forth in SEQ ID NO: 15. In certain embodiments, the VL of the variant of an anti-CSP antibody includes a substitution at position 1 of the SEQ ID NO: 13. In certain embodiments, the substitution is E1Q. In certain embodiments, the VL of the variant of an anti-CSP antibody includes a substitution at position 4 of the SEQ ID NO: 13. In certain embodiments, the substitution is R44T.

**[0096]** In certain embodiments, a variant of an anti-CSP antibody includes one, two, or three CDRs of a VH sequence

of Table 5. In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., substitutions, and no more than 10, 20, 30, 40, or 50 mutations in the VH amino acid sequence set forth in SEQ ID NO: 14. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 4. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 5. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 6. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 10. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 11. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 12. In certain embodiments, the mutation is a conservative substitution. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a CDR2 having a substitution at position 12 of the SEQ ID NO: 5. In certain embodiments, the substitution is H12K. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a CDR2 having a substitution at position 18 of the SEQ ID NO: 5. In certain embodiments, the substitution is R18K. In certain embodiments, the mutation is a conservative substitution. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a CDR2 having a substitution at position 12 of the SEQ ID NO: 11. In certain embodiments, the substitution is H12K. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a CDR2 having a substitution at position 18 of the SEQ ID NO: 11. In certain embodiments, the substitution is R18K. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, at least three mutations, or at least four mutations, e.g., substitutions, in the framework of the amino acid sequence set forth in SEQ ID NO: 14. An exemplary nucleic acid sequence of SEQ ID NO: 14 is set forth in SEQ ID NO: 16. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 21 of the SEQ ID NO: 14. In certain embodiments, the substitution is P21S. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 23 of the SEQ ID NO: 14. In certain embodiments, the substitution is T23A. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 80 of the SEQ ID NO: 14. In certain embodiments, the substitution is I80T. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 90 of the SEQ ID NO: 14. In certain embodiments, the substitution is T90A. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 99 of the SEQ ID NO: 14. In certain embodiments, the substitution is T99A.

**[0097]** In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., substitution, and no more than 10, 20, 30, 40, or 50 mutations in the Fc region of the heavy chain amino acid sequence set forth in SEQ ID NO: 18. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody has an amino acid sequence set forth in SEQ ID NO: 18. An exemplary nucleic acid sequence of SEQ ID NO: 18 is set forth in SEQ ID NO: 21. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 438 of the SEQ ID NO: 18. In certain embodiments, the substitution is M438L. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 444 of the SEQ ID NO: 18. In certain embodiments, the substitution is N444S. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 438 of the SEQ ID NO: 18 and a substitution at position 444 of the SEQ ID NO: 18. In certain embodiments, the substitutions are M438L and N444S. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody has an amino acid sequence set forth in SEQ ID NO: 19. An exemplary nucleic acid sequence of SEQ ID NO: 19 is set forth in SEQ ID NO: 22.

**[0098]** In certain embodiments, the light chain of the anti-CSP antibody AB-000224 and variants thereof comprises a signal peptide. In certain embodiments, the signal peptide is an IGLV2-8 signal peptide. In certain embodiments, the signal peptide has an amino acid sequence set forth in SEQ ID NO: 277. In certain embodiments, the heavy chain of the anti-CSP antibody AB-000224 and variants thereof comprises a signal peptide. In certain embodiments, the signal peptide is an IGKV1-39 signal peptide. In certain embodiments, the signal peptide has an amino acid sequence set forth in SEQ ID NO: 278. SEQ ID NO: 277 and SEQ ID NO: 278 are provided below:

[SEQ ID NO: 277]  
MAWALLLLTLLTQGTGSWA

[SEQ ID NO: 278]  
MDMRVPAQLLGLLLLWLRGARC

**[0099]** In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 23, as shown in Table 6. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 24, as shown in Table 6. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ ID NO: 27, as shown in Table 6. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 28, as shown in Table 6. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 29, as shown in Table 6. Exemplary nucleic acid sequences of SEQ ID NOS: 23, 24, 27, 28, and 29 are provided in Table 6 below.

TABLE 6

Antibody ID: AB-000224.001		
	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNQWA [SEQ ID NO: 3]	QSYDTSLNQWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYVYQQ LPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGL QAEDEADYYCQSYDTSLNQWAFGGGKLTVLG [SEQ ID NO: 23]	
VH	EVQLVESGGGLVQPGRSLRLSCTASGFSGDHAMSWVRQA PGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSI VYLQMNLSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQ TTVTVSS [SEQ ID NO: 24]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCC CAGGGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTC CAACATCGGGGCAGGTTATGATGTATACTGGTACCAACAA CTTCCAGGAACGCCCCAACTCCTCATCTATGGTAACA GCAATCGGCCCTCAGGGTCCCTGACCGATTCTCTGGCTC CAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTC CAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACA CCAGCCTGAATGGTTGGGCTTTTCGGCGGAGGACCAAGTT GACCGTCTAGGC [SEQ ID NO: 25]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGC CAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTT TAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCT CCAGGGAAGGGGCTGGAGTGGGTAGGTTTCAATAGAAAGA CAACTTATGGTGCACAAACACTACGCCGCGGCTGTGAG AGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCATT GTCTATCTGCAATGAACAGCCTGAAAACCGAGGACACAG CCGTGATTTCTGTACTAGAGTGCAGCTTACTATGGCCC GGGATACCAGTACTACGGTATGGACGCTTGGGGCAAGGG ACCACGGTACCGTCTCCTCA [SEQ ID NO: 26]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYVYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGT SASLAITGLQAEDEADYYCQSYDTSLNQWAFGGGKLTVL GQPKAAPSVTLFPPSSEELQANKATLVCLVDFYPGAVTV AWKADGSPVKVGVETTKPSKQSNKYAASSYLSLTPEQWK SHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 27]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFSGDHAMSWVRQA PGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSI VYLQMNLSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQ TTVTVSSASTKGPSVFPLAPSSKSTSGGTAALGLVKDYF PEPVTVSWNSGALTSVHTFPAVLQSSGLYSLSSVTVPS SSLGTQTYICNVNHKPSNTKVDKVEPKSCDKHTTCCPCP APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHED PEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH [SEQ ID NO: 28]	

TABLE 6-continued

Antibody ID: AB-000224.001	
	QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVY LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENN YKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVME ALHNHYTQKSLSLSPGK [SEQ ID NO: 28]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFSGDHAMSWVRQA PGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSI VYLQMNLSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQ TTVTVSSASTKGPSVFPLAPSSKSTSGGTAALGLVKDYF PEPVTVSWNSGALTSVHTFPAVLQSSGLYSLSSVTVPS SSLGTQTYICNVNHKPSNTKVDKVEPKSCDKHTTCCPCP APELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHED PEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVY LPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENN YKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHE ALHSHYTQKSLSLSPGK [SEQ ID NO: 29]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCC CAGGGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTC CAACATCGGGGCAGGTTATGATGTATACTGGTACCAACAA CTTCCAGGAACGCCCCAACTCCTCATCTATGGTAACA GCAATCGGCCCTCAGGGTCCCTGACCGATTCTCTGGCTC CAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTC CAGGCTGAGGATGAGGCTGATTATTACTGCCAGTCTATG ACACCAGCTGAATGGTTGGGCTTTTCGGCGGAGGACCAA GTTGACCGTCTTAGGCCAGCCCAAGGCTGCCCTCGGTC ACTCTGTCCCACCTCCTCTGAGGAGCTTCAAGCACA AGGCCACTGGTGTGTCTCGTAAGTGACTTCTACCCGGG AGCCGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTC AAGGTGGGAGTGGAGACCACCAACCCTCCAAACAAAGCA ACAACAAGTATGCGGCCAGCAGCTACCTGAGCCTGACGCC CGAGCAGTGAAGTCCACAGAAGCTACAGCTGCCGGGTC ACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCT CAGAATGCTCT [SEQ ID NO: 30]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGC CAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTT TAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCT CCAGGGAAGGGGCTGGAGTGGGTAGGTTTCAATAGAAAGA CAACTTATGGTGCACAAACACTACGCCGCGGCTGTGAG AGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCATT GTCTATCTGCAATGAACAGCCTGAAAACCGAGGACACAG CCGTGATTTCTGTACTAGAGTGCAGCTTACTATGGCCC GGGATACCAGTACTACGGTATGGACGCTTGGGGCAAGGG ACCACGGTACCGTCTCCTCA [SEQ ID NO: 31]

TABLE 6-continued

Antibody ID: AB-000224.001	
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGC CAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTT TAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCT CCAGGGAAGGGCTGGAGTGGGTAGGTTTCATTAGAAAAGA CAACTTATGGTGCACAAACACTACGCCGCGGCTGTGAG AGGCAGATTACCATTCTCGGAGATGATTCTAAAAGCATT GTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAG CCGTGTATTTCTGTACTAGAGTGCAGCTTACTATGGCCC GGGATACCAGTACTACGGTATGGACGTCTGGGGCCAAGGG ACCACGGTCACCGTCTCCTCAGCCTCCACCAAGGGCCAT CGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCACCTCTGG GGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTC CCCGAACCGGTGACGGTGTCTGGAAGTCAAGGCGCCCTGA CCAGCGGCGTGCACACCTTCCGGGCTGTCTACAGTCTC AGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCTCC AGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATC ACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCC CAAATCTTGTGACAAAACACACATGCCACCGTGCCTCA GCACCTGAACTCCTGGGGGACCGTCACTCTTCCCTCTCC CCCCAAAACCCAAGGACCCCTCATGATCTCCCGGACCCC TGAGGTACATGCGTGGTGGTGGAGCTGAGCCACGAAAGAC CCTGAGGTCAAGTTCACTGGTACGTGGACGGCGTGGAGG TGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAA CAGCAGTACCGTGTGGTCAAGGAGTACAAGTCAAGGCTC CAGGACTGGCTGAATGGCAAGGAGTACAAGTCAAGGCTC CCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTC CAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACC CTGCCCCATCCCGGATGAGCTGACCAAGAACCAGGTCA GCCTGACCTGCCCTGGTCAAAGGCTTCTATCCAGCGACAT CGCCGTGGAGTGGGAGAGCAATGGGACCGGAGAACAA TACAAGACCACGCTCCCGTGTGACTCCGACGGCTCCT TCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTG GCAGCAGGGGAACGTCTTCTCATGCTCCGTGCTCATGAG GCTCTGCACTCCACTACACACAGAAGAGCCTCTCCCTGT CTCCGGGTAAA [SEQ ID NO: 32]

[0100] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 33, as shown in Table 7. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 34, as shown in Table 7. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ ID NO: 37, as shown in Table 7. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 38, as shown in Table 7. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 39, as shown in Table 7. Exemplary nucleic acid sequences of SEQ ID NOS: 33, 34, 37, 38, and 39 are provided in Table 7 below.

TABLE 7

Antibody ID: AB-000224.002		
	KABAT	ASN
CDR1- VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2- VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]

TABLE 7-continued

Antibody ID: AB-000224.002		
CDR3- VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1- VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2- VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3- VH	VQLDYGPYQYYGMDV [SEQ ID NO: 6]	VQLDYGPYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRTVTSCTGMNSNIGAGYDVYQQL LPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGL QAEDEADYQCQSYDTSLNGWAFGGGKLTVLG [SEQ ID NO: 33]	
VH	EVQLVESGGGLVQPGRSLRLSCAASGFSFGDHAMSWVRQA PGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSI VYLQMNLSKTEDTAVYFCTRVQLDYGPYQYYGMDVWGQG TTVTVSS [SEQ ID NO: 34]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCC CAGGGCAGAGGGTACCATTCTCCTGCACTGGGATGAATC CAACATCGGGCAGGTTATGATGTATACTGGTACCAACAA CTTCCAGGAACTGCCCCAACTCCTCATCTATGGTAACA GCAATCGGCCCTCAGGGGTCCTGACCGATTCTCTGGCTC CAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTC CAGGTGAGGATGAGGCTGATTATTAAGTCCAGTCTATG ACACAGCCTGAATGGTGGGCTTTCGGCGGAGGGACCAA GTTGACCGTCTTAGGC [SEQ ID NO: 35]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCCTC TGGGTTTAGTTTGGTGTATGCTATGAGCTGGGTCCGC CAGGCTCCAGGGAAGGGGCTGGAGTGGGTAGGTTTCATTA GAAAGACAACCTATGGTGCACAAACACTACGCCCGCGGC TGTGAGAGCAGATTCACCATCTCGGAGATGATTCTAAA AGCATTTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGG ACACAGCCGTGATTTCTGTACTAGAGTGCAGCTTGACTA TGGCCCGGATACCAGTACTACGGTATGGACGTCTGGGGC CAAGGGACCAGGTACCCTCTCCTCA [SEQ ID NO: 36]	
Light Chain	QSVLTQPPSVSGAPGQRTVTSCTGMNSNIGA GYDVYQQLPAGTAPKLLIYGNSNRPSGVPDRFSGSRSGT SASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGKLTVL GQPKAAPSVTLFPPSSEELQANKATLVCLVDFYPGAVTV AWKADGSPVKVGVETTKPSKQSNKYAASSYLSLTPEQWK SHRSYSCRVTHEGSTVEKTVAPAECS [SEQ ID NO: 37]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRG RFTISRDDSKSIVYLQMNLSKTEDTAVYFCTRVQLDYGPY QYYGMDVWGQGTITVTVSSASTKGPSVFPLAPSSKSTSGG TAALGCLVKDYFPEPVTVSWNSGALTSVHTFPAVLQSSG LYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPK SCDKHTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPE VTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQNS TYRVSVLTFLVHQLDNLNGKEYKCKVSNKALPAPIEKTI SK AKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIA VEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 38]	
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRG RFTISRDDSKSIVYLQMNLSKTEDTAVYFCTRVQLDYGPY QYYGMDVWGQGTITVTVSSASTKGPSVFPLAPSSKSTSGG TAALGCLVKDYFPEPVTVSWNSGALTSVHTFPAVLQSSG LYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPK SCDKHTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPE	

TABLE 7-continued

Antibody ID: AB-000224.002	
	VTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS TYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTKISK AKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIA VEWESNGQPENNYKTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLEALHSHYTKQKLSLSLSPGK [SEQ ID NO: 39]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCC CAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCAA CATCGGGCAGGTTATGATGTATACTGGTACCAACAACCTT CCAGGAACTGCCCCAACTCCTCATCTATGGTAAACAGCA ATCGGCCCTCAGGGTCCCTGACCGATTCTCTGGCTCCAG GTCTGGCACCTCAGCCTCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACA CCAGCCTGAATGGTTGGGCTTTCGGCGGAGGGACCAAGTT GACCGTCTAGGCCAGCCCAAGGCTGCCCCCTCGTCACT CTGTTCCACCCCTCCTCTGAGGAGCTTCAAGCCAACAAGG CCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAAG GTGGGAGTGGAGACCACCAAACTCCAAACAAAGCAACA ACAAGTATGCGGCCAGCAGCTACCTGAGCCTGACGCCCGA GCAGTGAAGTCCACAGAAGCTACAGCTGCCGGGTCACG CATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCTGCAG AATGCTCT [SEQ ID NO: 40]
DNA for Heavy Chain ver- sion 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGC CAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTT TAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCT CCAGGGAAGGGGCTGGAGTGGGTAGGTTTCATTAGAAAAGA CAACTTATGGTGCACAAACACTACGCCGCGGTGTGAG AGGCAGATTCACCATCTCGCGAGATGATTCTAAAAGCATT GTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAG CCGTGTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCC GGGATACCAGTACTACGGTATGGACGTCTGGGGCCAAGGG ACCACGGTCACCGTCTCCTCAGCCTCCACCAAGGGCCCAT CGGTCTTCCCCCTGGCACCTCCTCCAAGAGCACCTCTGG GGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTC CCCGAACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGA CCAGCGGCGTGACACACTTCCCGGCTGTCTACAGTCCTC AGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCC AGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATC ACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCC CAAATCTGTGACAAAACCTCACACATGCCACCGTGGCCA GCACCTGAACTCCTGGGGGACCGTCAGTCTTCTCTTCC CCCCAAAACCAAGGACACCTCATGATCTCCCGGACCCC TGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGAC CCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGG TGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAA CAGCACGTACCGTGTGGTCAGCGTCTCACCCTCTGCAC CAGGACTGGCTGAATGGCAAGGAGTACAAGTGAAGGTCT CCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTC CAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACC CTGCCCCATCCCGGATGAGCTGACCAAGAACCAGGTCA GCCTGACCTGCCTGGTCAAAGGCTTCTATCCAGCGACAT CGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAAC TACAAGACCACGCTCCCGTGTGACTCCGACGGCTCCT TCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTG GCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAG

TABLE 7-continued

Antibody ID: AB-000224.002	
	GCTCTGCACAACCACTACACACAGAAGAGCCTCTCCCTGT CTCCGGGTAAA [SEQ ID NO: 41]
DNA for Heavy Chain ver- sion 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGC CAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTT TAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCT CCAGGGAAGGGGCTGGAGTGGGTAGGTTTCATTAGAAAAGA CAACTTATGGTGCACAAACACTACGCCGCGGTGTGAG AGGCAGATTCACCATCTCGCGAGATGATTCTAAAAGCATT GTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAG CCGTGTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCC GGGATACCAGTACTACGGTATGGACGTCTGGGGCCAAGGG ACCACGGTCACCGTCTCCTCAGCCTCCACCAAGGGCCCAT CGGTCTTCCCCCTGGCACCTCCTCCAAGAGCACCTCTGG GGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTC CCCGAACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGA CCAGCGGCGTGACACACTTCCCGGCTGTCTACAGTCCTC AGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCC AGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATC ACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCC CAAATCTGTGACAAAACCTCACACATGCCACCGTGGCCA GCACCTGAACTCCTGGGGGACCGTCAGTCTTCTCTTCC CCCCAAAACCAAGGACACCTCATGATCTCCCGGACCCC TGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGAC CCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGG TGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAA CAGCACGTACCGTGTGGTCAGCGTCTCACCCTCTGCAC CAGGACTGGCTGAATGGCAAGGAGTACAAGTGAAGGTCT CCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTC CAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACC CTGCCCCATCCCGGATGAGCTGACCAAGAACCAGGTCA GCCTGACCTGCCTGGTCAAAGGCTTCTATCCAGCGACAT CGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAAC TACAAGACCACGCTCCCGTGTGACTCCGACGGCTCCT TCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTG GCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAG GCTCTGCACTCCCACTACACACAGAAGAGCCTCTCCCTGT CTCCGGGTAAA [SEQ ID NO: 42]

[0101] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 43, as shown in Table 8. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 44, as shown in Table 8. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ ID NO: 47, as shown in Table 8. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 48, as shown in Table 8. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 49, as shown in Table 8. Exemplary nucleic acid sequences of SEQ ID NOS: 43, 44, 47, 48, and 49 are provided in Table 8 below.

TABLE 8

Antibody ID: AB-000224.003	
KABAT	ASN
CDR1- VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]
CDR2- VL	GNSNRPS [SEQ ID NO: 2]
CDR3- VL	QSYDTSLNQWA [SEQ ID NO: 3]
CDR1- VH	DHAMS [SEQ ID NO: 4]
CDR2- VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]
CDR3- VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYQWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAIITGLQ AEDEADYQCQSYDTSLNQWAFGGGKLTVLG [SEQ ID NO: 43]
VH	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSS [SEQ ID NO: 44]
DNA for VL	CAGTCTGTGCTGACGACGCCGCCCTCAGTGTCTGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCGCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGAGGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 45]
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCACTGTCTATCGAAATGAACAGCCTGAAAACGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTACTATGGCCGGGATAACAGTACT ACGGTATGGACGCTGGGGCCAAGGGACCACGGTACCGTCTCCTCA [SEQ ID NO: 46]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYQWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAIITGLQ AEDEADYQCQSYDTSLNQWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 47]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSSA STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVMEALHNHYTQKSLSLSPGK [SEQ ID NO: 48]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNSLKTEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSSA STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH



TABLE 8-continued

Antibody ID: AB-000224.003

	EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTIISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 49]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTTCGGCGAGGGACCAAGTTGACCGTCTTAGGCCAGCCCA AGGCTGCCCCCTCGTCACTCTGTTCACCCTCCTCTGAGGAGCTTCAA GCCAACAAAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC CGTGACAGTGGCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG AGACCACCAACCCTCCAAACAAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTACGCATGAAGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 50]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGTCCCTGAGACTCA GCTGTACAGCCTCTGGGTTTAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCC AGGGAAGGGGCTGGAGTGGGTAGGTTTTATTAGAAAAGACAACCTTATGGTGCAGACAACACAC TACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCACTGTCT ATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGTGTATTTCTGTACTAGAGTGCA GCTTGACTATGGCCCCGGGATACCAGTACTACGGTATGGACGTCTGGGGCCAGGGACCACG GTCACCGTCTCCTCAGCCTCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCA AGAGCACCTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACC GGTGACGGTGTCTGGAACTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCGGCTGTC CTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCTCCAGCAGCTTGG GCACCCAGACCTACATCTGCAACGTGAATCACAAGCCAGCAACACCAAGGTGGACAAGAA AGTTGAGCCCAAATCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCCTGAACTC CTGGGGGACCGTCACTCTTCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCC GGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTT CAACTGGTACGTGGACCGGCTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAG TACAACAGCACGTACCGTGTGGTCAGCGTCCCTACCGTCTGCACCAGGACTGGCTGAATG GCAAGGAGTACAAGTGAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCAT CTCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGGAT GAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACA TCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACATAAGACCACGCTCCCGT GCTGGACTCCGACGGCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGG CAGCAGGGGAACGCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACAC AGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 51]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGTCCCTGAGACTCA GCTGTACAGCCTCTGGGTTTAGTTTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCC AGGGAAGGGGCTGGAGTGGGTAGGTTTTATTAGAAAAGACAACCTTATGGTGCAGACAACACAC TACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCACTGTCT ATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGTGTATTTCTGTACTAGAGTGCA GCTTGACTATGGCCCCGGGATACCAGTACTACGGTATGGACGTCTGGGGCCAGGGACCACG GTCACCGTCTCCTCAGCCTCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCA AGAGCACCTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACC GGTGACGGTGTCTGGAACTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCGGCTGTC CTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCTCCAGCAGCTTGG GCACCCAGACCTACATCTGCAACGTGAATCACAAGCCAGCAACACCAAGGTGGACAAGAA AGTTGAGCCCAAATCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCCTGAACTC CTGGGGGACCGTCACTCTTCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCC GGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTT CAACTGGTACGTGGACCGGCTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAG TACAACAGCACGTACCGTGTGGTCAGCGTCCCTACCGTCTGCACCAGGACTGGCTGAATG GCAAGGAGTACAAGTGAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCAT CTCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGGAT GAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACA TCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACATAAGACCACGCTCCCGT GCTGGACTCCGACGGCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGG CAGCAGGGGAACGCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACAC AGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 52]

[0102] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 53, as shown in Table 9. In certain embodiments, the anti-CSP antibody variant com-

prises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 55, as shown in Table 9. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 57, as shown in Table 9. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 58, as shown in Table 9. In certain embodiments, the anti-CSP

antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 59, as shown in Table 9. Exemplary nucleic acid sequences of SEQ ID NOS: 53, 54, 57, 58, and 59 are provided in Table 9 below.

TABLE 9

Antibody ID: AB-000224.004		
KABAT	ASN	
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRSGTSASLAITGLQAEDEADYYCQSYDTSLNGWAFGGGKLTVLG [SEQ ID NO: 53]	
VH	EVQLVESGGGLVQPGRSLRLSCTASGFSFGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSIVYLQMNLSKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQGT VTVSS [SEQ ID NO: 54]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCCCTAGGC [SEQ ID NO: 55]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGOATTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGACTAGAGTGCAGCTTGACTATGGCCCCGGATACCAGTACT ACGGTATGGACGCTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA [SEQ ID NO: 56]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGKLTVLGQPKAAPS VTLFPPSSEELQ ANKATLVCLVSDFYPGAVTVAWKADGSPVKVGVETTKPSKQSNNKYAASS YLSLTPEQWKSRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 57]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNLSKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQGT VTVSSA STKGPVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVTVPSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPAPPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 58]	

TABLE 9-continued

Antibody ID: AB-000224.004

Heavy Chain version 2	EVQLVESGGGLVQGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLMNSLKAEDTAVYFCTRVQLDYGPYQYGMVWVQGTTVTVSSA STKGPSVFLPAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNPKSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTP E V T C V V D V S H EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTKSLSLSPGK [SEQ ID NO: 59]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCTCGGTCACTCTGTTCCACCCTCTCTGAGGAGCTTCAA GCCAACAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC CGTGACAGTGGCTGGAAGGCAGATGGCAGCCCGTCAAGGTGGGAGTGG AGACCACAAACCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGAGCACCGTGGAGAAGACAGTGGCCCCGTCAG AATGCTCT [SEQ ID NO: 60]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCATTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATAACCAGTACT ACGGTATGGACGCTTGGGGCCAAGGGACCACGGTCAACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAAGTCAAGGCGCCGACAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCAGCTGAACCTCT GGGGGACCGTCAGTCTTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCAGCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTACGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACATAAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 61]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGGATTGTCTATGTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATAACCAGTACT ACGGTATGGACGCTTGGGGCCAAGGGACCACGGTCAACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAAGTCAAGGCGCCGACAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCAGCTGAACCTCT GGGGGACCGTCAGTCTTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCAGCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTACGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACATAAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 61]

TABLE 9-continued

Antibody ID: AB-000224.004
TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAAC TACAAGACCACGCCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 62]

[0103] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 63, as shown in Table 10. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 64, as shown in Table 10. In certain embodiments, the anti-CSP antibody variant comprises a

light chain having the amino acid sequence set forth in SEQ ID NO: 67, as shown in Table 10. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 68, as shown in Table 10. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 69, as shown in Table 10. Exemplary nucleic acid sequences of SEQ ID NOS: 63, 64, 67, 68, and 69 are provided in Table 10 below.

TABLE 10

Antibody ID: AB-000224.005		
KABAT	ASN	
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNQWA [SEQ ID NO: 3]	QSYDTSLNQWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNISA GYDVYWYQQLPGTAPKLLI YGNSNRPSGVPDRFSGRSRGSASLAITGLQ AEDEADYYCQSYDTSLNQWAFGGGTKLTVLG [SEQ ID NO: 63]	
VH	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLMNSLKTEDTAVYFCARVQLDYGPGYQYYGMDVWGQTTVTVSS [SEQ ID NO: 64]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTSTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GOTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGGCTGAA TGTTGGGCTTTTCGGCGGAGGGACCAAGTTGACCGTCCCTAGGC [SEQ ID NO: 65]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCrGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACT	

TABLE 10-continued

Antibody ID: AB-000224.005	
	ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTSAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA [SEQ ID NO: 66]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYQCQSYDTS LNGWAFGGGKLTVLGQPKAAPSVTLFPPSS EELQ ANKATLVCLVSDFYPGA VTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC S [SEQ ID NO: 67]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKTEDTAVYFCARVQLDYGPGYQYGMVWVWQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYI CNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTT PPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 68]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKTEDTAVYFCARVQLDYGPGYQYGMVWVWQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYI CNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTT PPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 69]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAAC TCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAAC TCCAGGAAC TGCCTCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTTCGGCGAGGGACCAAGTTGACCGTCTTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCACCCCTCCTCTGAGGAGCTTCAA GCCAACAAAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTC AAGGTGGGAGTGG AGACCACCAAACCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCCGAGCAGTGAAGTCCACAGAAGTACAGCTG CCGGGTACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 70]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTC CAGGGAAGGGGCT GGAGTGGGTAGGTTTCAT TAGAAAGACAAC TTAGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAAC TACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCCTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCCTGC CCCCATCCCGGGATGAGCTGACCAAGAACCAGGTACAGCTGACCTGCCTG

TABLE 10-continued

Antibody ID: AB-000224.005	
	GTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGCTGGACTCCGACG GCTCCTTCTTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 71]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTACTATGGCCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACCTCACACATGCCACCCTGCCAGCACCTGAACCTCCT GGGGGACCGTCAGTCTTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCCTACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGCTGGACTCCGACG GCTCCTTCTTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 72]

[0104] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 73, as shown in Table 11. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 74, as shown in Table 11. In certain embodiments, the anti-CSP antibody variant comprises a

light chain having the amino acid sequence set forth in SEQ ID NO: 77, as shown in Table 11. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 78, as shown in Table 11. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 79, as shown in Table 11. Exemplary nucleic acid sequences of SEQ ID NOS: 73, 74, 77, 78, and 79 are provided in Table 11 below.

TABLE 11

Antibody ID: AB-000224.006			
	KABAT		ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]		TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]		GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]		QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]		DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]		FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]		VQLDYGPGYQYYGMDV [SEQ ID NO: 12]

TABLE 11-continued

Antibody ID: AB-000224.006

VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYCYQSYDTS LNGWAFGGGKLTVLG [SEQ ID NO: 73]
VH	EVQLVESGGGLVQPGRSLRSLCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLMNSLKTEDTAVYFCTRVQLDYGPYQYGMVWVWQGTTVTVSS [SEQ ID NO: 74]
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTTCGGCGAGGGACCAAGTTGACCGTCCTAGGC [SEQ ID NO: 75]
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCA [SEQ ID NO: 76]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYCYQSYDTS LNGWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 77]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRSLCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLMNSLKTEDTAVYFCTRVQLDYGPYQYGMVWVWQGTTVTVSSA STKGPSVFLPAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVMEALHNHYTQKSLSLSPGK [SEQ ID NO: 78]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRSLCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLMNSLKTEDTAVYFCTRVQLDYGPYQYGMVWVWQGTTVTVSSA STKGPSVFLPAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 79]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTTCGGCGAGGGACCAAGTTGACCGTCCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCCACCCTCCTCTGAGGAGCTTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGAATCTACCCGGGAGC CGTGACAGTGGCTGGAAGGCAGATGGCAGCCCCGTC AAGGTGGGAGTGG AGACCACCAACCCTCAAACAAGCAACAACAAGTATGCGGCCAGCAGC

TABLE 11-continued

Antibody ID: AB-000224.006

---

TACCTGAGCCTGACGCCCAGCAGTGGAAGTCCCACAGAAGCTACAGCTG  
 CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCTGCAG  
 AATGCTCT  
 [SEQ ID NO: 80]

DNA GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  
 for TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT  
 Heavy TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCAGGGAAGGGGCT  
 Chain GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT  
 version ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA  
 1 AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  
 GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT  
 ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC  
 TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCCTCTCCAAGAGCAC  
 CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG  
 AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC  
 ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT  
 GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG  
 TGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA  
 TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT  
 GGGGGGACCGTCAGTCTTCTTCTTCCCCCAAACCAAGGACACCCCTCA  
 TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC  
 GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA  
 TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  
 TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
 TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC  
 CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCCTGC  
 CCCATCCCGGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG  
 GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG  
 GCAGCCGGAGAACAACCTACAAGACCACGCCTCCCGTGCTGGACTCCGACG  
 GCTCCTTCTTCTCTACAGCAAGCTCACCCTGGACAAGAGCAGGTGGCAG  
 CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA  
 CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA  
 [SEQ ID NO: 81]

DNA GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  
 for TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT  
 Heavy TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCAGGGAAGGGGCT  
 Chain GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT  
 version ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA  
 2 AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  
 GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT  
 ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC  
 TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCCTCTCCAAGAGCAC  
 CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG  
 AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC  
 ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT  
 GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG  
 TGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA  
 TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT  
 GGGGGGACCGTCAGTCTTCTTCTTCCCCCAAACCAAGGACACCCCTCA  
 TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC  
 GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA  
 TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  
 TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG  
 TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC  
 CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCCTGC  
 CCCATCCCGGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG  
 GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG  
 GCAGCCGGAGAACAACCTACAAGACCACGCCTCCCGTGCTGGACTCCGACG  
 GCTCCTTCTTCTCTACAGCAAGCTCACCCTGGACAAGAGCAGGTGGCAG  
 CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA  
 CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA  
 [SEQ ID NO: 82]

---



[0105] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 83, as shown in Table 12. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 84, as shown in Table 12. In certain embodiments, the anti-CSP antibody variant comprises a

light chain having the amino acid sequence set forth in SEQ ID NO: 87, as shown in Table 12. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 88, as shown in Table 12. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 89, as shown in Table 12. Exemplary nucleic acid sequences of SEQ ID NOS: 83, 84, 87, 88, and 89 are provided in Table 12 below.

TABLE 12

Antibody ID: AB-000224.007	
KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]
CDR1-VH	DHAMS [SEQ ID NO: 4]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGTKLTVLG [SEQ ID NO: 83]
VH	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQTTVTVSS [SEQ ID NO: 84]
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCTATGACACCAGCCTGAA TGGTTGGGCTTTCCGGCGGAGGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 85]
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCTCTGGGTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGCACAAACACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGOATTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTACTATGGCCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGACCACGGTACCGTCTCCTCA [SEQ ID NO: 86]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGTKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVSDFYPGAVTVAWKADGSPVKVGVETTKPSKQSNNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAECs [SEQ ID NO: 87]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQTTVTVSSA STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVVTVPSSSLGTQYIICNVNHKPSNTKVDKKEPK SCDKTHTCPPAPPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE

TABLE 12-continued

Antibody ID: AB-000224.007

	YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVMEALHNHYTQKSLSLSPGK [SEQ ID NO: 88]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSVWRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLMNSLKAEDTAVYFCTRVQLDYGPGYQYGMVWVWQGTITVTVSSA STKGPSVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEVEK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 89]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGTCGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCACCCTCCTCTGAGGAGCTTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTACTTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCGTCAAGGTGGGAGTGG AGACCACAAACCCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCCGAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 90]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCCGGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGGATTGTCTATGTGCAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACCTCACACATGCCACCCTGCCCAGCACCTGAACCTCT GGGGGACCGTCAAGTCTTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTCAATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCCTACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCAACAAGCCCTCCAGCCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAACAACCTACAAGACACGCCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 91]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCCGGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCATTGTCTATGTGCAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA

TABLE 12-continued

Antibody ID: AB-000224.007	
TCTTGTGACAAAAC	TACACATGCCACCGTGCCAGCACCTGAACTCCT
GGGGGACCGTCAGTCTTCTTCCCCCAAACCAAGGACCCCTCA	
TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGACGTGAGCCAC	
GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA	
TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG	
TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG	
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC	
CATCTCAAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCCTGC	
CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG	
GTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG	
GCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGTGGACTCCGACG	
GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG	
CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA	
CTACACACAGAAGAGCCTCTCCCTGTCTCCGGTAAA	[SEQ ID NO: 92]

[0106] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 93, as shown in Table 13. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 94, as shown in Table 13. In certain embodiments, the anti-CSP antibody variant comprises a

light chain having the amino acid sequence set forth in SEQ ID NO: 97, as shown in Table 13. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 98, as shown in Table 13. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 99, as shown in Table 13. Exemplary nucleic acid sequences of SEQ ID NOS: 93, 94, 97, 98, and 99 are provided in Table 13 below.

TABLE 13

Antibody ID: AB-000224.008		
KABAT	ASN	
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYVYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRGSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGKLTVLG [SEQ ID NO: 93]	
VH	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLMNSLKTEDTAVYFCARVQLDYGPGYQYYGMDVWGQTTVTVSS [SEQ ID NO: 94]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCCTAGGC [SEQ ID NO: 95]	

TABLE 13-continued

Antibody ID: AB-000224.008

DNA  
for VH GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  
TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT  
TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT  
GGAGTGGGTAGGTTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT  
ACGCCCGGCTGTGAGAGGCAGATTCACCATCTCGGAGATGATTCTAAA  
AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  
GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT  
ACGGTATGGACGTCTGGGCCAAGGGACCACGGTCACCGTCTCCTCA  
[SEQ ID NO: 96]

Light  
Chain QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA  
GYDVYWYQQLPGTAPKLLIYGNNSRPSGVPDRFSGSRSGTSASLAI TGLQ  
AEDEADYQCQSYDTS LNGWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQ  
ANKATLVCLVDFYPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS  
YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC  
[SEQ ID NO: 97]

Heavy  
Chain EVQLVESGGGLVQPGRSLRLS CAASGFS  
FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK  
version SIVYLQMNLSLKTEDTAVYFCARVQLDYGPYQYGMVWQGGTTVTVSSA  
1 STKGPSVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH  
TFPAVLQSSGLYSLSVVTVPSSSLGTQTYI CNVNHKPSNTKVDKKEPK  
SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH  
EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE  
YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL  
VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ  
QGNVFSCSVMHEALHNHYTQKSLSLSPGK  
[SEQ ID NO: 98]

Heavy  
Chain EVQLVESGGGLVQPGRSLRLS CAASGFS  
version FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK  
2 SIVYLQMNLSLKTEDTAVYFCARVQLDYGPYQYGMVWQGGTTVTVSSA  
STKGPSVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH  
TFPAVLQSSGLYSLSVVTVPSSSLGTQTYI CNVNHKPSNTKVDKKEPK  
SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH  
EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE  
YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL  
VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ  
QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 99]

DNA  
for Light  
Chain CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG  
GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA  
GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT  
CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT  
CTGGCTCCAGGTCGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG  
CTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA  
TGGTTGGGCTTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA  
AGGCTGCCCCCTCGGTCACTCTGTTCCACCCTCCTCTGAGGAGCTTCAA  
GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC  
CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTC AAGGTGGGAGTGG  
AGACCACCAACCCTCAAACAAGCAACAACAAGTATGCGGCCAGCAGC  
TACCTGAGCCTGACGCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG  
CCGGGTACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG  
AATGCTCT  
[SEQ ID NO: 100]

DNA  
for Heavy  
Chain GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  
version TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT  
1 TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT  
GGAGTGGGTAGGTTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT  
ACGCCCGGCTGTGAGAGGCAGATTCACCATCTCGGAGATGATTCTAAA  
AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  
GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT  
ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC  
TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC  
CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG  
AACCAGGTGACGGTGTCTGGAAGTCAAGGCGCCCTGACCAGCGGCGTGCAC  
ACCTTCCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT  
GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACTACATCTGCAACG  
TGAATCACAAGCCAGCAACACCAAGGTGGACAGAAAGTTGAGCCCAA  
TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCAGCCTGAACTCT  
GGGGGACCGTCAGTCTTCTTCCCCCAAAACCAAGGACACCCCTCA  
TGATCTCCCCGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC  
GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA

TABLE 13-continued

Antibody ID: AB-000224.008

	TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCCTCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACATAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 101]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTTCATTAGAAAGACAACCTATGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGGATAACAGTACT ACGGTATGGACGCTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACTCAGGCGCCCTGACCAGCGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACCTCACACATGCCACCCGTGCCAGCACCTGAACTCCT GGGGGACCGTCAGTCTTCTTCCCCCAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCCTCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACATAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 102]

[0107] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 103, as shown in Table 14. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 104, as shown in Table 14. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 107, as shown in Table 14. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 108, as shown in Table 14. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 109, as shown in Table 14. Exemplary nucleic acid sequences of SEQ ID NOS: 103, 104, 107, 108, and 109 are provided in Table 14 below.

TABLE 14

Antibody ID: AB-000224.009

	KABAT	ASN
CDR1- VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2- VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3- VL	QSYDTSLNQWA [SEQ ID NO: 3]	QSYDTSLNQWA [SEQ ID NO: 9]
CDR1- VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2- VH	FIRKTTYGATTHYAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAVRG [SEQ ID NO: 11]

TABLE 14-continued

Antibody ID: AB-000224.009

CDR3- VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYYCQSYDTS LNGWAFGGGTKLTVLG [SEQ ID NO: 103]	
VH	EVQLVESGGGLVQPGRSLRSLCTASGFS FGDHMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSS [SEQ ID NO: 104]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGAGGGACCAAGTTGACCGTCCTAGGC [SEQ ID NO: 105]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGCACACACACT ACGCCCGGCTGTGAGAGCAGATTCACCATCTCGCGAGATGATTCATAA AGOACTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA [SEQ ID NO: 106]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYYCQSYDTS LNGWAFGGGTKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVDFYPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAECs [SEQ ID NO: 107]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRSLCTASGFS FGDHMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPVAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKHTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 108]	
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRSLCTASGFS FGDHMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWVGQTTVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPVAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKHTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 109]	
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGAGGGACCAAGTTGACCGTCCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCCACCCTCCTCTGAGGAGCTTCAA	

TABLE 14-continued

Antibody ID: AB-000224.009

	GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGAAGTCTTACCCGGGAGC CGTGACAGTGGCCGGAAGGCAGATGGCAGCCCCGTCAAGGTGGGAGTGG AGACCACCAAACCTCCAAACAAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCCAGCAGTGGAAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGAGCACCGTGGAGAAGACAGTGGCCCCGTCAG AATGCTCT [SEQ ID NO: 110]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGOACTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAAGTCAAGGCGCCGACAGCGGGCTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCAGCCTGAATCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCCCTACCGTCTGCACAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCAAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTACGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGAGAAACACTACAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 111]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCGGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAAGTCAAGGCGCCGACAGCGGGCTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCAGCCTGAATCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCCCTACCGTCTGCACAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCAAAGCCAAAGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTACGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGAGAAACACTACAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 112]

[0108] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 113, as shown in Table 15. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 114, as shown in Table 15. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 117, as shown in Table 15. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 118, as shown in Table 15. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 119, as shown in Table 15. Exemplary nucleic acid sequences of SEQ ID NOS: 113, 114, 117, 118, and 119 are provided in Table 15 below.

TABLE 15

Antibody ID: AB-000224.010		
	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPYQYYGMDV [SEQ ID NO: 6]	VQLDYGPYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGKLTVLG [SEQ ID NO: 113]	
VH	EVQLVESGGGLVQPGRSLRLSCTASGFSFGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAVRGRFTISRDDSKSTVYLMNSLKTEDTAVYFCARVQLDYGPYQYYGMDVWVGQTTVTVSS [SEQ ID NO: 114]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGCAGGTTATGATGTACTGGTACCAACAACCTCCAGGAAGTCCCGCCAACTCCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCTCTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGATGAGGCTGATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 115]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACTACGCCCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGTGTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATACAGTACTACGGTATGGACGCTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA [SEQ ID NO: 116]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASSYLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 117]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFSFGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAVRGRFTISRDDSKSTVYLMNSLKTEDTAVYFCARVQLDYGPYQYYGMDVWVGQTTVTVSSASTKGPVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH	



TABLE 15-continued

Antibody ID: AB-000224.010

	EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTIKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSAFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 118]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNSLKTEDTAVYFCARVQLDYGPYQYGMVWVWQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVGH TFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHNKPSNTKVDKKEPK SCDKHTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTIKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSAFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 119]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGTCCCCAAACT CCTCATCTATGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCACCCCTCCTCTGAGGAGCTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGAATCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG AGACCACCAAACTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 120]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGGCACAACACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGGATACCACTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCAGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCACTCTTCTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCGAGGTCAAGTTCACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAAGCTCTCACCCTGCTGACAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG GTCAAAGGCTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 121]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGGCACAACACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGGATACCACTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCAGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCACTCTTCTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCGAGGTCAAGTTCACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAAGCTCTCACCCTGCTGACAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG GTCAAAGGCTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 121]

TABLE 15-continued

Antibody ID: AB-000224.010	
TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA	
TCTTGTGACAAAACACACATGCCACCGTGCCAGCACCTGAACTCCT	
GGGGGACCGTCAGTCTTCCCTTCCCCAAAACCAAGGACACCTCA	
TGATCTCCCGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC	
GAAGACCCAGAGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGTGCA	
TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG	
TGGTCAGCGTCTCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG	
TACAAGTGAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC	
CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC	
CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG	
GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG	
GCAGCCGGAGAACAATAAGACCACGCCTCCCGTGGACTCCGACG	
GCTCCTTCTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG	
CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA	
CTACACACAGAAGAGCCTCTCCCTGTCTCCGGTAAA [SEQ ID NO: 122]	

[0109] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 123, as shown in Table 16. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 124, as shown in Table 16. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 127, as shown in Table 16. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 128, as shown in Table 16. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 129, as shown in Table 16. Exemplary nucleic acid sequences of SEQ ID NOS: 123, 124, 127, 128, and 129 are provided in Table 16 below.

TABLE 16

Antibody ID: AB-000224.011		
KABAT	ASN	
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRGTASLAITGLQ AEDEADYQCQSYDTSLNGWAFGGTCLTVLG [SEQ ID NO: 123]	
VH	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAVRGRFTISRDDSK SIVYLQMNLSKAEDTAVYFCARVQLDYGPGYQYYGMDVWVGQTTVTVSS [SEQ ID NO: 124]	
DNA for VL	CAGTCTGTGCTGACGACGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 125]	

TABLE 16-continued

Antibody ID: AB-000224.011

DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGATACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCTCTCA [SEQ ID NO: 126]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYYCQSYDTSLNWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVDFYPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 127]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCARVQLDYGPYQYYGMDVWGQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVGH TFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 128]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCARVQLDYGPYQYYGMDVWGQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVGH TFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 129]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACCTCAACATCGGGGCA GGTTATGATGATACTGGTACCAACAACCTCCAGGAACGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGCTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCACCCCTCCTCTGAGGAGCTTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG AGACCACCAACCCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCTGACGCCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG CCGGTACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCTGCAG AATGCTCT [SEQ ID NO: 130]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGATACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCTCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCG AACCAGGTGACGGTGTCTGGAAGTCAAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACACACATGCCACCGTGCACAGCCTGAACTCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC

TABLE 16-continued

Antibody ID: AB-000224.011	
	GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACACTACAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 131]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATACCACTACT ACGGTATGGACGTCTGGGGCCAAAGGACACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCAGTGCAGGTGTGCTGGAACCTCAGGCGCCCTGACCAGCGCGGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCACTTCTCTTCCCCCAAAACCAAGGACACCCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACACTACAAGACCACGCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 132]

[0110] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 133, as shown in Table 17. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 134, as shown in Table 17. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 137, as shown in Table 17. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 138, as shown in Table 17. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 139, as shown in Table 17. Exemplary nucleic acid sequences of SEQ ID NOS: 133, 134, 137, 138, and 139 are provided in Table 17 below.

TABLE 17

Antibody ID: AB-000224.012			
	KABAT		ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]		TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]		GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSNLGWA [SEQ ID NO: 3]		QSYDTSNLGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]		DHAMS [SEQ ID NO: 10]

TABLE 17-continued

Antibody ID: AB-000224.012	
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]      FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]      VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYQCQSYDTSLNGWAFGGGKTLTVLG [SEQ ID NO: 133]
VH	EVQLVESGGGLVQPGRSLRLS CAASGFS FGDHAMS WVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQGT TVTVSS [SEQ ID NO: 134]
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 135]
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCAGATGATTCTAAA AGGACTGTCTATCTGCAAATGAACAGCTGAAAGCAGAGGACACAGCCGT GTATTTCTGACTAGAGTGCAGCTTACTATGGCCCGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACACGGTACCGTCTCCTCA [SEQ ID NO: 136]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYQCQSYDTSLNGWAFGGGKTLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 137]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLS CAASGFS FGDHAMS WVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQGT TVTVSSA STKGP SVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 138]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLS CAASGFS FGDHAMS WVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVY LQMNSLKAEDTAVYFCTRVQLDYGPGYQYYGMDVWGQGT TVTVSSA STKGP SVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 139]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTCCACCCTCCTCTGAGGAGCTCAA GCCAACAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC

TABLE 17-continued

Antibody ID: AB-000224.012

	CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAAGGTGGGAGTGG AGACCACCAAACCTCCAAACAAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 140]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTGCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT GGGGGGACCGTCAGTCTTCTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 141]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGGACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTGCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT GGGGGGACCGTCAGTCTTCTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 142]

[0111] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 143, as shown in Table 18. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 144, as shown in Table 18. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 147, as shown in Table 18. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 148, as shown in Table 18. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 149, as shown in Table 18. Exemplary nucleic acid sequences of SEQ ID NOS: 143, 144, 147, 148, and 149 are provided in Table 18 below.

TABLE 18

Antibody ID: AB-000224.013		
	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGKLTVLG [SEQ ID NO: 143]	
VH	EVQLVESGGGLVQPGRSLRLSCAASGFSFGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSTVYLMNSLKTEDTAVYFCARVQLDYGPGYQYYGMDVWGQTTVTVSS [SEQ ID NO: 144]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGCAGGTTATGATGTACTGGTACCAACAACCTCCAGGAAGTCCCGCCAACTCCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCTCTGGCTCCAGGCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGATGAGGCTGATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTTAGGC [SEQ ID NO: 145]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGTCCTGAGACTCAGCTGTGCGGCTCTGGGTTTGT TTTGGTGATCATGCTATGAGCTGGGTCCGCAAGGCTCCAGGAAGGGGCTGGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACTACGCCCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAAAGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGTGTATTTCTGTGCTAGAGTGCAGCTTACTATGGCCCGGATACCAGTACTACGGTATGGACGCTCTGGGGCCAAGGGACCAGGTCACCGTCTCCTCA [SEQ ID NO: 146]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGAGYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQAEDEADYQCQSYDTSLNGWAFGGGKLTVLGQPKAAPSVTLFPPSSEELQANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASSYLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 147]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCAASGFSFGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSKSTVYLMNSLKTEDTAVYFCARVQLDYGPGYQYYGMDVWGQTTVTVSSA STKGPSVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVH TFPVAVLQSSGLYSLSSVVTVPSSSLGTQYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH	

TABLE 18-continued

Antibody ID: AB-000224.013

	EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVMEALHNHYTQKSLSLSPGK [SEQ ID NO: 148]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLLQMNSLKTEDTAVYFCARVQLDYGPGYQYGMVWVWQGTITVTVSSA STKGPSVFLPLAPSSKSTSGGTAALGLVKDYFPEPVTVSWNSGALTSVGH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSQSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 149]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCTGACCGATTCT CTGGCTCCAGGCTCGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCCACCCTCTCTGAGGAGCTTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTACTTCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCGTCAAGGTGGGAGTGG AGACCACCAAACTCCAAAACAAGCAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCCAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGAGCACCCTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 150]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGGATACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCAACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCTCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCAGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCCTGAACCTCCT GGGGGACCGTCAAGTCTTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCACCCTGACACAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGCAGCCCGGAGAACACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACCTACAAGACCACGCCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCCTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGTAAA [SEQ ID NO: 151]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCATAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGGATACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCAACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCTCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCAGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCCTGAACCTCCT GGGGGACCGTCAAGTCTTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCAGTACCGTG TGGTCAGCGTCTCACCCTGACACAGGACTGGCTGAATGGCAAGGAG TACAAGTGAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGCAGCCCGGAGAACACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACCTACAAGACCACGCCTCCCGTGGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCCTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGTAAA [SEQ ID NO: 151]



TABLE 18-continued

Antibody ID: AB-000224.013	
GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAA TCTTGTGACAAAACACACATGCCACCGTGCCAGCACCTGAACTCCT GGGGGGACCGTCAGTCTTCTTCCCCCAAACCAAGGACACCCCTCA TGATCTCCCGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCAACAAAGCCCTCCAGCCCCCATCGAGAAAAC CATCTCAAAGCCAAAGGCGAGCCCGAGAACCACAGGTGTACACCCTGC CCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGTAAA [SEQ ID NO: 152]	

[0112] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 153, as shown in Table 19. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 154, as shown in Table 19. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 157, as shown in Table 19. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 158, as shown in Table 19. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 159, as shown in Table 19. Exemplary nucleic acid sequences of SEQ ID NOS: 153, 154, 157, 158, and 159 are provided in Table 19 below.

TABLE 19

Antibody ID: AB-000224.014		
	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGTKLTVLG [SEQ ID NO: 153]	
VH	EVQLVESGGGLVQPGRSLRLS CAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNLSLKAEDTAVYFCARVQLDYGPGYQYYGMDVWVGQTTVTVSS [SEQ ID NO: 154]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAACTGCCCCAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCCGGGAGGGACCAAGTTGACCGTCTAGGC [SEQ ID NO: 155]	

TABLE 19-continued

Antibody ID: AB-000224.014	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAACACT ACGCCGCGGTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCAGGTCACCGTCTCCTCA [SEQ ID NO: 156]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNNSRPSGVPDRFSGSRSGTSASLAI TGLQ AEDEADYQCQSYDTSLNWAFGGGKLTVLGQPKAAPSVTLFPPSSSEELQ ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAECs [SEQ ID NO: 157]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCLASGFS FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCARVQLDYGPGYQYYGMDVWGQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 158]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCLASGFS FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK SIVYLQMNSLKAEDTAVYFCARVQLDYGPGYQYYGMDVWGQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 159]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGATACTGGTACCAACAACCTCCAGGAAGTCCCCCAAACCT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCACCCTCCTCTGAGGAGCTTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGAATTTACCCGGGAGC CGTGACAGTGGCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG AGACCACCAAACCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCTGACGCCCGAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCTGCAG AATGCTCT [SEQ ID NO: 160]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAACACT ACGCCGCGGTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGCATTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCAGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCAGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCACAGCCTGAACTCCT GGGGGACCGTCACTCTCTCTTCCCCCAAACCAAGGACACCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCTGAGGTCAAGTTCACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG

TABLE 19-continued

Antibody ID: AB-000224.014	
	TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAATAACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 161]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAACACT ACGCCGCGGTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGGATTGTCTATGTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATACAGTACT ACGGTATGGACGTCTGGGGCCAAAGGGACCACGGTACCCGTCTCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCTCCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCAGGTGACCGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCGTCTGCACCAGGACTGGTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACAATAACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTTCTTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 162]

[0113] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 163, as shown in Table 20. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 164, as shown in Table 20. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 167, as shown in Table 20. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 168, as shown in Table 20. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 169, as shown in Table 20. Exemplary nucleic acid sequences of SEQ ID NOS: 163, 164, 167, 168, and 169 are provided in Table 20 below.

TABLE 20

Antibody ID: AB-000224.015			
	KABAT		ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]		TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]		GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]		QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]		DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]		FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]

TABLE 20-continued

Antibody ID: AB-000224.015	
CDR3 - VH	VQLDYGPYQYYGMDV [SEQ ID NO: 6]      VQLDYGPYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRGTSASLAI TGLQ AEDEADYQCQSYDTSLNWAFGGGKTLTVLG [SEQ ID NO: 163]
VH	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNLSLKAEDTAVYFCARVQLDYGPYQYYGMDVWGQTTVTVSS [SEQ ID NO: 164]
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGTCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGC [SEQ ID NO: 165]
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAACACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATCTAAA AGCACTGTCTATCTGCAAATGAACAGCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTACTATGGCCCGGATACCAGTACT ACGGTATGGAGCTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCA [SEQ ID NO: 166]
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGSRGTSASLAI TGLQ AEDEADYQCQSYDTSLNWAFGGGKTLTVLQPKAAPS VTLFPPSSEELQ ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 167]
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNLSLKAEDTAVYFCARVQLDYGPYQYYGMDVWGQTTVTVSSA STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 168]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCTASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNLSLKAEDTAVYFCARVQLDYGPYQYYGMDVWGQTTVTVSSA STKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 169]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGTCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCCACCCTCCTCTGAGGAGCTCAA GCCAACAGGCCACACTGGTGTGTCTCGTAAGTACTTCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG

TABLE 20-continued

Antibody ID: AB-000224.015

	AGACCACCAAACCTCCAAACAAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCTGCAG AATGCTCT [SEQ ID NO: 170]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGOACTGTOTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCAC CTCTGGGGGACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTGCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAAAG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 171]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTACAGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCGACAACACACT ACGCCGCGGCTGTGAGAGGCAGATTACCATCTCGCGAGATGATTCTAAA AGGACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATAACCAGTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCAC CTCTGGGGGACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTGCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGCTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAAAG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGGCCAGCACCTGAACTCCT GGGGGACCGTCAGTCTTCTCTTCCCCCAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAGCGTCTCACCCTCCTGCACCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACTCCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 172]

[0114] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 173, as shown in Table 21. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 174, as shown in Table 21. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 177, as shown in Table 21. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 178, as shown in Table 21. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 179, as shown in Table 21. Exemplary nucleic acid sequences of SEQ ID NOS: 173, 174, 177, 178, and 179 are provided in Table 21 below.

TABLE 21

Antibody ID: AB-000224.016		
	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 1]	TGMNSNIGAGYDVY [SEQ ID NO: 7]
CDR2-VL	GNSNRPS [SEQ ID NO: 2]	GNSNRPS [SEQ ID NO: 8]
CDR3-VL	QSYDTSLNGWA [SEQ ID NO: 3]	QSYDTSLNGWA [SEQ ID NO: 9]
CDR1-VH	DHAMS [SEQ ID NO: 4]	DHAMS [SEQ ID NO: 10]
CDR2-VH	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 5]	FIRKTTYGATTHYAAAVRG [SEQ ID NO: 11]
CDR3-VH	VQLDYGPGYQYYGMDV [SEQ ID NO: 6]	VQLDYGPGYQYYGMDV [SEQ ID NO: 12]
VL	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGTKLTVLG [SEQ ID NO: 173]	
VH	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLMNSLKAEDTAVYFCARVQLDYGPGYQYYGMDVWQGTTVTVSS [SEQ ID NO: 174]	
DNA for VL	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACCCAACATCGGGGCA GGTTATGATGATGACTGGTACCAACAACCTCCAGGAACTGCCCCAAACT CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTACTGCCAGTCCATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGACCAAGTTGACCGTCTAGGC [SEQ ID NO: 175]	
DNA for VH	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTGT TTTGGTGATCATGCTATGAGCTGGGTCGCGCAGGCTCCAGGGAAGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGCACAACACT ACGCCGCGGCTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTCTAAA AGCACTGTCTATCTGCAATGAACAGCCTGAAAGCAGAGACACAGCCGT GTATTTCTGTGCTAGAGTGCAGCTTGACTATGGCCCGGATACAGTACT ACGGTATGGACGTCTGGGGCCAGGGACCACGGTCCCGTCTCCTCA [SEQ ID NO: 176]	
Light Chain	QSVLTQPPSVSGAPGQRVTISCTGMNSNIGA GYDVYWYQQLPGTAPKLLIYGNSNRPSGVPDRFSGRSRSGTSASLAITGLQ AEDEADYYCQSYDTSLNGWAFGGGTKLTVLGQPKAAPSVTLFPPSSEELQ ANKATLVCLVSDFYPGAFTVAWKADGSPVKVGVETTKPKQSNNKYAASS YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAEC [SEQ ID NO: 177]	
Heavy Chain version 1	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLMNSLKAEDTAVYFCARVQLDYGPGYQYYGMDVWQGTTVTVSSA STKGPSVFLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK SCDKTHTCPPCPAPELGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH	

TABLE 21-continued

Antibody ID: AB-000224.016	
	EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTIISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGGSFFLYSKLTVDKSRWQ QGNVFSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 178]
Heavy Chain version 2	EVQLVESGGGLVQPGRSLRLSCAASGFS FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTHYAAAVRGRFTISRDDSK STVYLQMNSLKAEDTAVYFCARVQLDYGPYQYGMVWVWQGTITVTVSSA STKGPSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH TFPAVLQSSGLYSLSSVTVTPSSSLGTQTYICNVNHNKPSNTKVDKKEPK SCDKHTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE YKCKVSNKALPAPIEKTIISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGGSFFLYSKLTVDKSRWQ QGNVFSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 179]
DNA for Light Chain	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACTCCAACATCGGGGCA GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGTCCCCAAACT CCTCATCTATGTAACAGCAATCGGCCCTCAGGGTCCCTGACCGATTCT CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG GCTGAGGATGAGGCTGATTATTACTGCCAGTCTATGACACCAGCCTGAA TGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCTAGGCCAGCCCA AGGCTGCCCCCTCGGTCACTCTGTTCACCCCTCCTCTGAGGAGCTCAA GCCAACAAGGCCACACTGGTGTGTCTCGTAAGTGAATCTACCCGGGAGC CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTCAGGTGGGAGTGG AGACCACCAAACCTCCAAACAAGCAACAACAAGTATGCGGCCAGCAGC TACCTGAGCCTGACGCCGAGCAGTGAAGTCCACAGAAGCTACAGCTG CCGGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCCTGCAG AATGCTCT [SEQ ID NO: 180]
DNA for Heavy Chain version 1	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGCGACAACACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGATACCACTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT GGGGGACCGTCACTCTTCTCTTCCCCCAAAAACCAAGGACACCCTCA TGATCTCCCGGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC GAAGACCCGAGGTCAAGTTCACTGGTACGTGGACGGCGTGGAGGTGCA TAATGCCAAGACAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG TGGTCAAGCTCTCACCCTGCTGACCCAGGACTGGCTGAATGGCAAGGAG TACAAGTGCAAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC CATCTCCAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG GTCAAAGGCTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG GCAGCCGGAGAACTACAAGACCACGCCTCCCGTGTGGACTCCGACG GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 181]
DNA for Heavy Chain version 2	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG TACAGCCAGGGCGGTCCCTGAGACTCAGCTGTGCGGCCTCTGGGTTTAGT TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT GGAGTGGGTAGGTTTCATTAGAAAGACAACCTATGGTGCGACAACACACT ACGCCGCGGTGTGAGAGGCAGATTCACCATCTCGCGAGATGATTTAAA AGCACTGTCTATCTGCAAATGAACAGCCTGAAAGCAGAGGACACAGCCGT GTATTTCTGTCTAGAGTGCAGCTTGACTATGGCCCGGATACCACTACT ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTACCGTCTCCTCAGCC TCCACCAAGGGCCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCAC CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT GGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG

TABLE 21-continued

Antibody ID: AB-000224.016

TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA  
TCTTGTGACAAAACACACATGCCACCGTGCCAGCACCTGAACTCCT  
GGGGGACCGTCAGTCTTCTCTTCCCCAAAACCAAGGACACCTCA  
TGATCTCCCGACCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCAC  
GAAGACCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA  
TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  
TGGTCAGCGTCTCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAG  
TACAAGTGAAGGTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAAC  
CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC  
CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTG  
GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG  
GCAGCCGGAGAACAACACTACAAGACCACGCCTCCCGTGTGGACTCCGACG  
GCTCCTTCTTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG  
CAGGGGAACGTCTTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCA  
CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 182]

**[0115]** In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 183. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 184. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 185. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 186. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 187. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 188.

**[0116]** In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 189. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 190. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one,

at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 191. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 192. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 193. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 194.

**[0117]** In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 195, as shown in Table 22. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 196, as shown in Table 22. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ ID NO: 199, as shown in Table 22. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 200, as shown in Table 22. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 201, as shown in Table 22. Exemplary nucleic acid sequences of SEQ ID NOS: 195, 196, 199, 200, and 201 are provided in Table 22 below.

TABLE 22

Antibody ID: AB-000224.017

	KABAT	ASN
CDR1-VL	TGMNSNIGAGYDVY [SEQ ID NO: 183]	TGMNSNIGAGYDVY [SEQ ID NO: 189]
CDR2-VL	GNSNRPS [SEQ ID NO: 184]	GNSNRPS [SEQ ID NO: 190]
CDR3-VL	QSYDTSLDGWA [SEQ ID NO: 185]	QSYDTSLDGWA [SEQ ID NO: 191]



TABLE 22-continued

Antibody ID: AB-000224.017

CDR1-VH	DHAMS [SEQ ID NO: 186]	DHAMS [SEQ ID NO: 192]
CDR2-VH	FIRKTTYGATTKYAAAVKG [SEQ ID NO: 187]	FIRKTTYGATTKYAAAVKG [SEQ ID NO: 193]
CDR3-VH	VQLDYGPYQYYGMDV [SEQ ID NO: 188]	VQLDYGPYQYYGMDV [SEQ ID NO: 194]
VL	<p>ESVLTQPPSVSGAPGQRVTISCTGMNSNIGA                  GYDVYWYQQLPGRAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ                  AEDEADYYCQSYDTSLDGWAFGGGKTLTVLG                  [SEQ ID NO: 195]</p>	
VH	<p>EVQLVESGGGLVQPGRSLRPLCTASGFS                  FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTKYAAAVKGRFTISRDDSK                  SIVYLQMNSLKTEDTAVYFCRTRVQLDYGPYQYYGMDVWGQTTVTVSS                  [SEQ ID NO: 196]</p>	
DNA for VL	<p>GAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG                  GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACATCCAACATCGGGGCA                  GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGAGCCCCAAACT                  CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT                  CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG                  GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGGA                  CGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCCTAGGC                  [SEQ ID NO: 197]</p>	
DNA for VH	<p>GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG                  TACAGCCAGGGCGGTCCCTGAGACTCCCCTGTACAGCCTCTGGGTTTAGT                  TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT                  GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAAGT                  ACGCCGCGGCTGTGAAGGGCAGATTCACCATCTCGCGAGATGATTCTAAA                  AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT                  GTATTTCTGTACTAGAGTGCAGCTTACTATGGCCCGGATACAGTACT                  ACGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA                  [SEQ ID NO: 198]</p>	
Light Chain	<p>ESVLTQPPSVSGAPGQRVTISCTGMNSNIGA                  GYDVYWYQQLPGRAPKLLIYGNSNRPSGVPDRFSGSRSGTSASLAI TGLQ                  AEDEADYYCQSYDTSLDGWAFGGGKTLTVLQPKAAPSVTLPFSSSEELQ                  ANKATLVCLVSDYFPGAVTVAWKADGSPVKVGVETTKPSKQSNKYAASS                  YLSLTPEQWKSHRSYSCRVTHEGSTVEKTVAPAECs                  [SEQ ID NO: 199]</p>	
Heavy Chain version 1	<p>EVQLVESGGGLVQPGRSLRPLCTASGFS                  FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTKYAAAVKGRFTISRDDSK                  SIVYLQMNSLKTEDTAVYFCRTRVQLDYGPYQYYGMDVWGQTTVTVSSA                  STKGPSVFPALPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH                  TFPVAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK                  SCDKHTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH                  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE                  YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL                  VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ                  QGNVFSCSVMHEALHNHYTQKSLSLSPGK                  [SEQ ID NO: 200]</p>	
Heavy Chain version 2	<p>EVQLVESGGGLVQPGRSLRPLCTASGFS                  FGDHAMSWVRQAPGKGLEWVGFIRKTTYGATTKYAAAVKGRFTISRDDSK                  SIVYLQMNSLKTEDTAVYFCRTRVQLDYGPYQYYGMDVWGQTTVTVSSA                  STKGPSVFPALPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVH                  TFPVAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPK                  SCDKHTHTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSH                  EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKE                  YKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCL                  VKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQ                  QGNVFSCSVLHEALSHYDQKSLSLSPGK [SEQ ID NO: 201]</p>	
DNA for Light Chain	<p>GAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAG                  GGCAGAGGGTCACCATCTCCTGCACTGGGATGAACATCCAACATCGGGGCA                  GGTTATGATGTATACTGGTACCAACAACCTCCAGGAAGAGCCCCAAACT                  CCTCATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCT                  CTGGCTCCAGGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAG                  GCTGAGGATGAGGCTGATTATTACTGCCAGTCCATGACACCAGCCTGGA                  CGGTTGGGCTTTCGGCGGAGGGACCAAGTTGACCGTCCTAGGCCAGCCCA</p>	

TABLE 22-continued

Antibody ID: AB-000224.017

	<p>AGGCTGCCCCCTCGGTCACTCTGTTCACCCCTCCTCTGAGGAGCTTCAA  GCCAACAAAGGCCACACTGGTGTGTCTCGTAAGTGACTTCTACCCGGGAGC  CGTGACAGTGGCCTGGAAGGCAGATGGCAGCCCCGTC AAGGTGGGAGTGG  AGACCACCAAACCTCCAAACAAAGCAACAACAAGTATGCGGCCAGCAGC  TACCTGAGCCTGACGCCCGAGCAGTGGAAAGTCCACAGAAGCTACAGCTG  CCGGTACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCTGCAG  AATGCTCT  [SEQ ID NO: 202]</p>
DNA for Heavy Chain version 1	<p>GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  TACAGCCAGGGCGGTCCCTGAGACTCCCTGTACAGCCTCTGGGTTTAGT  TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT  GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAAGT  ACGCCGCGGTGTGAAGGGCAGATTACCATCTCGCGAGATGATTCTAAA  AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATACCAGTACT  ACGGTATGGACGTCTGGGGCC AAGGGACACGGTCACCGTCTCCTCAGCC  TCCACCAAGGGCCATCGGTCTTCCCCTGGCACCCCTCCTCCAAGAGCAC  CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG  AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC  ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT  GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG  TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA  TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT  GGGGGGACCGTCAGTCTTCTCTTCCCCCAAACCCAAGGACACCCTCA  TGATCTCCCGGACCCCTGAGGTCAATGCGTGGTGGTGGACGTGAGCCAC  GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA  TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  TGGTCAGCGTCTCACCCTCCTGCACAGGACTGGCTGAATGGCAAGGAG  TACAAGTGC AAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC  CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC  CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG  GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG  GCAGCCGGAGAACAACCTACAAGACCACGCTCCCGTGTGGACTCCGACG  GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG  CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA  CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 203]</p>
DNA for Heavy Chain version 2	<p>GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGG  TACAGCCAGGGCGGTCCCTGAGACTCCCTGTACAGCCTCTGGGTTTAGT  TTTGGTGATCATGCTATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCT  GGAGTGGGTAGGTTTCATTAGAAAGACAACCTTATGGTGCACAAAGT  ACGCCGCGGTGTGAAGGGCAGATTACCATCTCGCGAGATGATTCTAAA  AGCATTGTCTATCTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGT  GTATTTCTGTACTAGAGTGCAGCTTGACTATGGCCCGGGATACCAGTACT  ACGGTATGGACGTCTGGGGCC AAGGGACACGGTCACCGTCTCCTCAGCC  TCCACCAAGGGCCATCGGTCTTCCCCTGGCACCCCTCCTCCAAGAGCAC  CTCTGGGGGCACAGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCG  AACCGGTGACGGTGTCTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCAC  ACCTTCCCGGTGTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGT  GGTGACCGTGCCTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACG  TGAATCACAAGCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCAAA  TCTTGTGACAAAACCTCACACATGCCACCGTGCCAGCACCTGAACTCCT  GGGGGGACCGTCAGTCTTCTCTTCCCCCAAACCCAAGGACACCCTCA  TGATCTCCCGGACCCCTGAGGTCAATGCGTGGTGGTGGACGTGAGCCAC  GAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCA  TAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG  TGGTCAGCGTCTCACCCTCCTGCACAGGACTGGCTGAATGGCAAGGAG  TACAAGTGC AAGGTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAAC  CATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGC  CCCCATCCCGGATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTG  GTCAAAGGCTTCTATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGG  GCAGCCGGAGAACAACCTACAAGACCACGCTCCCGTGTGGACTCCGACG  GCTCCTTCTCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG  CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCA  CTACACACAGAAGAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 204]</p>

## 3. Anti-CSP Antibody Variants of AB-007088

**[0118]** In certain embodiments, a variant of an anti-CSP antibody AB-007088 disclosed herein comprises modifications compared to AB-007088 that provide improved pharmacokinetic properties, increased serum stability, stronger binding, and/or improved in vivo protective effects compared to AB-007088. In certain embodiments, a variant of an anti-CSP antibody AB-007088 disclosed herein exhibits reduced immunogenicity and/or increased manufacturability as compared to AB-007088. In certain embodiments, a variant of an anti-CSP antibody AB-007088 disclosed herein has at least one modification, e.g., substitution, relative to the native AB-007088 variable heavy chain amino acid sequence (SEQ ID NO: 196) or variable light chain amino acid sequence (SEQ ID NO: 195), and has improved developability, e.g., decreased heterogeneity, increased yield, increased stability, improved net charges to improve pharmacokinetics, and/or reduced immunogenicity. In certain embodiments, a VH region or a VL region of such a variant of an anti-CSP antibody AB-007088 disclosed herein has at least two, three, four, five, or six, or more modifications, e.g., substitutions. In certain embodiments, a variant of the an anti-CSP antibody AB-007088 disclosed herein has a total of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 modifications, e.g. substitutions, including both variable regions, compared to AB-007088.

tution, relative to the native AB-007088 Fc region of the heavy chain herein, and has improved pharmacokinetics properties, e.g., half-life. In certain embodiments, an Fc region of the heavy chain of such a variant of an anti-CSP antibody AB-007088 disclosed herein has at least two, three, four, five, or six, or more modifications, e.g., substitutions. In certain embodiments, a variant of the an anti-CSP antibody AB-007088 disclosed herein has a total of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 modifications, e.g. substitutions, including both heavy and light chains, compared to AB-007088. In certain non-limiting embodiments, an Fc region of the heavy chain of a variant of an anti-CSP antibody AB-007088 disclosed herein can include an isoleucine at position 250, a tyrosine at position 252, an isoleucine at position 259, a glutamine at position 307, a phenylalanine at position 308, a leucine at position 319, a leucine at position 428, a histidine at position 434, a phenylalanine at position 434, an alanine at position 434, a serine at position 434, a methionine at position 434, or a combination thereof, wherein the numbering is defined by EU index as in Kabat. In certain embodiments, an Fc region of the heavy chain of a variant of an anti-CSP antibody AB-007088 disclosed herein includes a leucine at position 428 and a serine at position 434, wherein the numbering is defined by EU index as in Kabat.

**[0120]** The light and heavy chain CDRs of AB-007088 as defined by Kabat numbering system are shown in Table 23 below:

TABLE 23

AB-007088 CDR sequences (Kabat)			
	CDR1	CDR2	CDR3
VL region	RASQSISWLA (SEQ ID NO: 205)	DASSLES (SEQ ID NO: 206)	QQYNSYFWT (SEQ ID NO: 207)
VH region	TYGMH (SEQ ID NO: 208)	IIWYDGSQKYADSVQG (SEQ ID NO: 209)	VRFSVGPFGSAFDL (SEQ ID NO: 210)

**[0119]** In certain embodiments, a variant of an anti-CSP antibody AB-007088 disclosed herein exhibits increased

**[0121]** The light and heavy chain CDRs of AB-007088 as defined by ASN are shown in Table 24 below:

TABLE 24

AB-007088 CDR sequences (ASN)			
	CDR1	CDR2	CDR3
VL region	RASQSISWLA (SEQ ID NO: 211)	DASSLES (SEQ ID NO: 212)	QQYNSYWT (SEQ ID NO: 213)
VH region	TYGMH (SEQ ID NO: 214)	IIWYDGSQKYADSVQG (SEQ ID NO: 215)	SAFDL (SEQ ID NO: 216)

serum half-life as compared to AB-007088. In certain embodiments, a variant of an anti-CSP antibody AB-007088 disclosed herein has at least one modification, e.g., substi-

**[0122]** The heavy chain variable region (VH) and light chain variable region (VL) sequences and heavy and light chain sequences of AB-007088 are shown in Table 25 below:

TABLE 25

AB-007088 variable region and full-1	
VL region	GVQMTQSPSTLSASVGDVTLTLCRASQSISSWLAWYQQKPGKAPKLLIYDASSLESG VPSRFSGSGSGTEFTLTISLQPDFFATYYCQQYNSYSFWTFGQGTKVEIKR (SEQ ID NO: 217)
VH region	QVQLVESGGGWQPGRSLRLSCAASGFAFNTYGMHWVRQTPGKGLEWVAIIWYDGSQ KYYADSVQGRFIIISRDNHKNTLSLQMNGLRAEDTAVYFCVRRVRFVSGPHGSAFDLWG QGTMVIVSS (SEQ ID NO: 218)
DNA for VL region	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTGCAACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGGCAAGGGACCAAGGTGGAAATCAAACGC [SEQ ID NO: 219]
DNA for VH region	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCTGAGACTCTCTGTGCAGCGTCTGGGTTGCT TTCAATACCTATGGCATGCACTGGGTCCGCCAGACTCCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTCATCATCTCCAGAGACAATCACAAGAACACG TTGTCTCTGCAATGAACGGCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGACAATGGTCATCGTCTCTTCA [SEQ ID NO: 220]
Light Chain	GVQMTQSPSTLSASVGDVTLTLCRASQSISSWLAWYQQKPGKAPKLLIYDASSLESGVPSRFSGSGSGTEFTLTISLQ PDFFATYYCQQYNSYSFWTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASV VCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSSTYSLSSLTLSKADY EKHKVYACEVTHQGLSSPVTKSFNRGEC [SEQ ID NO: 221]
Heavy Chain version 1	QVQLVESGGGVVQPGRSLRLSCAASGFA FNTYGMHWVRQTPGKGLEWVAIIWYDGSQKYYADSVQGRFIIISRDNHKNT LSLQMNGLRAEDTAVYFCVRRVRFVSGPHGSAFDLWGQGTMVIVSSASTKG PSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPA VLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMEALHNHYTQKSLSLSPGK [SEQ ID NO: 222]
Heavy Chain version 2	QVQLVESGGGVVQPGRSLRLSCAASGFA FNTYGMHWVRQTPGKGLEWVAIIWYDGSQKYYADSVQGRFIIISRDNHKNT LSLQMNGLRAEDTAVYFCVRRVRFVSGPHGSAFDLWGQGTMVIVSSASTKG PSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPA VLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 223]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTGCAACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGGCAAGGGACCAAGGTGGAAATCAAACGCACTGTGG CTGCACCATCTGTCTTCATCTTCCCGCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTTGTGTGCTGCTGAATAACTTCTATCCCAGAGAGGC CAAAGTACAGTGAAGGTGGATAACGCCCTCCAATCGGGTAACTCCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCCTGACGTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCCTG CGAAGTACCCATCAGGGCCTGAGCTCGCCCGTCACAAAGAGCTTCAACA GGGGAGAGTGT [SEQ ID NO: 224]

TABLE 25-continued

AB-007088 variable region and full-1

DNA for Heavy Chain  
version 1

CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG  
TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTGCT  
TTCAATACCTATGGCATGCACTGGGTCCGCCAGACTCCAGGCAAGGGGCT  
GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG  
ACTCCGTGCAGGGCCGATTCATCATCTCCAGAGACAATCACAAGAACAG  
TTGTCTCTGCAATGAACGGCCTGAGAGCCGAGGACACGGCTGTGTATTT  
CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCCTTTGATC  
TCTGGGGCCAGGGGACAATGGTCATCGTCTCTTCAGCCTCCACCAGGGC  
CCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCACCTCTGGGGGCAC  
AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG  
TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCCGCT  
GTCCTACAGTCCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC  
CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC  
CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA  
ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCGTC  
AGTCTTCCCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCCGGA  
CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG  
GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC  
AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC  
TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG  
GTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC  
CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCATCCCGGG  
ATGAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTC  
TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA  
CAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC  
TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGACGTC  
TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA  
GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 225]

DNA for Heavy Chain  
version 2

CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG  
TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTGCT  
TTCAATACCTATGGCATGCACTGGGTCCGCCAGACTCCAGGCAAGGGGCT  
GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG  
ACTCCGTGCAGGGCCGATTCATCATCTCCAGAGACAATCACAAGAACAG  
TTGTCTCTGCAATGAACGGCCTGAGAGCCGAGGACACGGCTGTGTATTT  
CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCCTTTGATC  
TCTGGGGCCAGGGGACAATGGTCATCGTCTCTTCAGCCTCCACCAGGGC  
CCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCACCTCTGGGGGCAC  
AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG  
TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCCGCT  
GTCCTACAGTCCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC  
CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC  
CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA  
ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCGTC  
AGTCTTCCCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCCGGA  
CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG  
GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC  
AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC  
TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG  
GTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC  
CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCATCCCGGG  
ATGAGCTGACCAAGAACCAGGTGAGCCTGACCTGCCTGGTCAAAGGCTTC  
TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA  
CAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC  
TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGACGTC  
TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA  
GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 226]

[0123] In certain embodiments, a variant of an anti-CSP antibody includes one, two, or three CDRs of a VL sequence of Table 25. In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., a substitution, and no more than 10, 20, 30, 40, or 50 mutations in the VL amino acid sequence set forth in SEQ ID NO: 217. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 205. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations,

e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 206. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 207. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 211. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set

forth in SEQ ID NO: 212. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 213. In certain embodiments, the mutation is a conservative substitution. In certain embodiments, the VL of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the framework of the amino acid sequence set forth in SEQ ID NO: 217. An exemplary nucleic acid sequence of SEQ ID NO: 217 is set forth in SEQ ID NO: 219.

**[0124]** In certain embodiments, a variant of an anti-CSP antibody includes one, two, or three CDRs of a VH sequence of Table 25. In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., a substitution, and no more than 10, 20, 30, 40, or 50 mutations in the VH amino acid sequence set forth in SEQ ID NO: 218. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 208. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 209. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 210. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR1 amino acid sequence set forth in SEQ ID NO: 214. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR2 amino acid sequence set forth in SEQ ID NO: 215. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, or at least three mutations, e.g., substitutions, in the CDR3 amino acid sequence set forth in SEQ ID NO: 216. In certain embodiments, the mutation is a conservative substitution. In certain embodiments, the VH of the variant of an anti-CSP antibody includes at least one, at least two, at least three mutations, at least four mutations, at least five mutations, or at least six mutations, e.g., substitutions, in the framework of the amino acid sequence set forth in SEQ ID NO: 218. An exemplary nucleic acid sequence of SEQ ID NO: 218 is set forth in SEQ ID NO: 220. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 28 of the SEQ ID NO: 218. In certain embodiments, the substitution is A28T. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 40 of the SEQ ID NO: 218. In certain embodiments, the substitution is T40A. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 69 of the SEQ ID NO: 218. In certain embodiments, the substitution is I69T. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 80 of the SEQ ID NO: 218. In certain embodiments, the substitution is 580Y. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at position 85 of the SEQ ID NO: 218. In certain embodiments, the substitution is G85S. In certain embodiments, the VH of the variant of an anti-CSP antibody includes a substitution at

position 120 of the SEQ ID NO: 218. In certain embodiments, the substitution is 1120T.

**[0125]** In certain embodiments, the light chain of the variant of an anti-CSP antibody has an amino acid sequence set forth in SEQ ID NO: 221. An exemplary nucleic acid sequence of SEQ ID NO: 221 is set forth in SEQ ID NO: 224. In certain embodiments, a variant of an anti-CSP antibody includes at least one mutation, e.g., substitution, and no more than 10, 20, 30, 40, or 50 mutations in the Fc region of the heavy chain amino acid sequence set forth in SEQ ID NO: 222. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody has an amino acid sequence set forth in SEQ ID NO: 222. An exemplary nucleic acid sequence of SEQ ID NO: 222 is set forth in SEQ ID NO: 225. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 434 of the SEQ ID NO: 222. In certain embodiments, the substitution is M434L. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 440 of the SEQ ID NO: 222. In certain embodiments, the substitution is L440S. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody includes a substitution at position 434 of the SEQ ID NO: 222 and a substitution at position 440 of the SEQ ID NO: 222. In certain embodiments, the substitutions are M434L and N440S. In certain embodiments, the heavy chain of the variant of an anti-CSP antibody has an amino acid sequence set forth in SEQ ID NO: 223. An exemplary nucleic acid sequence of SEQ ID NO: 223 is set forth in SEQ ID NO: 226.

**[0126]** In certain embodiments, the light chain of the anti-CSP antibody AB-007088 and variants thereof comprises a signal peptide. In certain embodiments, the signal peptide is an IGLV2-8 signal peptide. In certain embodiments, the signal peptide has an amino acid sequence set forth in SEQ ID NO: 277. In certain embodiments, the heavy chain of the anti-CSP antibody AB-007088 and variants thereof comprises a signal peptide. In certain embodiments, the signal peptide is an IGKV1-39 signal peptide. In certain embodiments, the signal peptide has an amino acid sequence set forth in SEQ ID NO: 278.

**[0127]** In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 227, as shown in Table 26. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 228, as shown in Table 26. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ ID NO: 231, as shown in Table 26. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 232, as shown in Table 26. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 233, as shown in Table 26. Exemplary nucleic acid sequences of SEQ ID NOS: 227, 228, 231, 232, and 233 are provided in Table 26 below.

TABLE 26

Antibody ID: AB-007088.001		
	KABAT	ASN
CDRI-VL	RASQSISSWLA [SEQ ID NO: 205]	RASQSISSWLA [SEQ ID NO: 211]
CDR2-VL	DASSLES [SEQ ID NO: 206]	DASSLES [SEQ ID NO: 212]
CDR3-VL	QQYNSYSFWT [SEQ ID NO: 207]	QQYNSYSFWTF [SEQ ID NO: 213]
CDR1-VH	TYGMH [SEQ ID NO: 208]	TYGMH [SEQ ID NO: 214]
CDR2-VH	IIWYDGSQKYYADSVQG [SEQ ID NO: 209]	IIWYDGSQKYYADSVQG [SEQ ID NO: 215]
CDR3-VH	VRFSVGPFGSAFDL [SEQ ID NO: 210]	SAFDL [SEQ ID NO: 216]
VL	GVQMTQSPSTLSASVGRVTLTCRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGTEFTLTISLL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKR [SEQ ID NO: 227]	
VH	QVQLVESGGGVVQGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAIIWYDGSQKYYADSVQGRFIIIRDNHKNT LSLQMNLSRAEDTAVYFCVRFVRFVSGPHGSFAFDLWGQTMVTVSS [SEQ ID NO: 228]	
DNA for VL	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGAAAGCCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGACAGAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGGCACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGGCCAAGGGACCAAGGTGGAAATCAAACGC [SEQ ID NO: 229]	
DNA for VH	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTTCGCT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTATCATCTCCAGAGACATCACAAGAACACG TTGTCTCTGCAAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTCACAGTCTCTTCA [SEQ ID NO: 230]	
Light Chain	GVQMTQSPSTLSASVGRVTLTCRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGTEFTLTISLL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKS GTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKSTYSLSS TLTSLKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC [SEQ ID NO: 231]	
Heavy Chain version 1	QVQLVESGGGVVQGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAIIWYDGSQKYYADSVQGRFIIIRDNHKNT LSLQMNLSRAEDTAVYFCVRFVRFVSGPHGSFAFDLWGQTMVTVSSASTKG PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 232]	
Heavy Chain version 2	QVQLVESGGGVVQGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAIIWYDGSQKYYADSVQGRFIIIRDNHKNT LSLQMNLSRAEDTAVYFCVRFVRFVSGPHGSFAFDLWGQTMVTVSSASTKG PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK	

TABLE 26-continued

Antibody ID: AB-007088.001	
	VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 233]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCACCCTCACTTGCCGGGCCAGTCAAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGAAAGCCCCTAA ACTCCTGATCTATGATGCCCTCAGTTTGGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGGCACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGGCAAGGGACCAAGGTGGAAATCAAACGCACTGTGG CTGCACCATCTGTCTTCATCTTCCCGCCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTTGTGTGCTGCTGAATAACTTCTATCCAGAGAGGC CAAAGTACAGTGGAAAGGTGGATAACGCCCTCCAATCGGGTAACTCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCCTGACGCTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCCCTG CGAAGTCACCCATCAGGGCCTGAGCTCGCCCGTCAAAAGAGCTTCAACA GGGAGAGTGT [SEQ ID NO: 234]
DNA for Heavy Chain version 1	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCGCT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTATCATCTCCAGAGACAATCACAAGAACACG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGTCTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCCTGGTCAAGGACTACTTCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCTGACCAGCGGCGTGACACCTTCCCGGCT GTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCACCCTGCCAGCACCTGAACTCTGGGGGGACCGTC AGTCTTCTCTTCCCCCAAACCAAGGACACCTCATGATCTCCCGGA CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAAGCGTCC TCACCGTCTGCAACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGAAG GTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCAGCCTCCCGTGGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC TTCTCATGCTCCGTGATGATGAGGCTCTGCACAACCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTA [SEQ ID NO: 235]
DNA for Heavy Chain version 2	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCGCT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTATCATCTCCAGAGACAATCACAAGAACACG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGTCTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCCTGGTCAAGGACTACTTCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCTGACCAGCGGCGTGACACCTTCCCGGCT GTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCACCCTGCCAGCACCTGAACTCTGGGGGGACCGTC AGTCTTCTCTTCCCCCAAACCAAGGACACCTCATGATCTCCCGGA CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAAGCGTCC TCACCGTCTGCAACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGAAG GTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCAGCCTCCCGTGGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC



TABLE 26-continued

Antibody ID: AB-007088.001	
TTTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 236]	

[0128] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 237, as shown in Table 27. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 238, as shown in Table 27. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 241, as shown in Table 27. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 242, as shown in Table 27. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 243, as shown in Table 27. Exemplary nucleic acid sequences of SEQ ID NOS: 237, 238, 241, 242, and 243 are provided in Table 27 below.

TABLE 27

Antibody ID: AB-007088.002		
	KABAT	ASN
CDR1-VL	RASQSISSWLA [SEQ ID NO: 205]	RASQSISSWLA [SEQ ID NO: 211]
CDR2-VL	DASSLES [SEQ ID NO: 206]	DASSLES [SEQ ID NO: 212]
CDR3-VL	QQYNSYSFWT [SEQ ID NO: 207]	QQYNSYSFWTF [SEQ ID NO: 213]
CDR1-VH	TYGMH [SEQ ID NO: 208]	TYGMH [SEQ ID NO: 214]
CDR2-VH	IIWYDGSQKYYADSVQG [SEQ ID NO: 209]	IIWYDGSQKYYADSVQG [SEQ ID NO: 215]
CDR3-VH	VRFSVGPHGSAFDL [SEQ ID NO: 210]	SAFDL [SEQ ID NO: 216]
VL	GVQMTQSPSTLSASVGDVTLTCSRASQSISSWLA ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFRSGSGS GTEFTLTISLQPD DFATYYCQQYNSYSFWTFGQGTKVEIKR [SEQ ID NO: 237]	
VH	QVQLVESGGVVQPGRSRLRSCAASGFTFNTYGMHWVRQAPGKLEWVAI IIWYDGSQKYYADSVQGRFIISRDNHKNTLSLQMN SLRAEDTAVYFCVRRVRFVSGPHGSAFDLWGQGMVTVSS [SEQ ID NO: 238]	
DNA for VL	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGTCTGCATCTGTGGGAGACAGAGTCA CCCTCACTTGCCTGGCCAGTCAGAGTATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAAC CAGGAAAGCCCTAACTCCTGATCTATGATGCCCTCAGTTTGGAAAGTGGGGTCCCATCA AGGTCAGCGGCAGTGGATCTGGACAGAATCACTCTCACCATCAGCAGCCTGCAACCTG ATGATTTGCAACTTATTACTGCCAACAGTATAATAGTTATCTTTTGGACGTTCCGGCA AGGACCAAGGTGGAATCAAACGC [SEQ ID NO: 239]	
DNA for VH	CAGGTGCAACTGGTGGAGTCTGGGGAGGCGTGTCCAGCCTGGGAGGTCCCTGAGACTCT CCTGTGCAGCGTCTGGGTTCACTTTCAATACCTATGGCATGCACTGGGTCGCCAGGCACC AGGCAAGGGGCTGGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGC AGACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACAGTTGTCTG CAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTTCTGTGTGAGAGTCCGCTT TAGCGTTGGCCCCACGGGAGTGCTTTTGATCTCTGGGGCCAGGGGACAATGGTCA CAGTCTCTTCA [SEQ ID NO: 240]	

TABLE 27-continued

Antibody ID: AB-007088.002

Light Chain	GVQMTQSPSTLSASVGDRTLTTCRASQS ISSWLAWYQQKPGKAPKLLIYDASSLESQVPSRFSGSGSGTEFTLTISL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKS GTASVVCLLNFPREAKVQWKVDNALQSGNSQESVTEQDSKSTYSLSS TLTSLKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC [SEQ ID NO: 241]
Heavy Chain version 1	QVQLVESGGGVVQPGRSLRLSCLASGFT FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFI ISRDNHKNT LSLQMNLSRAEDTAVYFCVRRVRFVSGPHGSADFLLWGQGMVTVSSASTKG PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMIISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 242]
Heavy Chain version 2	QVQLVESGGGVVQPGRSLRLSCLASGFT FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFI ISRDNHKNT LSLQMNLSRAEDTAVYFCVRRVRFVSGPHGSADFLLWGQGMVTVSSASTKG PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMIISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 243]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGATCTGGGACAGAATTCAGTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGAACCTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGCCAAGGGACCAAGGTGGAAATCAAACGCACTGTGG CTGCACCATCTGTCTTCATCTTCCCGCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTGTGTGCTGCTGAATAACTTCTATCCCAGAGAGGC CAAAGTACAGTGAAGGTGGATAACGCCCTCCAATCGGGTAACCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCCGTGACGCTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCTG CGAAGTCACCCATCAGGGCCTGAGCTCGCCCGTCACAAAGAGCTTCAACA GGGGAGAGTGT [SEQ ID NO: 244]
DNA for Heavy Chain version 1	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGCCGATTTCATCATCTCCAGAGACAATCACAAGAACAG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCTTGGTCAAGGACTACTTCCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCTGCACACCTTCCCGGCT GTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCCACCGTGCCAGCCTGAACTCCTGGGGGACCGTC AGTCTTCTCTTCCCCCAAACCAAGGACACCTCATGATCTCCCGGA CCCCGTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCTGAG GTCAAGTTCACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTACCGTCC TCACCGTCTGCACCAAGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCAGAGAACCACAGGTGTACACCTGCCCCCATCCGGG ATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTGGTCAAAGGCTTC TATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGACGTC TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 245]

TABLE 27-continued

Antibody ID: AB-007088.002	
DNA for Heavy Chain version 2	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTTCATCATCTCCAGAGACAATCACAAGAACAG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGTCTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCTCCTCCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCGGCT GTCCCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCGTC AGTCTTCCTCTTCCCCCAAACCCAGGACACCTCATGATCTCCCGGA CCCCGTAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAAGCGTCC TCACCGTCTGCACCAAGGACTGGCTGAATGGCAAGGAGTACAAGTCAAG GTCTCCAACAAGCCCTCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGAGAA CAACTACAAGACCACGCCTCCCGTGTGGACTCCGACGGCTCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC TTCTCATGCTCCCGTGTGCATGAGGCTCTGCACTCCCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 246]

[0129] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 247, as shown in Table 28. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 248, as shown in Table 28. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 251, as shown in Table 28. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 252, as shown in Table 28. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 253, as shown in Table 28. Exemplary nucleic acid sequences of SEQ ID NOS: 247, 248, 251, 252, and 253 are provided in Table 28 below.

TABLE 28

Antibody ID: AB-007088.003		
	KABAT	ASN
CDR1-VL	RASQSISSWLA [SEQ ID NO: 205]	RASQSISSWLA [SEQ ID NO: 211]
CDR2-VL	DASSLES [SEQ ID NO: 206]	DASSLES [SEQ ID NO: 212]
CDR3-VL	QQYNSYSFWT [SEQ ID NO: 207]	QQYNSYSFWTF [SEQ ID NO: 213]
CDR1-VH	TYGMH [SEQ ID NO: 208]	TYGMH [SEQ ID NO: 214]
CDR2-VH	IIWYDGSQKYADSVQG [SEQ ID NO: 209]	IIWYDGSQKYADSVQG [SEQ ID NO: 215]
CDR3-VH	VRFSVGPFGSAFDL [SEQ ID NO: 210]	SAFDL [SEQ ID NO: 216]
VL	GVQMTQSPSTLSASVGRVTLTCRASQSISSWLAWYQQKPKAPKLLIYDASSLESQVPSRFSGSGSGTEFTLTISLQPDDFATYYCQQYNSYSFWTFGGTKVEIKR [SEQ ID NO: 247]	

TABLE 28-continued

Antibody ID: AB-007088.003

VH	QVQLVESGGGVVQPGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRRVRFVSGPHGSAPDLWGQGTMTVTVSS [SEQ ID NO: 248]
DNA for VL	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTACCCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGCAACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGCCAAGGGACCAAGGTGGAAATCAAACGC [SEQ ID NO: 249]
DNA for VH	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTGCT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACATGTCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG TTGTCTCTGCAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTCACAGTCTCTTCA [SEQ ID NO: 250]
Light Chain	GVQMTQSPSTLSASVGRVTLTLCRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGSGTEFTLTISL QPDDFATYYCQYNSYSFWTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKS GTASVVCLLNFPYPREAKVQWKVDNALQSGNSQESVTEQDSKSTYSLSS TLTSLKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC [SEQ ID NO: 251]
Heavy Chain version 1	QVQLVESGGGVVQPGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRRVRFVSGPHGSAPDLWGQGTMTVTVSSASTKG PSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHFTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTIKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 252]
Heavy Chain version 2	QVQLVESGGGVVQPGRSLRLSCAASGFA FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRRVRFVSGPHGSAPDLWGQGTMTVTVSSASTKG PSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHFTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTIKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 253]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTACCCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGCAACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGCCAAGGGACCAAGGTGGAAATCAAACGCACTGTGG CTGCACCATCTGTCTTCATCTTCCGCCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTTGTGTGCTGCTGAATAACTTCTATCCCAGAGAGGC CAAAGTACAGTGAAGGTGGATAACGCCCTCCAATCGGGTAACTCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCCTGACGCTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCTG CGAAGTACCCATCAGGGCCTGAGCTCGCCCGTCACAAAGAGCTTCAACA GGGGAGAGTGT [SEQ ID NO: 254]

TABLE 28-continued

Antibody ID: AB-007088.003

DNA CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG  
 for TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTGCT  
 Heavy TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT  
 Chain GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG  
 version ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG  
 1 TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT  
 CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC  
 TCTGGGGCCAGGGGACAATGGTCAAGTCTCTTCAGCCTCCACCAAGGGC  
 CCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCACCTCTGGGGGCAC  
 AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG  
 TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGACACCTTCCCGGCT  
 GTCCCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC  
 CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC  
 CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA  
 ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCGTC  
 AGTCTTCCTCTTCCCCCAAACCCAAAGGACACCCCTCATGATCTCCCGGA  
 CCCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG  
 GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC  
 AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC  
 TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG  
 GTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCAAAGC  
 CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCATCCCGGG  
 ATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTGGTCAAAGGCTTC  
 TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA  
 CAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC  
 TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC  
 TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCCTACACACAGAA  
 GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 255]

DNA CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG  
 for TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTGCT  
 Heavy TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT  
 Chain GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG  
 version ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG  
 2 TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT  
 CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC  
 TCTGGGGCCAGGGGACAATGGTCAAGTCTCTTCAGCCTCCACCAAGGGC  
 CCATCGGTCTTCCCCCTGGCACCCCTCCTCCAAGAGCACCTCTGGGGGCAC  
 AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG  
 TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGACACCTTCCCGGCT  
 GTCCCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC  
 CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC  
 CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA  
 ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGGACCGTC  
 AGTCTTCCTCTTCCCCCAAACCCAAAGGACACCCCTCATGATCTCCCGGA  
 CCCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG  
 GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC  
 AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC  
 TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG  
 GTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCAAAGC  
 CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCATCCCGGG  
 ATGAGCTGACCAAGAACCAGGTGAGCTGACCTGCCTGGTCAAAGGCTTC  
 TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA  
 CAACTACAAGACCACGCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC  
 TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC  
 TTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCACTACACACAGAA  
 GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 256]

[0130] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 257, as shown in Table 29. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 258, as shown in Table 29. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 261, as shown in Table 29. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 262, as shown in Table 29. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 263, as shown in Table 29. Exemplary nucleic acid sequences of SEQ ID NOS: 257, 258, 261, 262, and 263 are provided in Table 29 below.

TABLE 29

Antibody ID: AB-007088.004	
	KABAT ASN
CDR1-VL	RASQSISSWLA [SEQ ID NO: 205] RASQSISSWLA [SEQ ID NO: 211]
CDR2-VL	DASSLES [SEQ ID NO: 206] DASSLES [SEQ ID NO: 212]
CDR3-VL	QQYNSYSFWT [SEQ ID NO: 207] QQYNSYSFWTF [SEQ ID NO: 213]
CDR1-VH	TYGMH [SEQ ID NO: 208] TYGMH [SEQ ID NO: 214]
CDR2-VH	IIWYDGSQKYYADSVQG [SEQ ID NO: 209] IIWYDGSQKYYADSVQG [SEQ ID NO: 215]
CDR3-VH	VRFSVGPFGSAFDL [SEQ ID NO: 210] SAFDL [SEQ ID NO: 216]
VL	GVQMTQSPSTLSASVGRVTLTCRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGTEFTLTISL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKR [SEQ ID NO: 257]
VH	QVQLVESGGGVVQPGRSLRLSCAASGFT FNTYGMHWVRQAPGKLEWVAIIWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRFVRFVGPFGSAFDLWGQGMVTVSS [SEQ ID NO: 258]
DNA for VL	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCACCCTCACTTGCCGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCTGGTATCAGCAGAAACCAGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGGAAAGTGGGGTCCCATCAAGGT TCAGCGCAGTGGATCTGGGACAGAATTCCTCTCACCATCAGCAGCCTG CAACCTGATGATTTGCAACTTATTACTGCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGCCAAGGACCAAGGTGGAATCAAACGC [SEQ ID NO: 259]
DNA for VH	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCCTGGTCCGCGCAGGCACCAGGCAAGGGGCT GGAGTGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG TTGTCTCTGCAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGCCAGGGGACAATGGTTCACAGTCTCTTCA [SEQ ID NO: 260]
Light Chain	GVQMTQSPSTLSASVGRVTLTCRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGTEFTLTISL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKS GTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKSTYSLSS TLTSLKADYEKHKVYACEVTHQGLSPVTKSFNRGEC [SEQ ID NO: 261]
Heavy Chain version 1	QVQLVESGGGVVQPGRSLRLSCAASGFT FNTYGMHWVRQAPGKLEWVAIIWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRFVRFVGPFGSAFDLWGQGMVTVSSASTKG PSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPA VLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE

TABLE 29-continued

Antibody ID: AB-007088.004

	VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKSLSLSPGK [SEQ ID NO: 262]
Heavy Chain version 2	QVQLVESGGGVVQPGRSLRLSCAASGFT FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKNT LSLQMNLSRAEDTAVYFCVRVRFVSGPHGSADFLLWGQGMVTVSSASTKG PSVFLPLAPSSKSTSGGTAALGLVKDYFPEPVTVSWNSGALTSVGHVTFPA VLQSSGLYSLSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKSLSLSPGK [SEQ ID NO: 263]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGCAACTTATTAAGTCCAAACAGTATAATAGTTATTC TTTTTGGACGTTCCGCCAAGGGACCAAGGTGAAATCAAACGCACTGTGG CTGCACCATCTGTCTTCATCTTCCCGCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTTGTGTGCTGCTGAATAACTTCTATCCCAGAGAGGC CAAAGTACAGTGAAGGTGGATAACGCCCTCCAATCGGGTAACTCCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCTGACGCTGAGCAAAGCAGACTACGAGAAACACAAAGTCTACGCTG CGAAGTCAACCATCAGGGCTGAGCTCGCCCGTCACAAAGAGCTTCAACA GGGGAGAGTGT [SEQ ID NO: 264]
DNA for Heavy Chain version 1	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACCTGGGTCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACATATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACAG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGACACCTTCCCGGCT GTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTGGAGCCAAATCTGTGACAAA ACTCACACATGCCACCCTGCCCAGCACCTGAACTCCTGGGGGGACCGTC AGTCTTCCCTCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCCGGA CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTACAGCGTCC TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGAGAA CAACTACAAGACCAGCCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAAAGTC TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 265]
DNA for Heavy Chain version 2	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACCTGGGTCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACATATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACAG TTGTCTCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCCAGCCTCCACCAAGGGC CCATCGGTCTTCCCCCTGGCACCCCTCCTCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGCGTGACACCTTCCCGGCT GTCTTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTGGAGCCAAATCTGTGACAAA ACTCACACATGCCACCCTGCCCAGCACCTGAACTCCTGGGGGGACCGTC AGTCTTCCCTCTTCCCCCAAACCAAGGACACCCCTCATGATCTCCCGGA CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGAGGAGCAGTACAACAGCACGTACCGTGTGGTACAGCGTCC TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGAGAA CAACTACAAGACCAGCCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAAAGTC TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 265]

TABLE 29-continued

Antibody ID: AB-007088.004	
CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCACCGTGCCAGCACCTGAACTCTGGGGGGACCGTC AGTCTTCTCTTCCCCCAAACCAAGGACACCCTCATGATCTCCCGGA CCCCAGAGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTC TATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCACGCCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTC TTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 266]	

[0131] In certain embodiments, the anti-CSP antibody variant comprises a light chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 267, as shown in Table 30. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain variable region comprising a CDR1, a CDR2, and a CDR3 and having the amino acid sequence set forth in SEQ ID NO: 268, as shown in Table 30. In certain embodiments, the anti-CSP antibody variant comprises a light chain having the amino acid sequence set forth in SEQ

ID NO: 271, as shown in Table 30. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 272, as shown in Table 30. In certain embodiments, the anti-CSP antibody variant comprises a heavy chain having the amino acid sequence set forth in SEQ ID NO: 273, as shown in Table 30. Exemplary nucleic acid sequences of SEQ ID NOS: 267, 268, 271, 272, and 273 are provided in Table 30 below.

TABLE 30

Antibody ID: AB-007088.005		
	KABAT	ASN
CDR1-VL	RASQSISSWLA [SEQ ID NO: 205]	RASQSISSWLA [SEQ ID NO: 211]
CDR2-VL	DASSLES [SEQ ID NO: 206]	DASSLES [SEQ ID NO: 212]
CDR3-VL	QQYNSYSFWT [SEQ ID NO: 207]	QQYNSYSFWTF [SEQ ID NO: 213]
CDR1-VH	TYGMH [SEQ ID NO: 208]	TYGMH [SEQ ID NO: 214]
CDR2-VH	IIWYDGSQKYYADSVQG [SEQ ID NO: 209]	IIWYDGSQKYYADSVQG [SEQ ID NO: 215]
CDR3-VH	VRFSVGPFGSAFDL [SEQ ID NO: 210]	SAFDL [SEQ ID NO: 216]
VL	GVQMTQSPSTLSASVGRVTLTCSRASQS ISSWLAWYQQKPKAPKLLIYDASSLESVPSRFSGSGTEFTLTISL QPDDFATYYCQQYNSYSFWTFGQGTKVEIKR [SEQ ID NO: 267]	
VH	QVQLVESGGGVVQPGRSLRLSCAASGFT FNTYGMHWVRQAPGKLEWVAIIWYDGSQKYYADSVQGRFTISRDNHKNT LYLQMNLSRAEDTAVYFCVRFVRFVGPFGSAFDLWGQGMVTVSS [SEQ ID NO: 268]	
DNA for VL	GGCGTCCAGATGACCCAGTCTCCTCCACCCTGT CTGCATCTGTGGGAGACAGAGTACCCCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGGAAAGTGGGGTCCCATCAAGGT TCAGCGCAGTGGATCTGGGACAGAATTCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGAACCTTATTACTGCCAACAGTATAATAGTTATTC TTTTGGACGTTCCGGCCAAGGACCAAGGTGGAAATCAAACGC [SEQ ID NO: 269]	



TABLE 30-continued

Antibody ID: AB-007088.005

DNA for VH	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG TTGTACCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCCTTTGATC TCTGGGGCCAGGGGACAATGGTCACAGTCTCTTCA [SEQ ID NO: 270]
Light Chain	GVQMTQSPSTLSASVGRVTLTLCRASQS ISSWLAWYQQKPGKAPKLLIYDASLESVPSRFSGSGSGTEFTLTISL QPDDFATYYCQQYNSYSFMTFGQGTKVEIKRTVAAPSVFIFPPSDEQLK GTASVVCLLNFPYPREAKVQWKVDNALQSGNSQESVTEQDSKSTYLSL TLTSLKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC [SEQ ID NO: 271]
Heavy Chain version 1	QVQLVESGGGVVQPGRSLRLSCLASGFT FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKN LYLQMNSLRAEDTAVYFCVRRVRFVSGPHGSAFDLWGQGTMTVSSASTK PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKLSLSLSPGK [SEQ ID NO: 272]
Heavy Chain version 2	QVQLVESGGGVVQPGRSLRLSCLASGFT FNTYGMHWVRQAPGKGLEWVAI IWYDGSQKYYADSVQGRFTISRDNHKN LYLQMNSLRAEDTAVYFCVRRVRFVSGPHGSAFDLWGQGTMTVSSASTK PSVFPPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSVHTFPA VLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKEPKSCDK THTCPPCPAPELGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCK VSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGF YPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNV FSCSVLHEALHSHYTQKLSLSLSPGK [SEQ ID NO: 273]
DNA for Light Chain	GGCGTCCAGATGACCCAGTCTCCTTCCACCCTGT CTGCATCTGTGGGAGACAGAGTCAACCTCACTTGCCGGGCCAGTCAGAGT ATTAGTAGTTGGTTGGCCTGGTATCAGCAGAAACCAGGGAAAGCCCTAA ACTCCTGATCTATGATGCCTCCAGTTTGAAAAGTGGGGTCCCATCAAGGT TCAGCGGCAGTGGATCTGGGACAGAAATCACTCTCACCATCAGCAGCCTG CAACCTGATGATTTTGCAACTTATTAAGTCCCAACAGTATAATAGTTATTC TTTTTGGACGTTCCGGCCAAGGGACCAAGGTGGAAATCAAACGCCTGTGG CTGCACCATCTGTCTTCACTTCCCGCCATCTGATGAGCAGTTGAAATCT GGAAGTGCCTCTGTTGTGTGCTGCTGAATAACTTCTATCCAGAGAGGC CAAAGTACAGTGAAGGTGGATAACGCCCTCCAATCGGGTAACTCCAGG AGAGTGTACAGAGCAGGACAGCAAGGACAGCACCTACAGCCTCAGCAGC ACCCTGACGCTGAGCAAAGCAGACTACGAGAAACAAAAGTCTACGCTG CGAAGTCAACCATCAGGGCCTGAGCTCGCCCGTCAAAAGAGCTTCAACA GGGGAGAGTGT [SEQ ID NO: 274]
DNA for Heavy Chain version 1	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTTCACT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG TTGTACCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCCTTTGATC TCTGGGGCCAGGGGACAATGGTCACAGTCTCTTCAAGCTCCACCAAGGGC CCATCGGTCTTCCCTGGCACCTCCTCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGGTGCACACCTTCCCGGCT GTCCCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTGTGACAAA ACTCACACATGCCACCGTGCCAGCACCTGAACTCCTGGGGGACCGTC AGTCTTCTCTTCCCCCAAAACCAAGGACACCTCATGATCTCCCGGA CCCCTGAGGTACATGCGTGGTGGTGGACGTGAGCCACGAAGACCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC

TABLE 30-continued

Antibody ID: AB-007088.005

	AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCAAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCACGCCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAAACGTC TTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 275]
DNA for Heavy Chain version 2	CAGGTGCAACTGGTGGAGTCTGGGGGAGGCGTGG TCCAGCCTGGGAGGTCCCTGAGACTCTCCTGTGCAGCGTCTGGGTCACT TTCAATACCTATGGCATGCACTGGGTCCGCCAGGCACCAGGCAAGGGGCT GGAGTGGGTGGCAATTATCTGGTATGATGGGAGCCAGAAATACTATGCAG ACTCCGTGCAGGGCCGATTCACTATCTCCAGAGACAATCACAAGAACACG TTGTACCTGCAAATGAACTCCCTGAGAGCCGAGGACACGGCTGTGTATTT CTGTGTGAGAGTCCGCTTTAGCGTTGGCCCCACGGGAGTGCTTTTGATC TCTGGGGCCAGGGGACAATGGTACAGTCTCTTCAGCCTCCACCAAGGGC CCATCGGTCTTCCCTGGCACCTCTCCAAGAGCACCTCTGGGGGCAC AGCAGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCGAACCGGTGACGG TGTCGTGGAACCTCAGGCGCCCTGACCAGCGCGTGCACACCTTCCCGCT GTCTACAGTCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCC CTCCAGCAGCTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGC CCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCACCGTGCCAGCCTGAACTCCTGGGGGGACCGTC AGTCTTCTCTTCCCCCAAACCCAGGACACCTCATGATCTCCCGGA CCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCTGAG GTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGAC AAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAAGCTCC TCACCGTCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAG GTCTCCAACAAAGCCCTCCAGCCCCATCGAGAAAACCATCTCAAAGC CAAAGGGCAGCCCCGAGAACCACAGGTGTACACCTGCCCCATCCCGGG ATGAGCTGACCAAGAACCAGGTGACCTGACCTGCCTGGTCAAAGGCTTC TATCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAA CAACTACAAGACCACGCCTCCCGTGTGGACTCCGACGGCTCCTTCTTCC TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAAACGTC TTCTCATGCTCCGTGCTGCATGAGGCTCTGCACTCCCACTACACACAGAA GAGCCTCTCCCTGTCTCCGGGTAAA [SEQ ID NO: 276]

#### 4. Glycosylation of Anti-CSP Antibodies and Variants Thereof

[0132] Glycosylation of antibodies and engineered antibodies has been previously disclosed (see, e.g., U.S. Pat. No. 6,602,684, the content of which is incorporated in its entirety). Antibody Fc regions are generally post-translationally modified via the addition of N-glycans at specific asparagine residues on the antibody heavy chain. IgG molecules bear a N-linked glycosylation asparagine of each heavy chain. It has been shown that a modified glycosylation profile can regulate the antibody functions. For example, without any limitation, altered glycosylation can improve the binding affinity or the half-life of the antibody as compared to the non-modified form.

[0133] In certain embodiments, the present disclosure provides anti-CSP antibodies and variants thereof with modified glycosylation. In certain embodiments, the antibodies disclosed herein include an Fc region with increased glycosylation. In certain non-limiting embodiments, the Fc region with increased glycosylation includes increased amounts of bisected oligosaccharides. In certain embodiments, the Fc region with increased glycosylation includes increased amounts of nonfucosylated oligosaccharides. In certain embodiments, the Fc region with increased glycosylation includes increased amounts of fucose-containing oligosaccharides.

[0134] In certain embodiments, the antibodies disclosed herein include an Fc region with decreased glycosylation. In certain non-limiting embodiments, the Fc region with decreased glycosylation includes reduced amounts of bisected oligosaccharides. In certain embodiments, the Fc region with decreased glycosylation includes reduced amounts of nonfucosylated oligosaccharides. In certain embodiments, the Fc region with increased glycosylation includes reduced amounts of fucose-containing oligosaccharides.

[0135] In certain embodiments, the antibodies disclosed herein include a V region with increased glycosylation. In certain non-limiting embodiments, the V region with increased glycosylation includes increased amounts of bisected oligosaccharides. In certain embodiments, the V region with increased glycosylation includes increased amounts of nonfucosylated oligosaccharides. In certain embodiments, the V region with increased glycosylation includes increased amounts of fucose-containing oligosaccharides.

[0136] In certain embodiments, the antibodies disclosed herein include a V region with decreased glycosylation. In certain non-limiting embodiments, the V region with decreased glycosylation includes reduced amounts of bisected oligosaccharides. In certain embodiments, the V region with decreased glycosylation includes reduced amounts of nonfucosylated oligosaccharides. In certain

embodiments, the V region with increased glycosylation includes reduced amounts of fucose-containing oligosaccharides.

**[0137]** In certain embodiments, the modified glycosylation can be obtained by expressing any of the antibodies disclosed herein in a host cell with altered glycosylation machinery. For example, without any limitation, a host cell can include a functional disruption of the fucosyltransferase gene and antibodies expressed in this host cell with show reduced glycosylation, e.g., reduced fucosylation (see PCT Patent Publication No. WO 99/54342).

**[0138]** In certain embodiments, the present disclosure provides anti-CSP antibody variants disclosed herein including one or more amino acid substitution resulting in the alteration of a glycosylation acceptor site. In certain embodiments, the alteration includes the elimination of the glycosylation acceptor site. In certain embodiments, the alteration includes modification of a glycosylation acceptor site. In certain embodiments, the alteration includes insertion of a glycosylation acceptor site.

**[0139]** As used herein, “glycosylation acceptor site” refers to an amino acid residue of the light chain or heavy chain of the antibody which can be N- or O-glycosylated. In certain embodiments, the N-linked glycosylation acceptor site can be an asparagine residue. In certain embodiments, the O-linked glycosylation acceptor site can be a serine residue, a threonine residue, a tyrosine residue, a hydroxylysine residue, or a hydroxyproline residue.

**[0140]** In certain embodiments, the Fc region of the antibodies disclosed herein includes one or more glycosylation acceptor site. In certain embodiments, the V region of any of the antibodies disclosed herein includes one or more glycosylation acceptor site. In certain embodiments, the light chain of any of the antibodies disclosed herein includes one or more glycosylation acceptor site. In certain embodiments, the heavy chain of any one of the antibodies disclosed herein includes one or more glycosylation acceptor site. In certain embodiments, the light chain variable region of any of the antibodies disclosed herein includes one or more glycosylation acceptor site. In certain embodiments, the heavy chain variable region of any of the antibodies disclosed herein includes one or more glycosylation acceptor site.

#### 5. PEGylation and Other Chemical Modifications of Anti-CSP Antibodies and Variants Thereof

**[0141]** The present disclosure provides anti-CSP antibodies and variants thereof including additional modifications. In certain embodiments, the modifications can improve pharmacological properties of the antibodies, e.g., half-life. In certain non-limiting embodiments, the modification includes PEGylation, deamination, derivatization with polymers, lipidation, removal and/or introduction of disulfide bonds, oxidation, and removal of C-terminal lysine

**[0142]** In certain embodiments, the modification is a PEGylation. PEGylation of antibodies and engineered antibodies includes attachment of one or more polyethylene glycol (PEG) to the antibody. In certain non-limitation embodiments, for example, the PEGylation can be carried out by an acylation reaction or an alkylation reaction with a reactive PEG molecule (or an analogous reactive water-soluble polymer). As used herein, the term “polyethylene glycol” refers to any of the forms of PEG that have been

used to derivatize other proteins, such as mono (C1-C10) alkoxy- or aryloxy-polyethylene glycol or polyethylene glycol-maleimide.

**[0143]** In certain embodiments, the modification is the derivatization with a hydrophilic polymer. In certain non-limiting embodiments, for example, the hydrophilic polymer can be carboxymethylcellulose, dextran, polyvinyl alcohol, polyvinyl pyrrolidone, poly-1, 3-dioxolane, poly-1,3,6-trioxane, ethylene/maleic anhydride copolymer, polyaminoacids (either homopolymers or random copolymers), and dextran or poly(n-vinyl pyrrolidone)polyethylene glycol, propylene glycol homopolymers, polypropylene oxide/ethylene oxide co-polymers, polyoxyethylated polyols (e.g., glycerol), polyvinyl alcohol, and mixtures thereof.

**[0144]** In certain embodiments, the modification is a lipidation. Lipidation is the conjugation of a protein with a lipid. Lipidation of peptides improves metabolic stability, membrane permeability, bioavailability, and changes the pharmacokinetic and pharmacodynamic properties of the peptides. For example, a lipidated peptide has a high affinity with serum albumin resulting in increased half-life and stability. In certain non-limiting embodiments, for example, the lipid can be myristic acid, palmitic acid, stearic acid, lauric acid, cholesterol, and mixtures thereof.

**[0145]** In certain embodiments, the modification is a substitution of an amino acid residue to form a disulfide bond. In certain embodiments, the amino acid substitution introduces a cysteine. Under certain redox conditions, two cysteines can form a non-natural disulfide bond. In certain non-limiting embodiments, the disulfide bond improves the stability of the antibody, e.g., corrected pairing of the antibody chains. In certain embodiments, the cysteine is introduced in the V region. In certain embodiments, the cysteine is introduced in the Fc region. In certain embodiments, the modification is a substitution of an amino acid residue to remove a disulfide bond. In certain embodiments, the amino acid substitution removes a cysteine. In certain embodiments, the cysteine is substituted with a serine. In certain non-limiting embodiments, removing a cysteine improves the stability of the antibody, e.g., improved long-term stability. In certain embodiments, the cysteine is removed in the V region. In certain embodiments, the cysteine is removed in the Fc region.

#### 6. Anti-CSP Antibody and Anti-CSP Antibody Variants Conjugates

**[0146]** In certain embodiments, the present disclosure provides an anti-CSP antibody or variant thereof conjugated or linked to therapeutic and/or imaging/detectable moieties. For example, without any limitation, the anti-CSP antibody or variant thereof can be conjugated to a detectable marker, a toxin, or a therapeutic agent. The moiety may be linked to the antibody covalently or by non-covalent linkages.

**[0147]** In certain embodiments, the antibody or variant thereof is conjugated to cytotoxic moiety or other moiety that inhibits cell proliferation. In certain embodiments, the antibody or variant thereof is conjugated to a cytotoxic agent including, but not limited to, a ricin A chain, doxorubicin, daunorubicin, a maytansinoid, taxol, ethidium bromide, mitomycin, etoposide, teniposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin, a diphtheria toxin, exotoxin A from *Pseudomonas*, *Pseudomonas* exotoxin (PE) A, PE40, abrin, abrin A chain, modeccin A chain, alpha sarcin, gelonin, mitogellin, restrictocin, cobran

venom factor, a ribonuclease, phenomycin, enomycin, curicin, crocin, calicheamicin, *Saponaria officinalis* inhibitor, glucocorticoid, auristatin, auromycin, yttrium, bismuth, combrestatin, duocarmycins, dolastatin, cc1065, or a cisplatin. In certain embodiments, the antibody or variant thereof can be linked to an agent such as an enzyme inhibitor, a proliferation inhibitor, a lytic agent, a DNA or RNA synthesis inhibitors, a membrane permeability modifier, a DNA metabolites, a dichloroethyl sulfide derivative, a protein production inhibitor, a ribosome inhibitor, or an inducer of apoptosis.

**[0148]** In certain embodiments, the antibody or variant thereof can be linked to a radionuclide, an iron-related compound, a dye, a fluorescent agent, or an imaging agent. In certain embodiments, an antibody may be linked to agents, such as, but not limited to, metals; metal chelators; lanthanides; lanthanide chelators; radiometals; radiometal chelators; positron-emitting nuclei; microbubbles (for ultrasound); liposomes; molecules microencapsulated in liposomes or nanosphere; monocrystalline iron oxide nanocompounds; magnetic resonance imaging contrast agents; light absorbing, reflecting and/or scattering agents; colloidal particles; fluorophores, such as near-infrared fluorophores.

**[0149]** In certain embodiments, the present disclosure provides bispecific molecules comprising an anti-CSP antibody, a variant thereof, or a fragment thereof, disclosed herein. The anti-CSP antibody, anti-CSP antibody variant or antigen-binding portions thereof can be derivatized or linked to another functional molecule, e.g., another peptide or protein (e.g., another antibody or ligand for a receptor) to generate a bispecific molecule that binds to at least two different binding sites or target molecules. The anti-CSP antibody or variant thereof disclosed herein can be derivatized or linked to more than one other functional molecule to generate multispecific molecules that bind to more than two different binding sites (e.g., two different epitopes on the CSP protein) and/or target molecules; such multispecific molecules are also intended to be encompassed by the term “bispecific molecule” as used herein. To create a bispecific molecule of the invention, an antibody of the invention can be functionally linked (e.g., by chemical coupling, genetic fusion, noncovalent association, or otherwise) to one or more other binding molecules, such as another antibody, antibody fragment, peptide or binding mimetic, such that a bispecific molecule results. In certain non-limiting embodiments, for example and without any limitation, the bispecific antibody can be created using the knobs-into-holes strategy. This strategy typically involves creation of a first half of a first antibody that recognizes a first antigen, e.g., CSP, and a second half of the antibody that recognizes a second antigen or binding site, and then joining the two halves to create the bispecific antibody. In certain embodiments, the first antigen and the second antigen are different epitopes of the CSP protein.

## 7. Activity

**[0150]** The activity of any of the anti-CSP antibodies disclosed herein can be assessed by using different endpoints. In certain embodiments, the activity is assessed for binding to CSP, either binding to a series of linear peptides with varying lengths representing the immunodominant regions of the CSP protein or to the entire CSP protein. In certain embodiments, the activity is assessed for the ability to protect against challenge with *Plasmodium* that comprises

*P. falciparum* CSP, e.g., in in vivo animal models of malaria. In certain embodiments, effector function, e.g., ADCC, is also evaluated.

**[0151]** In certain embodiments, the binding activity of an anti-CSP antibody disclosed herein to *P. falciparum* CSP protein can be assessed by surface plasmon resonance (SPR) using a biosensor system. Systems suitable for use in SPR are, for example, and without any limitation, LSA™ (Carterra, Dublin, Calif.), Biacore™ (General Electric, Boston, Mass.), and OpenSPR (Nicoya, East Kitchener, ON, Canada). In an exemplary SPR assay, each antibody can be either directly immobilized to a Carterra CMD200M Chip or captured to the CMD200M Carterra Chip with a goat anti-human IgG Fc antibody. The uncoupled antibodies can be washed off and various concentration gradients of the targets can be flowed over the antibodies. In certain experimental conditions, the highest concentration of each target can be in the range of 0.5-8 µg/mL. For better accuracy, each antibody can be immobilized in different locations (e.g., at least 2) on the chip, and the affinity for each antibody-target combination can be determined using multiple (e.g., 4-5) target concentrations according to standard methods. If the variation between the two duplicates is >3-fold, the antibody-target measurement is repeated.

**[0152]** In certain embodiments, the binding activity of an anti-CSP antibody disclosed herein to *P. falciparum* CSP protein can be assessed by bio-layer interferometry (BLI). For BLI, each of the antigens (e.g., those disclosed in Table 35) can be immobilized on sensors according to the manufacturer's instructions. Systems suitable for use in BLI include, but are not limited to, Octet™ (ForteBio, Fremont, Calif.) and Gator™ (Probelife, Palo Alto, Calif.). In certain embodiments, for example and without any limitation, the antigen can be biotinylated and immobilized to streptavidin sensors. For better accuracy, each antibody can be evaluated in replicates at a suitable concentration (e.g., 5 µg/mL). If the variation between the two duplicates is >3-fold, the antibody-target measurement is repeated. The assays are typically performed under conditions according to the manufacturer's instructions. The assays can be performed under a temperature in the range of 20° C. to 37° C., for example, 20° C.-25° C. In certain embodiments, the assay is performed at 25° C. In certain embodiments, the assay is performed at 37° C.

**[0153]** In certain embodiments, binding to CSP protein is assessed in a competitive assay format with a reference antibody AB-000224 or a reference antibody having the variable regions of AB-000224. In certain embodiments, binding to CSP protein is assessed in a competitive assay format with a reference antibody AB-007088 or a reference antibody having the variable regions of AB-007088. In certain embodiments, a variant anti-CSP antibody disclosed herein can block binding of the reference antibody in a competition assay by about 50% or more.

**[0154]** Anti-CSP antibodies and anti-CSP antibody variants of the present disclosure may also be evaluated in various assays for their ability to mediate FcR-dependent activity. In certain embodiments, an antibody of the present disclosure has enhanced ADCC and/or serum stability compared to antibody AB-000224 when the antibodies are assayed in a human IgG1 isotype format. In certain embodiments, an antibody of the present disclosure has enhanced

ADCC and/or serum stability compared to antibody AB-007088 when the antibodies are assayed in a human IgG1 isotype format.

**[0155]** In certain embodiments, the activity of an anti-CSP antibody can be evaluated *in vivo* in an animal model, e.g., as described in the Examples section. In certain non-limiting embodiments, for example, the mouse malaria liver burden assay can be used, as disclosed in, for example, Flores-Garcia Y, et al. *Malar J.* 2019; 18(1):426, doi:10.1186/s12936-019-3055-9, the content of which is herein incorporated by reference. Mice are administered antibody and infected with chimeric *P. berghei* expressing GFP-luciferase and *P. falciparum* CSP protein. Parasite liver load can be evaluated, e.g., by RT-qPCR or by measuring bioluminescence with an IVIS Spectrum imager. A reduction in parasite liver load reflects the prophylactic activity of an antibody.

**[0156]** In certain embodiments, the activity of an anti-CSP antibody can be determined by evaluating the *in vivo* protection and survival of animal models, e.g., mice. For example, but without any limitation, mice are administered antibody and challenged with chimeric *P. berghei* expressing *P. falciparum* CSP protein as disclosed in, for example, Espinosa, D., et al. *npj Vaccines* 2017; 2, 10 (2017); Espinosa, D., et al. *Infect Immun.* 2013 August; 81(8): 2882-2887. The *in vivo* protection can be determined by detecting blood-stage parasitaemia in microscopy. The survival rate can be determined using the absence of parasitaemia during an observation period, e.g., two weeks, immediately following the challenge. An increased survival rate reflects the prophylactic and/or therapeutic activity of an antibody.

**[0157]** In certain embodiments, an anti-CSP antibody, e.g., AB-000224 or AB-007088, disclosed herein has at least 20%, or at least 30%, or at least 40%, or at least 50%, or at least 60%, or 70%, or greater, of the activity of antibody AB-000317 when evaluated under the same assay conditions. In certain embodiments, an anti-CSP antibody exhibits improved activity, i.e., greater than 100%, activity compared to antibody AB-000317. In certain non-limiting embodiments, an anti-CSP antibody disclosed herein exhibits at least 20%, or at least 30%, or at least 40%, or at least 50%, or at least 60%, or 70%, or greater reduction in parasite liver load as compared to antibody AB-000317. In certain non-limiting embodiments, an anti-CSP antibody disclosed herein exhibits at least 20%, or at least 30%, or at least 40%, or at least 50%, or at least 60%, or 70%, or greater increase in survival rate as compared to antibody AB-000317.

**[0158]** In certain embodiments, an anti-CSP antibody variant disclosed herein has at least 50%, or at least 60%, or 70%, or greater, of the activity of AB-000224 when evaluated under the same assay conditions. In certain embodiments, an anti-CSP antibody exhibits improved activity, i.e., greater than 100%, activity compared to AB-000224. In certain embodiments, the anti-CSP antibody variants disclosed herein have similar activity against malaria infection as compared to AB-000224. In certain embodiment, an anti-CSP antibody variant disclosed herein has at least 50%, or at least 60%, or 70%, or greater, of the activity of AB-007088 when evaluated under the same assay conditions. In certain embodiments, an anti-CSP antibody exhibits improved activity, i.e., greater than 100%, activity compared to AB-007088. In certain embodiments, the anti-CSP antibody variants disclosed herein have similar activity against malaria infection as compared to AB-007088. The term

“similar activity,” when used to compare *in vivo* activity of antibodies, refers to that two measurements of the activity is no more than 30%, no more than 25%, no more than 20%, no more than 15% different, no more than 10%, no more than 8%, or no more than 5% different from each other.

**[0159]** In certain embodiments, the native anti-CSP antibody, AB-000224, is modified to have improved developability (i.e., reduced development liabilities), including but not limited to, decreased heterogeneity, increased yield, increased stability, improved net charges to improve pharmacokinetics, and or/reduced immunogenicity. In certain embodiments, antibodies having improved developability can be obtained by introducing mutations to reduce or eliminate potential development liabilities, as described in Table 1. In certain embodiments, antibodies having improved developability possess modifications as compared to AB-000224 in their amino acid sequence, as disclosed in Table 2.

**[0160]** In certain embodiments, the native anti-CSP antibody, AB-007088, is modified to have improved developability (i.e., reduced development liabilities), including but not limited to, decreased heterogeneity, increased yield, increased stability, improved net charges to improve pharmacokinetics, and or/reduced immunogenicity. In certain embodiments, antibodies having improved developability can be obtained by introducing mutations to reduce or eliminate potential development liabilities, as described in Table 1. In certain embodiments, antibodies having improved developability possess modifications as compared to AB-007088 in their amino acid sequence, as disclosed in Table 2.

**[0161]** In certain embodiments, the anti-CSP antibody variants disclosed herein have improved developability while maintaining comparable or improved binding affinity to the target as compared to AB-000224. Non-limiting examples of such anti-CSP antibody variants are disclosed herein. In certain embodiments, the anti-CSP antibody variants disclosed herein have improved developability while maintaining activities that are similar to AB-000224.

**[0162]** In certain embodiments, the anti-CSP antibody variants disclosed herein have improved developability while maintaining comparable or improved binding affinity to the target as compared to AB-007088. Non-limiting examples of such anti-CSP antibody variants are disclosed herein. In certain embodiments, the anti-CSP antibody variants disclosed herein have improved developability while maintaining activities that are similar to AB-007088.

## 8. Generation of Antibodies

**[0163]** CSP antibodies and variants thereof disclosed herein can be produced using vectors and recombinant methodology (see, e.g., Sambrook & Russell, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press; Ausubel, *Current Protocols in Molecular Biology*). Reagents, cloning vectors, and kits for genetic manipulation are available from commercial vendors.

**[0164]** The present disclosure provides isolated nucleic acids encoding a VH and/or VL region, or fragment thereof, of any of the anti-CSP antibodies and anti-CSP antibody variants disclosed herein. In certain embodiments, the present disclosure provides vectors comprising said nucleic acids and host cells into which the nucleic acids are introduced that are used to replicate the antibody-encoding nucleic acids and/or to express the antibodies. These nucleic

acids can encode an amino acid sequence containing the VL, and/or an amino acid sequence containing the VH of the anti-CSP antibody or variant thereof (e.g., the light and/or heavy chains of the antibody). In certain embodiments, the host cell contains (1) a vector containing a polynucleotide that encodes the VL amino acid sequence and a polynucleotide that encodes the VH amino acid sequence, or (2) a first vector containing a polynucleotide that encodes the VL amino acid sequence and a second vector containing a polynucleotide that encodes the VH amino acid sequence.

**[0165]** In certain embodiments, the present disclosure provides a method of making an anti-CSP antibody disclosed herein. In certain embodiments, the method includes culturing a host cell previously described under conditions suitable for expression of the antibody. In certain embodiments, the antibody is subsequently recovered from the host cell (or host cell culture medium).

**[0166]** Suitable vectors containing polynucleotides encoding antibodies of the present disclosure, or fragments thereof, include cloning vectors and expression vectors. While the cloning vector selected can vary according to the host cell intended to be used, useful cloning vectors generally can self-replicate, can possess a single target for a particular restriction endonuclease, and/or may carry genes for a marker that can be used in selecting clones containing the vector. Non-limiting examples include plasmids and bacterial viruses, e.g., pUC18, pUC19, Bluescript (e.g., pBS SK+) and its derivatives, mp18, mp19, pBR322, pMB9, ColE1 plasmids, pCR1, RP4, phage DNAs, and shuttle vectors.

**[0167]** Expression vectors generally are replicable polynucleotide constructs that contain a nucleic acid of the present disclosure. The expression vector can replicate in the host cells either as episomes or as an integral part of the chromosomal DNA. Suitable expression vectors include, but are not limited to, plasmids and viral vectors, including adenoviruses, adeno-associated viruses, retroviruses, and any other vector.

**[0168]** Suitable host cells for expressing an anti-CSP antibody or anti-CSP antibody variant disclosed herein include both prokaryotic or eukaryotic cells. For example, but without any limitation, anti-CSP antibodies can be produced in bacteria, in particular when glycosylation and Fc effector function are not needed. After expression, the antibody can be isolated from the bacterial cell lysate in a soluble fraction and can be further purified. Alternatively, the host cell can be a eukaryotic host cell, including, without limitation, eukaryotic microorganisms, such as filamentous fungi or yeast, fungi and yeast strains whose glycosylation pathways have been “humanized,” resulting in the production of an antibody with a partially or fully human glycosylation pattern, vertebrate, invertebrate, and plant cells. Non-limiting examples of invertebrate cells include insect cells. Numerous baculoviral strains have been identified which may be used in conjunction with insect cells. Plant cell cultures can also be utilized as host cells.

**[0169]** In certain embodiments, vertebrate host cells are used for producing anti-CSP antibodies of the present disclosure. For example, without any limitation, mammalian cell lines that can be used to express anti-CSP antibodies include monkey kidney CV1 line transformed by SV40 (COS-7); human embryonic kidney line (293 or 293 cells); baby hamster kidney cells (BHK); mouse Sertoli cells (TM4 cells); monkey kidney cells (CV1); African green monkey

kidney cells (VERO-76); human cervical carcinoma cells (HELA); canine kidney cells (MDCK; buffalo rat liver cells (BRL 3A); human lung cells (W138); human liver cells (Hep G2); mouse mammary tumor (MMT 060562); TRI cells; MRC 5 cells; and FS4 cells. In certain embodiments, the mammalian cell line used to express anti-CSP antibodies can be Chinese hamster ovary (CHO) cell line; DHFR-CHO cell line (Urlaub et al., Proc. Natl. Acad. Sci. USA 77:4216, 1980); and myeloma cell lines such as YO, NSO, and Sp2/0. Host cells of the present disclosure also include, without limitation, isolated cells, in vitro cultured cells, and ex vivo cultured cells.

**[0170]** A host cell transfected with an expression vector encoding an anti-CSP antibody of the present disclosure, or fragment thereof, can be cultured under appropriate conditions to allow expression of the polypeptide to occur. The polypeptides can be secreted and isolated from a mixture of cells and medium containing the polypeptides. Alternatively, the polypeptide can be retained in the cytoplasm or a membrane fraction and the cells harvested, lysed, and the polypeptide isolated using a desired method.

**[0171]** In certain embodiments, the present disclosure provides a method of generating variants of an anti-CSP antibody disclosed herein. In certain non-limiting embodiments, for example and without any limitation, a construct encoding a variant of VH CDR2 as described in the “anti-CSP Antibody Variant” section can be additionally modified and the VH region encoded by the additionally modified construct can be tested for binding activity to CSP and/or in vivo protective efficacy in the context of a VH region comprising the native AB-000224 CDR1 and CDR3, or a variant CDR1 or CDR3 as described herein, that is paired with a native AB-000224 VL region or variant region as described herein. Similarly, a construct encoding a variant VL CDR3 as described in the “anti-CSP Antibody Variant” section can be additionally modified and the VL region encoded by the additionally modified construct can be tested for binding activity to CSP and/or protective efficacy. Such an analysis can also be performed with other CDRs or framework regions and an antibody having the desired activity can then be selected.

#### Pharmaceutical Compositions and Methods of Treatment

**[0172]** In certain embodiments, the present disclosure provides pharmaceutical compositions for the administration of an anti-CSP antibody and variants thereof. In certain embodiments, the pharmaceutical compositions can be administered to a mammalian subject, e.g., a human, who has malaria or is at risk for malaria, in a therapeutically effective amount and according to a schedule sufficient to prevent *Plasmodium* infection, e.g., infection with *Plasmodium falciparum* or a *Plasmodium* sp. having a cross-reactive CSP protein, or to reduce a symptom of malaria in the subject. In certain embodiments, the pharmaceutical compositions can include any of the anti-CSP antibodies and variants thereof disclosed herein, or a polynucleotide encoding the same, and a pharmaceutically acceptable diluent or carrier. In certain embodiments, a polynucleotide encoding the antibody can be contained in a plasmid vector for delivery, or a viral vector. In certain embodiments, the pharmaceutical composition comprises a therapeutically effective amount of the antibody. As used herein, a “therapeutically effective dose” or a “therapeutically effective amount” refers to an amount sufficient to prevent, cure, or at

least partially arrest malaria or symptoms of malaria. A therapeutically effective dose can be determined by monitoring a patient's response to therapy. Typical benchmarks indicative of a therapeutically effective dose include amelioration or prevention of symptoms of malaria in the patient, including, for example, and without limitation, reduction in the number of parasites. Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health, including other factors such as age, weight, gender, administration route, etc. Single or multiple administrations of the antibody will be dependent on the dosage and frequency as required and tolerated by the patient.

**[0173]** In certain embodiments, the antibody is administered at a pre-erythrocyte stage of infection, i.e., the antibody is administered in a time frame to prevent or reduce hepatocyte infection.

**[0174]** Various pharmaceutically acceptable diluents, carriers, and excipients, and techniques for the preparation and use of pharmaceutical compositions are also disclosed herein. Illustrative pharmaceutical compositions and pharmaceutically acceptable diluents, carriers, and excipients are also described in Remington: The Science and Practice of Pharmacy 20th Ed. (Lippincott, Williams & Wilkins 2012). In certain embodiments, each carrier, diluent, or excipient is "acceptable" in the sense of being compatible with the other ingredients of the pharmaceutical composition and not injurious to the subject. Often, the pharmaceutically acceptable carrier is an aqueous pH-buffered solution. In certain non-limiting embodiments, for example, pharmaceutically-acceptable carriers, diluents or excipients include water; buffers, e.g., phosphate-buffered saline; sugars, such as lactose, glucose and sucrose; starches, such as corn starch and potato starch; cellulose, and its derivatives, such as sodium carboxymethyl cellulose, ethyl cellulose and cellulose acetate; powdered tragacanth; malt; gelatin; talc; excipients, such as cocoa butter and suppository waxes; oils, such as peanut oil, cottonseed oil, safflower oil, sesame oil, olive oil, corn oil and soybean oil; glycols, such as propylene glycol; polyols, such as glycerin, sorbitol, mannitol and polyethylene glycol; esters, such as ethyl oleate and ethyl laurate; agar; buffering agents, such as magnesium hydroxide and aluminum hydroxide; alginic acid; pyrogen-free water; isotonic saline; Ringer's solution; ethyl alcohol; phosphate buffer solutions; and other non-toxic compatible substances employed in pharmaceutical formulations. Wetting agents, emulsifiers and lubricants, such as sodium lauryl sulfate and magnesium stearate, as well as coloring agents, release agents, coating agents, sweetening, flavoring and perfuming agents, preservatives and antioxidants can also be present in the compositions.

**[0175]** In certain embodiments, the pharmaceutical composition can be formulated for any suitable route of administration, including for example, parenteral, intrapulmonary, intranasal, or local administration. Parenteral administration can include intramuscular, intravenous, intraarterial, intraperitoneal, oral, or subcutaneous administration. In certain embodiments, the pharmaceutical composition is formulated for intravenous administration and has a concentration of antibody of 10-100 mg/ml, 10-50 mg/ml, 20 to 40 mg/ml, or about 30 mg/ml. In certain embodiments, the pharmaceutical composition is formulated for subcutaneous injection and has a concentration of antibody of 50-500 mg/ml, 50-250 mg/ml, or 100 to 150 mg/ml, and a viscosity less than 50 cP,

less than 30 cP, less than 20 cP, or about 10 cP. In certain embodiments, the pharmaceutical compositions are liquids or solids. In certain embodiments, the pharmaceutical compositions are formulated for parenteral, e.g., intravenous, subcutaneous, intraperitoneal, or intramuscular administration.

**[0176]** In certain embodiments, the formulation of and delivery methods of pharmaceutical compositions are adapted according to the site and the disease to be treated. For example, without any limitation, formulations include those in which the antibody is encapsulated in micelles, liposomes, or drug-release capsules (active agents incorporated within a biocompatible coating designed for slow-release); ingestible formulations; formulations for topical use, such as creams, ointments, and gels; and other formulations such as inhalants, aerosols, and sprays.

**[0177]** In certain non-limiting embodiments, for example for parenteral administration, the antibodies or antigen-binding fragments thereof are formulated in a unit dosage injectable form (solution, suspension, emulsion) in association with a pharmaceutically acceptable, parenteral vehicle. Non-limiting examples of vehicles include water, saline, Ringer's solution, dextrose solution, and 5% human serum albumin. Nonaqueous vehicles such as fixed oils and ethyl oleate may also be used.

**[0178]** The dose and dosage regimen depend upon a variety of factors readily determined by a physician, such as the nature of the infection, the characteristics of the subject, and the subject's history. In certain embodiments, the amount of antibody or antigen-binding fragment thereof administered or provided to the subject is in the range of about 0.1 mg/kg to about 50 mg/kg of the subject's body weight. Depending on the type and severity of the infection, in certain embodiments, about 0.1 mg/kg to about 50 mg/kg body weight (e.g., about 0.1-15 mg/kg/dose) of antibody or antigen-binding fragment thereof may be provided as an initial candidate dosage to the patient, whether, for example, by one or more separate administrations, or by continuous infusion. The progress of the therapy is readily monitored by conventional methods and assays and based on criteria known to the physician or other persons of skill in the art.

**[0179]** An antibody or variant thereof of the present disclosure can be administered to a subject using any route of administration, e.g., systemic, parenterally, locally, in accordance with known methods. Such routes include, but are not limited to, intravenous administration, e.g., as a bolus or by continuous infusion over a period of time, by intramuscular, intraperitoneal, intracerebrospinal, subcutaneous, intraarticular, intrasynovial, intrathecal, oral, topical, or inhalation routes. A subject can be administered an antibody of the present invention one or more times; and can be administered before, after, or concurrently with another therapeutic agent as further described below.

**[0180]** In certain embodiments, the antibodies or variants thereof of the present disclosure can be administered to prevent malaria. In certain embodiments, the antibodies disclosed herein can inhibit or reduce the risk of *Plasmodium* infection. In certain embodiments, the antibodies disclosed herein can inhibit or reduce the pre-erythrocytic or sporozoite stage of infection. In certain embodiments, the antibodies disclosed herein can prevent malaria by targeting the *Plasmodium* at an early stage of entry to the vertebrate of a subject, to thereby arrest the infection from taking place.

[0181] In certain embodiments, antibody or variant thereof of the present disclosure can be administered to treat malaria. In certain embodiments, the antibodies disclosed herein can inhibit or reduce the progression of *Plasmodium* infection in the blood stream. In certain embodiments, the antibodies disclosed herein can inhibit or reduce the risk of transmission of *Plasmodium* from a subject to another via insect feeding, e.g., mosquito bite or via contact with infected blood.

[0182] In certain embodiments, the pharmaceutical compositions disclosed herein can be administered to a pediatric patient. As used herein, the term “pediatric patient” refers to a patient up to the age of 18 years old. In certain embodiments, the pediatric patient is a patient from age 3 months to less than 12 years old. In certain non-limiting embodiments, the pediatric patient can be a patient between from about 1 year old to about 2 years old, from about 2 years old to about 3 years old, from about 3 years old to about 4 years old, from about 4 years old to about 5 years old, from about 5 years old to about 6 years old, from about 6 years old to about 7 years old, from about 7 years old to about 8 years old, from about 8 years old to about 9 years old, from about 9 years old to about 10 years old, or from about 11 years old to about 12 years old. In certain embodiments, the pediatric patient is not responsive or poorly responsive to another treatment to malaria. In certain embodiments, the pediatric patient is human.

[0183] In certain embodiments, the dose of the pharmaceutical compositions disclosed herein is administered based on the weight of the pediatric patient. In certain non-limiting embodiments, the dose of the pharmaceutical compositions is about 5 mg/kg, about 10 mg/kg, about 15 mg/kg, about 20 mg/kg, about 25 mg/kg, about 50 mg/kg, about 75 mg/kg, about 100 mg/kg, about 150 mg/kg, about 200 mg/kg, about 250 mg/kg, about 300 mg/kg, or about 350 mg/kg. In certain embodiments, the pediatric patient has a weight of from about 2.5 kg to about 5 kg, from about 5 kg to about 10 kg, from about 10 kg to about 15 kg, from about 15 kg to about 20 kg, from about 20 kg to about 30 kg, or from about 30 kg to about 40 kg.

[0184] In certain embodiments, the antibody is provided to the subject in combination with one or more additional therapeutic agents used to treat or prevent malaria or a related disease or disorder. In certain embodiments, a method for treating or preventing malaria is provided, comprising administering to the human a therapeutically effective amount of an antibody as disclosed herein, or a pharmaceutically acceptable salt thereof, in combination with a therapeutically effective amount of one or more additional therapeutic agents. In certain embodiments, a method for treating malaria in a human having or at risk of having the infection is provided, comprising administering to the human a therapeutically effective amount of an antibody as disclosed herein, or a pharmaceutically acceptable salt thereof, in combination with a therapeutically effective amount of one or more additional therapeutic agents.

[0185] In certain embodiments, when an antibody of the present disclosure as described herein is combined with one or more additional therapeutic agents as described above, the components of the composition are administered as a simultaneous or sequential regimen. When administered sequentially, the combination may be administered in two or more administrations.

[0186] In certain embodiments, an antibody as disclosed herein is combined with one or more additional therapeutic agents in a unitary dosage form for simultaneous administration to a patient.

[0187] A “patient” refers to any subject receiving the antibody regardless of whether they have malaria. In certain embodiments, a “patient” is a non-human subject, e.g., an animal that is used as a model for evaluating the effects of antibody administration.

[0188] “Co-administration” of an antibody disclosed herein with one or more additional therapeutic agents generally refers to simultaneous or sequential administration of an antibody or fragment thereof disclosed herein and one or more additional therapeutic agents, such that therapeutically effective amounts of the antibody or fragment thereof disclosed herein and one or more additional therapeutic agents are both present in the body of the patient. Co-administration includes administration of unit dosages of the antibody disclosed herein before or after administration of unit dosages of one or more additional therapeutic agents, for example, and without limitation, administration of the antibody within seconds, minutes, or hours of the administration of one or more additional therapeutic agents. In certain non-limiting embodiments, for example, a unit dose of an antibody disclosed herein is administered first, followed within seconds or minutes by administration of a unit dose of one or more additional therapeutic agents. In certain non-limiting embodiments, a unit dose of one or more additional therapeutic agents is administered first, followed by administration of a unit dose of an antibody within seconds or minutes. In certain embodiments, a unit dose of an antibody disclosed herein is administered first, followed, after a period of hours (e.g., 1-12 hours), by administration of a unit dose of one or more additional therapeutic agents. In certain embodiments, a unit dose of one or more additional therapeutic agents is administered first, followed, after a period of hours (e.g., 1-12 hours), by administration of a unit dose of the antibody.

[0189] The combined administration may be co-administration, using separate pharmaceutical compositions or a single pharmaceutical composition, or consecutive administration in either order, wherein there is optionally a time period while both (or all) therapeutic agents simultaneously exert their biological activities. Such combined therapy may result in a synergistic therapeutic effect. In certain embodiments, it is desirable to combine administration of an antibody of the invention with another antibody directed against another *Plasmodium falciparum* antigen, or against a different CSP target epitope.

[0190] CSP has multiple domains and regions that include the N-terminal domain, the immunogenic central NANP repeat region, and the C-terminal (ctCSP) domain or  $\alpha$ -thrombospondin repeat ( $\alpha$ TSR) domain. Between the N-terminal domain and the central repeat region is the junctional region that contains an NPDP sequence and a minor repeat region that contains three NVDP motifs that are both related to the dominant NANP motif (Pholcharee, T. et al., J. Mol. Bio. 432: 1048-1063 (2020)). In certain embodiments, an antibody disclosed herein is co-administered with an antibody that binds to ctCSP. In certain embodiments, an antibody disclosed herein is co-administered with an antibody that binds to the alpha epitope ( $\alpha$ -ctCSP) domain of ctCSP. The  $\alpha$ -ctCSP consists of an  $\alpha$ -helix that includes the T-cell epitope Th2R (region III), and the CS flap, which



contains another T-cell epitope Th3R (Beutler N, PLoS Pathog 18(3):e1010409 (2022), FIG. 2, incorporated by reference herein). In certain embodiments, an antibody disclosed herein is co-administered with an antibody that binds to the beta epitope ( $\beta$ -ctCSP) domain of ctCSP (Beutler N, PLoS Pathog 18(3):e1010409 (2022), FIG. 2).

**[0191]** In certain embodiments, the antibody can be administered by gene therapy via a nucleic acid comprising one or more polynucleotides encoding the antibody. In certain embodiments, the polynucleotide encodes an scFv. In certain embodiments, the polynucleotide comprises DNA, cDNA or RNA. In certain embodiments, the polynucleotide is present in a vector, e.g., a viral vector.

#### EXEMPLARY EMBODIMENTS OF THE PRESENTLY DISCLOSED SUBJECT MATTER

**[0192]** The present disclosure provides to antibodies targeting *Plasmodium falciparum*. In certain non-limiting embodiments, the antibody is a recombinant anti-circumsporozoite (CSP) antibody. In certain embodiments, the recombinant antibody comprises a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 1, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 2, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 3; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 4, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 5, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 6.

**[0193]** In certain embodiments, the VL of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 163; the amino acid sequence set forth in SEQ ID NO: 23; the amino acid sequence set forth in SEQ ID NO: 33; the amino acid sequence set forth in SEQ ID NO: 43; the amino acid sequence set forth in SEQ ID NO: 53; the amino acid sequence set forth in SEQ ID NO: 63; the amino acid sequence set forth in SEQ ID NO: 73; the amino acid sequence set forth in SEQ ID NO: 83; the amino acid sequence set forth in SEQ ID NO: 93; the amino acid sequence set forth in SEQ ID NO: 103; the amino acid sequence set forth in SEQ ID NO: 113; the amino acid sequence set forth in SEQ ID NO: 123; the amino acid sequence set forth in SEQ ID NO: 133; the amino acid sequence set forth in SEQ ID NO: 143; the amino acid sequence set forth in SEQ ID NO: 153; or the amino acid sequence set forth in SEQ ID NO: 173. In certain embodiments, the VH of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 164; the amino acid sequence set forth in SEQ ID NO: 24; the amino acid sequence set forth in SEQ ID NO: 34; the amino acid sequence set forth in SEQ ID NO: 44; the amino acid sequence set forth in SEQ ID NO: 54; the amino acid sequence set forth in SEQ ID NO: 64; the amino acid sequence set forth in SEQ ID NO: 74; the amino acid sequence set forth in SEQ ID NO: 84; the amino acid sequence set forth in SEQ ID NO: 94; the amino acid sequence set forth in SEQ ID NO: 104; the amino acid sequence set forth in SEQ ID NO: 114; the amino acid sequence set forth in SEQ ID NO: 124; the amino acid sequence set forth in SEQ ID NO: 134; the amino acid

sequence set forth in SEQ ID NO: 144; the amino acid sequence set forth in SEQ ID NO: 154; or the amino acid sequence set forth in SEQ ID NO: 174.

**[0194]** In certain embodiments of the recombinant antibodies disclosed herein, the VL comprises the amino acid sequence set forth in SEQ ID NO: 163, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164; the VL comprises the amino acid sequence set forth in SEQ ID NO: 33, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 34; the VL comprises the amino acid sequence set forth in SEQ ID NO: 43, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 44; the VL comprises the amino acid sequence set forth in SEQ ID NO: 53, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 54; the VL comprises the amino acid sequence set forth in SEQ ID NO: 63, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64; the VL comprises the amino acid sequence set forth in SEQ ID NO: 73, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 74; the VL comprises the amino acid sequence set forth in SEQ ID NO: 83, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 84; the VL comprises the amino acid sequence set forth in SEQ ID NO: 93, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 94; the VL comprises the amino acid sequence set forth in SEQ ID NO: 103, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 104; the VL comprises the amino acid sequence set forth in SEQ ID NO: 113, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 114; the VL comprises the amino acid sequence set forth in SEQ ID NO: 123, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 124; the VL comprises the amino acid sequence set forth in SEQ ID NO: 133, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134; the VL comprises the amino acid sequence set forth in SEQ ID NO: 143, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 144; the VL comprises the amino acid sequence set forth in SEQ ID NO: 153, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 154; or the VL comprises the amino acid sequence set forth in SEQ ID NO: 173, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 174. In certain embodiments of the recombinant antibodies disclosed herein, the VL comprises the amino acid sequence set forth in SEQ ID NO: 63, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64. In certain embodiments of the recombinant antibodies disclosed herein, the VL comprises the amino acid sequence set forth in SEQ ID NO: 133, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134. In certain embodiments of the recombinant antibodies disclosed herein, the VL comprises the amino acid sequence set forth in SEQ ID NO: 163, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164.

**[0195]** In certain embodiments, the recombinant antibodies disclosed herein comprise a light chain (LC) and a heavy chain (HC). In certain embodiments, the LC of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 27; the amino acid sequence set forth in SEQ ID NO: 37; the amino acid sequence set forth in SEQ ID NO: 47; the amino acid sequence set forth in SEQ ID NO: 57; the amino acid sequence set forth in SEQ ID NO: 67; the amino acid



HC comprises at least one amino acid substitution. In certain embodiments of the recombinant antibodies disclosed herein, the at least one amino acid substitution is at position 438 and/or or at position 444. In certain embodiments, the amino acid substitution at position 438 is M438L. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 444 is N444S.

**[0200]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 63 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 67 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 69.

**[0201]** In certain non-limiting embodiments, the present disclosure further provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 133 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 137 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 139.

**[0202]** In certain non-limiting embodiments, the present disclosure also provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 163 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164. In certain embodiments, the recombinant antibody comprises a light chain (LC) and a heavy chain (HC), wherein the LC comprises the amino acid sequence set forth in SEQ ID NO: 167 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 169.

**[0203]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 183, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 184, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 185; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 186, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 187, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 188. In certain embodiments, the VL comprises the amino acid sequence set forth in SEQ ID NO: 195, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 196. In certain embodiments, the recombinant antibody comprises comprising a LC and a HC. In certain embodiments of the recombinant antibodies disclosed herein, the LC comprises the amino acid sequence set forth in SEQ ID NO: 199, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 200 or SEQ ID NO: 201.

**[0204]** In certain non-limiting embodiments, the present disclosure provides a recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 205, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 206, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 207; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 208, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 209, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 210.

**[0205]** In certain embodiments, the VL of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 227; the amino acid sequence set forth in SEQ ID NO: 237; the amino acid sequence set forth in SEQ ID NO: 247; the amino acid sequence set forth in SEQ ID NO: 257; or the amino acid sequence set forth in SEQ ID NO: 267. In certain embodiments, the VH of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 228; the amino acid sequence set forth in SEQ ID NO: 238; the amino acid sequence set forth in SEQ ID NO: 248; the amino acid sequence set forth in SEQ ID NO: 258; or the amino acid sequence set forth in SEQ ID NO: 268. In certain embodiments of the recombinant antibodies disclosed herein, the VL comprises the amino acid sequence set forth in SEQ ID NO: 227, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 228; the VL comprises the amino acid sequence set forth in SEQ ID NO: 237, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 238; the VL comprises the amino acid sequence set forth in SEQ ID NO: 247, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 248; the VL comprises the amino acid sequence set forth in SEQ ID NO: 257, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 258; or the VL comprises the amino acid sequence set forth in SEQ ID NO: 267, and the VH comprises the amino acid sequence set forth in SEQ ID NO: 268.

**[0206]** In certain embodiments, the recombinant antibodies disclosed herein comprise a LC and a HC. In certain embodiments, the LC of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 231; the amino acid sequence set forth in SEQ ID NO: 241; the amino acid sequence set forth in SEQ ID NO: 251; the amino acid sequence set forth in SEQ ID NO: 261; or the amino acid sequence set forth in SEQ ID NO: 271. In certain embodiments, the HC of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 232 or SEQ ID NO: 233; the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243; the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253; the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273. In certain embodiments of the recombinant antibodies disclosed herein, the LC comprises the amino acid sequence set forth in SEQ ID NO: 231, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 232 or SEQ ID NO: 233; the LC comprises the amino acid sequence set forth in SEQ ID NO: 241, and the HC com-

prises the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243; the LC comprises the amino acid sequence set forth in SEQ ID NO: 251, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253; the LC comprises the amino acid sequence set forth in SEQ ID NO: 261, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or the LC comprises the amino acid sequence set forth in SEQ ID NO: 271, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273.

**[0207]** In certain embodiments, the VH of the recombinant antibodies disclosed herein comprises the amino acid sequence set forth in SEQ ID NO: 218. In certain embodiments of the recombinant antibodies disclosed herein, the VH comprises at least one amino acid substitution. In certain embodiments of the recombinant antibodies disclosed herein, the at least one amino acid substitution is at position 40, position 69, position 80, position 85, position 120, or a combination thereof. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 40 is T40A. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 69 is I69T. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 80 is S80Y. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 85 is G85S. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 120 is I120T. In certain embodiments of the recombinant antibodies disclosed herein, the HC comprises the amino acid sequence set forth in SEQ ID NO: 222. In certain embodiments of the recombinant antibodies disclosed herein, the HC comprises at least one amino acid substitution. In certain embodiments of the recombinant antibodies disclosed herein, the at least one amino acid substitution is at position 434 and/or at position 440. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 434 is M434L. In certain embodiments of the recombinant antibodies disclosed herein, the amino acid substitution at position 440 is N440S.

**[0208]** In certain embodiments, the recombinant antibodies disclosed herein exhibit at least 20% reduction in parasite liver load as compared to a reference antibody. In certain embodiments, the recombinant antibodies disclosed herein exhibit at least 20% increase in survival rate as compared to a reference antibody. In certain embodiments, the recombinant antibodies disclosed herein exhibit increased conformational stability as compared to a reference antibody. In certain embodiments, the recombinant antibodies disclosed herein exhibit increased colloidal stability as compared to a reference antibody. In certain embodiments, the reference antibody is AB-000317. In certain embodiments, the reference antibody is AB-000224. In certain embodiments, the reference antibody is AB-007088.

**[0209]** In certain embodiments, the recombinant antibodies disclosed herein binds to a NANP repeat region. In certain embodiments, the recombinant antibodies disclosed herein binds to a polypeptide comprising or consisting of the amino acid sequence set forth in SEQ ID NO: 280.

**[0210]** In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-000224 variable heavy chain amino

acid sequence set forth in SEQ ID NO: 14. In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 13. In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-000224 variable heavy chain amino acid sequence set forth in SEQ ID NO: 14 and at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 13.

**[0211]** In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-007088 variable heavy chain amino acid sequence set forth in SEQ ID NO: 218. In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-007088 variable light chain amino acid sequence set forth in SEQ ID NO: 217. In certain embodiments, the recombinant antibodies disclosed herein comprise at least one modification relative to the native AB-000224 variable light chain amino acid sequence set forth in SEQ ID NO: 217. In certain non-limiting embodiments, the present disclosure provides a polynucleotide encoding a recombinant antibody disclosed herein. In certain non-limiting embodiments, the present disclosure provides an expression vector comprising the polynucleotide disclosed herein. In certain non-limiting embodiments, the present disclosure provides a host cell comprising the expression vector or the polynucleotide disclosed herein.

**[0212]** In certain non-limiting embodiments, the present disclosure provides a composition comprising the recombinant antibody disclosed herein. In certain embodiments, the composition further comprises a pharmaceutically acceptable carrier.

**[0213]** In certain non-limiting embodiments, the present disclosure provides a method of preventing and/or treating malaria in a subject in need thereof, comprising administering an effective amount of the recombinant antibody disclosed herein or of the composition disclosed herein. In certain embodiments, the subject is a pediatric patient.

**[0214]** In certain non-limiting embodiments, the present disclosure provides the recombinant antibodies or compositions disclosed herein for use in the prevention and/or treatment and/or prevention of malaria in a subject in need thereof. Additionally, in certain non-limiting embodiments, the present disclosure provides the recombinant antibodies or compositions disclosed herein for the manufacture of a medicament for the prevention and/or treatment and/or prevention of malaria in a subject in need thereof. Furthermore, the present disclosure provides use of the recombinant antibodies or compositions disclosed herein for the prevention and/or treatment and/or prevention of malaria in a subject in need thereof. In certain embodiments, the subject is a pediatric patient.

**[0215]** From the foregoing description, it will be apparent that variations and modifications may be made to the presently disclosed subject matter to adopt it to various usages and conditions. Such embodiments are also within the scope of the following claims.

**[0216]** The recitation of a listing of elements in any definition of a variable herein includes definitions of that

variable as any single element or combination (or sub-combination) of listed elements. The recitation of an embodiment herein includes that embodiment as any single embodiment or in combination with any other embodiments or portions thereof.

**[0217]** All patents and publications mentioned in this specification are herein incorporated by reference to the same extent as if each independent patent and publication was specifically and individually indicated to be incorporated by reference.

**[0218]** All of the features disclosed in this specification may be combined in any combination. Each feature disclosed in this specification may be replaced by an alternative feature serving the same, equivalent, or similar purpose. Thus, unless expressly stated otherwise, each feature disclosed is only an example of a generic series of equivalent or similar features.

**[0219]** The foregoing written description is considered to be sufficient to enable one skilled in the art to practice the methods and/or obtain the compositions described herein. The following examples and detailed description are offered by way of illustration and not by way of limitation.

#### EXAMPLES

**[0220]** The Examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way. Indeed, various modifications in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims.

**[0221]** It is understood that various other embodiments may be practiced, given the general description provided above.

##### Example 1. Identification of Functionally Active Anti-CSP Antibodies

**[0222]** AB-000224 and AB-007088 were discovered in antibody repertoires generated by Immune Repertoire Capture® (IRC®) technology from plasmablast B cells isolated from two donors enrolled in a Phase 2a study evaluating the efficacy of the RTS,S vaccine in preventing malaria infection. The IRC® technology and its use in antibody discovery is well known and disclosed in, e.g., WO 2012148497A2, the entire content of which is herein incorporated by reference. The RTS,S vaccine is a pseudo-viral particle vaccine that combines the hepatitis B surface antigen and the central repeat and C-terminal regions of the CSP protein. RTS,S consists of two polypeptides; RTS is a single polypeptide chain corresponding to amino acids 207 to 395 of *P. falciparum* (3D7) that is fused to HBsAg and S is a polypeptide of 226 amino acids that corresponds to HBsAg. Stoute, et al., N Engl J Med; 336:86-91(1997); RTS,S Clinical Trials Partnership, PLoS Med. 11(7):e1001685, (2014), WO1993/10152. The RTS,S vaccine was administered with the adjuvant AS01B to increase efficacy. AS01B is a liposome-based formulation that contains the immunostimulants monophosphoryl lipid A (MPL) and QS21 and was shown to be more immunogenic than another adjuvant, AS02A, used in initial studies. Kester, et al., J Infect Dis 200: 337-346 (2009). All study participants were vaccinated with one of two vaccine schedules (standard full-dose: 0,1,2 M or fractional-third dose: 0,1,7 M), or placebo and subsequently challenged with a controlled human malaria parasite infection. The donors

from whom AB-000224 and AB-007088 were identified and protected following challenge. Heavy and light chain AB-000224 sequences were expressed as a human IgG1 monoclonal antibody. Heavy and light chain AB-007088 sequences were expressed as a human IgG1 monoclonal antibody. Compared to other antibodies obtained from the same or different donors, AB-000224 and AB-007088 demonstrated strong binding and affinity to CSP protein in vitro, no binding to Hepatitis B protein, and exceptional functional activity when tested in vivo.

**[0223]** The present example provides the design of improved variants of AB-000224 or AB-007088. In certain embodiments, the variants generated have improved developability, e.g., as identified through various in vitro assays, such as aggregation assessment by HPLC or UPLC, hydrophobic interaction chromatography (HIC), polyspecificity assays (e.g., baculovirus particle binding), self-interaction nanoparticle spectroscopy (SINS), or mass spec analysis after incubation in an accelerated degradation condition such as high temperature, low pH, high pH, or oxidative H<sub>2</sub>O<sub>2</sub>. Mutations are successful if the activity is maintained (or enhanced) while removing or reducing the severity of the liability.

##### Example 2. Generation of Anti-CSP Antibody Variants

**[0224]** Assessment of AB-000224

**[0225]** In vivo generated antibodies undergo genomic recombination followed by somatic hypermutation. Germline information was obtained from the AB-000224 antibody and used for the optimization of variant design. FIGS. 4A and 4B show the alignment of the AB-000224 to the putative V and J germlines genes. CDRs, germline deviations, and potential liabilities were identified. N-linked glycosylation sites, non-typical cysteine residues, and other potential liability motifs were identified across the VH and VL.

**[0226]** The close siblings to AB-000224 are AB-007110, AB-007111, and AB-007112. These were evaluated at the sequence and structure level to find any possible beneficial modifications to AB-000224. AB-007110 in particular has been shown in biophysical characterization to have improved thermal stability over AB-000224. The positions evaluated below differ from AB-000224 and are either consistent amongst the siblings or of structural interest.

**[0227]** Design of Variants of AB-000224

**[0228]** Framework and complementary-determining region (CDR) germline deviations in AB-000224 were analyzed for their potential to be mutated, individually or in combination, to germline sequence, without negatively impacting binding to the (NANP)<sub>3</sub> region of the CSP protein or potency. For each of the candidate mutations from AB-000224 sequence to germline sequence, the risk of making the mutation was assessed based on: (1) the change in charge, if any, since change in charge is intrinsically risky, and a change to more positive charge is particularly risky given the already net positive charge of AB-000224 Fv; (2) conservation of the native AB-000224 residue in the lineage versus the presence of the germline residue or other mutations at that position in the lineage and (3) the structural location of the position with respect to the NANP motif. Some mutations were noted to be coupled to at least one other mutation, meaning that the risk prediction is based on making the mutation in conjunction with the other mutation

(s). Proposed AB-000224 Residue Modifications according to the ASN numbering system are shown in Table 31 below:

TABLE 31

Site	Mutation	Design Group
LmdV:E1	Q	Standard
LmdV:R50	T	Standard
LmdV:N135	NS	Siblings
HV:P22	S	Standard
HV:T24	TA	Standard
HV:H69	HK	Siblings
HV:R75	RK	Siblings
HV:D84	DN	Do not repair
HV:I88	IT	Standard
HV:T98	TA	Standard
HV:F105	FY	Do not repair
HV:T107	TA	Standard

**[0229]** Mutations were built by grouping the “Standard” Design Group in all combinations. This results in 16 variants. Add a single variant using the “Sibling” Design Group with all three sites together. This totals 17 variants. Adding the parent results in 18 antibodies required for production. Mutation site positions in the AB-000224 variants according to the ASN numbering system are specified in the table below:

TABLE 32

Variant	LC-LmdV: E1	LC-LmdV: R50	LC-LmdV: N135	HV: P22	HV: T24	HV: H69	HV: R75	HV: I88	HV: T98	HV: T107
AB-000224_LS										
AB-000224.001	Q	T		S						
AB-000224.002	Q	T		S	A					
AB-000224.003	Q	T		S			T			
AB-000224.004	Q	T		S				A		
AB-000224.005	Q	T		S						A
AB-000224.006	Q	T		S	A			T		
AB-000224.007	Q	T		S	A				A	
AB-000224.008	Q	T		S	A					A
AB-000224.009	Q	T		S				T	A	
AB-000224.010	Q	T		S				T		A
AB-000224.011	Q	T		S					A	A
AB-000224.012	Q	T		S	A			T	A	
AB-000224.013	Q	T		S	A			T		A
AB-000224.014	Q	T		S	A				A	A
AB-000224.015	Q	T		S				T	A	A
AB-000224.016	Q	T		S	A			T	A	A
AB-000224.017			D			K	K			

**[0230]** Assessment of AB-007088

**[0231]** Germline information was obtained from the AB-007088 antibody and used for the optimization of variant design. FIGS. 5A and 5B show the alignment of the AB-0070884 to the putative V and J germlines genes. CDRs, germline deviations, and potential liabilities were identified. N-linked glycosylation sites, non-typical cysteine residues, and other potential liability motifs were identified across the VH and VL.

**[0232]** Design of Variants of AB-007088

**[0233]** Framework and complementary-determining region (CDR) germline deviations in AB-007088 were analyzed for their potential to be mutated, individually or in combination, to germline sequence, without negatively impacting binding to the (NANP)<sub>3</sub> region of the CSP protein or potency. For each of the candidate mutations from AB-007088 sequence to germline sequence, the risk of

making the mutation was assessed based on: (1) the change in charge, if any, since change in charge is intrinsically risky, and a change to more positive charge is particularly risky given the already net positive charge of AB-007088 Fv; (2) conservation of the native AB-007088 residue in the lineage versus the presence of the germline residue or other mutations at that position in the lineage and (3) the structural location of the position with respect to the NANP motif. Some mutations were noted to be coupled to at least one other mutation, meaning that the risk prediction is based on making the mutation in conjunction with the other mutation (s). Proposed AB-007088 Residue Modifications according to the ASN numbering system are shown in Table 33 below:

TABLE 33

Site	Mutation	Design Group
HV:A30	AT	Group 1
HV:T47	A	Group 1
HV:I79	IT	Group 1
HV:S90	SY	Group 2
HV:G95	S	Group 1
HV:I146	T	Group 1

**[0234]** Mutations were built by grouping the “Group 1” Design Group in all combinations. This resulted in 4 vari-

ants. By adding a single variant using HV:S90Y to the design with all mutations, a total of five designs were obtained. Mutation site positions in the AB-007088 variants according to the ASN numbering system are specified in the table below:

TABLE 34

Variant	HV: A30	HV: T47	HV: I79	HV: S90	HV: G95	HV: I146
AB-007088_LS						
AB-007088.001		A			S	T
AB-007088.002	T	A			S	T
AB-007088.003		A	T		S	T
AB-007088.004	T	A	T		S	T
AB-007088.005	T	A	T	Y	S	T

## Example 3. Binding Assays

[0235] AB-000224 and AB-007088 were evaluated for binding to the complete CSP protein and a series of linear peptides representing the immunodominant NANP repeat region. Two assay platforms, bio-layer interferometry (BLI) and surface plasmon resonance (SPR), were used to quantify antibody-target binding strength. Five binding targets were evaluated in the SPR assay and six targets were evaluated in the BLI platform and described in Table 35 below:

BLI assay, would be more likely to engage in binding interactions that involve multiple target molecules. As such, the binding of antibodies to targets in the BLI assay may exhibit more similarities to binding the complete CSP protein, which coats the surface of the malaria sporozoite. In contrast, the activity measured in the SPR assay would more accurately represent an interaction between an antibody F(ab) and a single target molecule. The data generated for the antibodies AB-000224 and AB-007088 are summarized in Table 36 below:

TABLE 35

Target Name	Peptide Sequence	Used in BLI, SPR, or both assays
(NANP) 6	NANPNANPNANPNANPNANPNANP (SEQ ID NO: 279)	Both
(NPNA) 3	NPANPNANPNNA (SEQ ID NO: 280)	Both
(NVDP) 3 (NANP) 2	NVDPNANPNVDPNANPNVDP (SEQ ID NO: 281)	Both
NANPNV DPNANP	NPDPNANPNVDPNANP (SEQ ID NO: 282)	Both
NANPNV DP	DPNANPNVDPNA (SEQ ID NO: 283)	BLI only
N- Interface	KQPADGNPDPNANPN (SEQ ID NO: 284)	BLI only
CSP Protein	MMRKLAILSVSSFLFVEALFQEQCYGSSSNTRVLNELNYDNAGINLYNELEMNYYG KQENWYSLKKNRSRSLGENDDGMNNGDNGREGKDEDKRDGNNEDEKLRKPKHKKLK QPGDGNPDPNANPNVDPNANPNVDPNANPNVDPNANPNANPNANPNANPNANPNANPN NANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN NPANPNANPNANPNKNNQNGGQHNPNDPNRNVDENANANNAVKNNNNEEPSDKH IEQYLKKIQNSLSTEWSPCSVTCGNGIQVRIKPGSANKPKDELIDYENDIEKKICKME KCSVFNVNSSIGLIMVLSFLFLN (SEQ ID NO: 285)	SPR only

[0236] For BLI, each of the targets specified in Table 35 was biotinylated and immobilized to streptavidin sensors. Each antibody was evaluated in duplicate at 5 µg/mL. If the variation between the two duplicates was >3-fold, the antibody-target measurement was repeated.

[0237] For SPR, each antibody was either directly coupled to a Carterra Chip or coupled using a goat anti-human Fc antibody. The uncoupled antibodies were washed off and various concentration gradients of the targets were flowed over the antibodies, where the highest concentration of each target was in the range 0.5-8 µg/mL. Each antibody was immobilized in two different locations on the chip to allow for duplicate measurements. The affinity for each antibody-target combination was determined using 4-5 target concentrations in Mathematica software. If the variation between the two duplicates was >3-fold, the antibody-target measurement was repeated.

[0238] While the data generated by the BLI and SPR assays are similar, the assays were designed with opposite orientations of the target and antibody. Specifically, the target was immobilized while the antibody flowed over it in the BLI assay, while the SPR assay was designed so that the antibody was immobilized and the target flowed over it. Given these orientations, an antibody, when evaluated in the

TABLE 36

Antibody ID	AB-000224	AB-007088
NANP6 $K_{ON}$ BLI	5.44	5.22
NANP6 $K_{OFF}$ BLI	-4.75	-4.32
NANP6 $K_D$ BLI	-10.19	-9.55
NANP6 $K_{ON}$ SPR	5.01	5.52
NANP6 $K_{OFF}$ SPR	-5.00	-4.14
NANP6 $K_D$ SPR	-10.00	-9.63
NPNA3 $K_{ON}$ BLI	5.35	5.23
NPNA3 $K_{OFF}$ BLI	-4.32	-6.00
NPNA3 $K_D$ BLI	-9.67	-11.23
NPNA3 $K_{ON}$ SPR	4.87	5.08
NPNA3 $K_{OFF}$ SPR	-3.47	-3.25
NPNA3 $K_D$ SPR	-8.34	-8.33
NVDP3NANP2 $K_{ON}$ BLI	5.53	4.94
NVDP3NANP2 $K_{OFF}$ BLI	-5.12	-6.00
NVDP3NANP2 $K_D$ BLI	-10.65	-10.94
NVDP3NANP2 $K_{ON}$ SPR	4.81	4.29
NVDP3NANP2 $K_{OFF}$ SPR	-4.02	-4.40
NVDP3NANP2 $K_D$ SPR	-8.77	-8.71
NANPNVDPNANP $K_{ON}$ BLI	5.59	5.03
NANPNVDPNANP $K_{OFF}$ BLI	-2.68	-6.00
NANPNVDPNANP $K_D$ BLI	-8.27	-11.03
NANPNVDPNANP $K_{ON}$ SPR	4.08	<LLOQ
NANPNVDPNANP $K_{OFF}$ SPR	-1.77	<LLOQ
NANPNVDPNANP $K_D$ SPR	-5.85	<LLOQ
NANPNVDP $K_{ON}$ BLI	<LLOQ	4.89
NANPNVDP $K_{OFF}$ BLI	<LLOQ	-6.00
NANPNVDP $K_D$ BLI	<LLOQ	-10.89
NVDPNANP $K_{ON}$ BLI	5.35	5.02

TABLE 36-continued

Antibody ID	AB-000224	AB-007088
NVDPNANP $K_{OFF}$ BLI	-4.50	-6.00
NVDPNANP $K_D$ BLI	-9.85	-11.02
N-Interface $K_{ON}$ BLI	6.42	5.13
N-Interface $K_{OFF}$ BLI	-1.92	-6.00
N-Interface $K_D$ BLI	-8.34	-11.13
N-Interface $K_{ON}$ SPR	<LLOQ	4.17
N-Interface $K_{OFF}$ SPR	<LLOQ	-2.42
N-Interface $K_D$ SPR	<LLOQ	-6.60
CSP $K_{ON}$ SPR	5.47	5.08
CSP $K_{OFF}$ SPR	-5.00	-4.59
CSP $K_D$ SPR	-10.44	-9.67

**[0239]** Summary of AB-000224 Antibody Variants

**[0240]** Seventeen (17) variants (AB-000224.001, AB-000224.002, AB-000224.003, AB-000224.004, AB-000224.005, AB-000224.006, AB-000224.007, AB-000224.008, AB-000224.009, AB-000224.010, AB-000224.011, AB-000224.012, AB-000224.013, AB-000224.014, AB-000224.015, AB-000224.016, AB-000224.017)) were designed to germline antibodies by mutating residues in either the framework regions or CDRs to reduce the risk of antibody-directed immunogenicity.

**[0241]** Summary of AB-007088 Antibody Variants

**[0242]** Five (5) variants (AB-007088.001, AB-007088.002, AB-007088.003, AB-007088.004, AB-007088.005) were designed to germline antibodies by mutating residues in either the framework regions or CDRs to reduce the risk of antibody-directed immunogenicity.

## Example 4. In Vivo Performance of the Antibodies

## Liver Burden Assay

**[0243]** AB-000224 and AB-007088 and variants thereof (with those in format comprising Heavy Chain version 2 indicated with the “LS”) were evaluated for in vivo activity in a mouse malaria liver burden assay, as described in Flores-Garcia Y, et al. Malar J. 2019; 18(1):426, doi:10.1186/s12936-019-3055-9. Experimental antibodies were compared to both positive (AB-000317) and negative (AB-001245) antibody controls. AB-000317 is an anti-CSP antibody described in WO2020/172220. AB-001245 is non-CSP isotype control.

**[0244]** For each antibody, five C57Bl/6 mice per experimental or control arm were administered 100 of antibody 16 hours prior to intravenous infection with fluorescent chimeric *P. berghei* sporozoites expressing *P. falciparum* CSP protein. Forty-two (42) hours following parasite challenge, the sporozoite liver load was quantified by bioluminescence. For each experimental mouse, the percent liver burden was calculated by subtracting the average background luminescence measured from two untreated, naive mice and calculating the percent reduction as compared to the average luminescence measured in five untreated, infected mice. The average percent reduction was reported for each of the experimental antibody groups.

**[0245]** Mice administered AB-000224, AB-007088 or positive control antibody AB-000317 all exhibited a similar reduction in liver burden load as compared to naïve infected mice and mice treated with the negative control, AB-001245 (FIG. 1A). The level of experimental and control human antibodies circulating in the mice at the time of infection was

quantified via an ELISA assay (FIG. 1B) and was similar between the experimental and control antibodies.

**[0246]** Variants of AB-000224 and AB-007088 drove reduction in liver burden load in treated mice that was comparable to the respective parent antibody AB-000224 or AB-007088 and the positive control antibody AB-000317. Liver burden levels measured in animals administered either the variants, the parent molecules or positive control antibody AB-000317 was significantly lower than liver burden levels in either the naïve infected mice or mice treated with the negative control, AB-001245 (FIGS. 10A-10F). Biological replicates of each antibody variant are shown in FIGS. 10A-10F. The concentration of human antibodies that were circulating in the mice at the time of infection was determined by ELISA and is shown in FIGS. 10G-10I.

**[0247]** Bite Parasitemia Assay

**[0248]** AB-000224 and AB-007088 and variants thereof were also evaluated for their ability to protect against infection (with those in format comprising Heavy Chain version 2 indicated with the “LS”). In this experiment, animals were exposed to mosquitoes infected with chimeric *P. berghei* expressing *P. falciparum* CSP protein, as described in Espinosa, D., et al. npj Vaccines 2017; 2, 10 (2017); Espinosa, D., et al. Infect Immun. 2013 August; 81(8): 2882-2887.

**[0249]** C57Bl/6 Mice were administered 150 µg of antibody and 16 hours later were exposed to six or seven chimeric *P. berghei*-infected mosquitoes. At least 70%-80% of the mosquito population are infected with chimeric *P. berghei* expressing *P. falciparum* CSP protein, resulting in exposure to at least one infectious event. Each mouse was subsequently evaluated for blood stage parasitemia from days 4-10 following infection by microscopy. Parasitemia data were recorded as positive or negative and the data used to generate a survival curve. Experimental antibodies were compared to both the positive (AB-000317) and negative (AB-001245) controls.

**[0250]** Mice treated with AB-000224, AB-007088 or the positive control AB-000317 were less likely to develop parasitemia as compared to mice treated with the negative control AB-001245. (FIGS. 2A and 2C show AB-000224 experimental data and FIGS. 3A and 3C show AB-007088 experimental data). The level of human antibodies circulating in the mice at the time of infection was quantified via an ELISA assay (FIGS. 2B and 3B) and was similar between the experimental and control antibodies.

**[0251]** Finally, mice administered variants of AB-000224 or AB-007088 were comparably likely to remain parasite-free as mice treated with either of the parent antibodies, or the positive control antibody AB-000317 (FIGS. 11A-11C). The concentration of human antibodies that were circulating in the mice at the time of infection was determined by ELISA and is shown in FIGS. 11D-11F.

## Example 5. Biophysical Characterization

**[0252]** The present example describes the biophysical hallmarks of the anti-CSP antibody variants. AB-000224 and AB-007088 and variants thereof (all in the format comprising Heavy Chain version 2) were evaluated for their conformational stability and colloidal stability. Several methods were used to analyze these endpoints and are summarized in the Tables 37 and 38 below:



TABLE 37

Conformational Stability Methods				
Method Name	Attribute Measured	Characterization	Desired Outcome	Values that indicate instability
Differential scanning fluorimetry (DSF)	Melting temperature	Lower T <sub>m</sub> (app) is indicative of decreased conformational stability	Increase in T <sub>m</sub> or formation of additional T <sub>m</sub> 's indicating increased domain stability	Weighted Shoulder Score (WSS) Below 20
Thermal hold	Temperature induced aggregation	Define conditions for precipitation relating to potential destabilization during room temperature incubation	Increase in thermal stability indicated by the absence of precipitation	Absorbance at 350 nm is above 0.5
Low pH Aggregation	Low pH stability by high molecular weight	Molecules with an increase in high molecule weight following neutralization after low pH exposure may show increased aggregation during low pH viral inactivation	No significant increase in high molecular weight species following low pH exposure and neutralization	More than 10% aggregation after low pH exposure
Chemical Unfolding	Conformational stability	Molecules with an increased inflection point may show lower rates of aggregation during storage and are more conformationally stable	Increased inflection point compared to the parent molecule	Less than 2.1M inflection point

TABLE 38

Colloidal Stability Methods				
Method Name	Attribute Measured	Characterization	Desired Outcome	Values that indicate instability
Self-interaction nanoparticle spectroscopy (SINS)	Protein-protein interaction	Define relative protein self-association to help identify potential for higher viscosity during concentration and problems with filterability	Decrease in parameters indicating self-association of the molecule	Wavelength Maximum Above 550 nm
Standup Monolayer Affinity Chromatography (Zenix Column)	Colloidal stability	Molecules with reduced retention times may show increase solubility and lower rates of aggregation during storage	Decreased main peak retention time compared to parent molecule	Longer retention times, there is no established values correlating to instability at this time
Relative Solubility Analysis (RSA)	Polyethylene glycol based solubility analysis	Molecules with higher relative solubility may show lower rates of aggregation during storage	Increased solubility compared to parent molecule	50% Loss of protein occurring less than 7% PEG
Polyreactivity	Non-specific binding	Molecules that have the potential to non-specifically bind to an array of different antigens can potentially have a higher clearance rate.	Decreased non-specific binding compared to the parent molecule	Absorbance at 405 nm is above 1.5-2.0

#### AB-000224 Variants Showed Improved Stability

**[0253]** AB-000224 and variants thereof showed comparable harvest yield and titer results. Thus, additional endpoints were assessed. AB-000224 and variants thereof were evaluated for their thermal stability by differential scanning fluorimetry (DSF). Thermal unfolding was monitored by measuring the intensity of an extrinsic dye (sypro orange) as the sample was heated from 20° C. to 90° C. The data was reported as Tm1 and Tm2 with the first transition correlating with the CH2 domain and the 2nd transition correlating with the unfolding of the Fab and CH3 domain regions. Higher unfolding temperatures are desirable and have been linked with an increase in a product's conformational stability. Lack of a Tm2 is indicative of the Fab unfolding at the same or similar temperature to the CH2 domain, reported as Tm1. Additional information is also obtained from a proprietary parameter termed the weighted shoulder score which accounts for multiple pieces of information from the unfolding curve. Again, higher values are indicative of greater conformational stability. The DSF analysis was conducted in PBS buffer, with all samples being diluted down to a final antibody concentration of 0.15 mg/mL.

**[0254]** The propensity to aggregate at elevated temperatures was assessed using the thermal aggregation method. Samples were placed in a 96 well Biorad PCR plate and heated to various temperatures for 5 minutes using a Biorad Thermal Cycler. After heating, protein precipitation was determined by reading the absorbance at 350 nm (A350) using a Spectrostar nano plate reader. Almost all AB-000224 variants showed higher WSS as compared to the parent antibody AB-000224, a T2 that approached 80° C., and no precipitation during thermal hold assays. However, AB-000224.017 did not have a T2 and showed precipitation during thermal hold assay.

**[0255]** Further, AB-000224 and variants thereof were also evaluated for their chemical stability. Sensitivity to low pH was assessed by titrating the samples to pH 3.3 using acetic acid, holding the samples for 30 minutes, neutralizing the samples to pH 5 with tris base, and measuring aggregation by size exclusion HPLC. Samples that were diluted with PBS using the same volume of acetic acid and tris base as used in the test samples were used as a control. AB-000224 and all variants thereof did not show low pH instability.

**[0256]** AB-000224 and variants thereof were tested for stability against chemical unfolding as assayed by denaturation with guanidine. Chemical unfolding curves were produced by exposing the antibodies to increasing concentrations of guanidine hydrochloride. After 24 hours, the intrinsic fluorescence of the samples is measured using a SUPR-UV plate reader. The collected raw data was then processed and the chemical unfolding curve and its inflection point calculated from the processed data as a function of denaturant condition. Antibodies with denaturation inflection points higher than 2.1 M guanidine are considered to be conformationally stable by this method. AB-000224 and all variants showed inflection points above 2 M guanidine (Gdn). Notably, AB-000224.005, AB-000224.008, AB-000224.010, AB-000224.011, AB-000224.013, and AB-000224.015 showed improved stability against chemical unfolding as compared to AB-000224, each having an inflection point above 2.3 M guanidine.

**[0257]** AB-000224 and variants thereof were also evaluated for their colloidal stability by self-interaction nanoparticle spectroscopy (SINS) which monitors protein-protein

interactions by capture on the surface of a gold colloid and measuring shifts of the wavelength of maximum absorption. Maximum absorption values of wavelengths higher than 550 nm are considered interacting and could manifest in increase viscosity and filterability issues. All variants had maximum absorption values less than 550 nm and showed a slight improvement in the SINS values as compared to AB-000224.

**[0258]** AB-000224 and variants thereof were tested for potential hydrophobic interactions that might result in manufacturability challenges by monitoring retention time on a Zenix HPLC column. Undiluted samples were loaded onto the Zenix column and eluted isocratically with a 100 mM sodium phosphate, pH 7.0 running buffer and monitored at 220 nm. Longer retention times indicate hydrophobic interactions. Most antibodies have a retention time of 8.5-9.0 minutes under conditions tested. AB-000224 and all variants thereof showed comparable retention times of approximately 10 minutes.

**[0259]** Solubility of AB-000224 and variants thereof was assayed by precipitating the antibody samples with increasing amounts of PEG 10,000, filtering the samples, and measuring the soluble protein concentration. For each parent molecule, an initial experiment was performed to determine the ideal PEG concentration to precipitate the parent by approximately 50%, subsequent experiments used this PEG concentration on all variants to assess if a variant is more or less soluble than the parent molecule. Antibodies that precipitate above 8-10% PEG are considered highly soluble while poorly soluble antibodies precipitate at 4-5% PEG. AB-000224 and all variants thereof showed high solubility.

**[0260]** Polyreactivity of AB-000224 and variants thereof was determined by testing the antibodies for binding to KLH, insulin and dsDNA by Elisa. Samples were diluted to 1 µg/mL and a secondary anti-human antibody was used to detect the amount of protein that has bound to the different antigens. After substrate addition, absorbance was measured at 405 nm. A polyreactive antibody was used as a positive control. Non-specific binding to such common physiological components can cause an increase clearance rate, negatively impacting pK. Absorbance values above 1.5 for KLH and Insulin and 2.0 for dsDNA could indicate non-specific binding issues for a molecule. While most of the AB-000224 variants did not show any polyreactivity, some variants showed polyreactive signal against insulin (AB-000224.006, AB-000224.007, AB-000224.008, AB-000224.009, AB-000224.010).

**[0261]** The AB-000224 and variants thereof were ranked based on the different assays and titer results and ranked as described in FIGS. 12B and 12C.

#### AB-007088 Variants Showed Improved Stability

**[0262]** The harvest yield and titer of the AB-007088 and variants thereof were initially evaluated. The AB-007088 variants showed comparable harvest yield and titer results. AB-007088 and variants thereof were evaluated to determine conformational and colloidal stability as described above for AB-000224 and variants thereof.

**[0263]** The AB-007088.005 variant showed improved thermal stability by the DFS method and a T2 that approached 75° C., while the other variants were similar to the parent AB-007088 with T1 values of approximately 70° C. and no measurable T2. In addition, AB-007088.005 showed a slightly reduced precipitation as compared to the

parent AB-007088 and the other variants. When chemical stability was evaluated, AB-007088 and all variants thereof did not show low pH instability (at pH 3.3). Further, AB-007088 and all variants thereof showed stability against chemical unfolding with an inflection point above 2 M guanidine (Gdn). Notably, AB-007088.001 showed improved stability as compared to AB-007088 with an inflection point above 2.3 M guanidine.

**[0264]** AB-007088 and variants thereof were also evaluated for their colloidal stability. When protein-protein interactions were monitored (SINS), all variants showed very

low SINS values, indicating absence of protein-protein interactions. In addition, AB-007088 and variants thereof showed comparable retention times on Zenix column. Notably, when PEG solubility was determined, AB-007088 and all variants thereof showed high solubility. Further, while most of the AB-007088 variants did not show any polyreactivity, some variants showed polyreactive signal against insulin (AB-007088.001, AB-007088.003, AB-007088.004).

**[0265]** The AB-007088 and variants thereof were ranked based on the different assays and titer results, and ranked as described in FIGS. 13B and 13C.

---

SEQUENCE LISTING

---

<160> NUMBER OF SEQ ID NOS: 289

<210> SEQ ID NO 1  
<211> LENGTH: 14  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 1

Thr Gly Met Asn Ser Asn Ile Gly Ala Gly Tyr Asp Val Tyr  
1                           5   10

<210> SEQ ID NO 2  
<211> LENGTH: 7  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 2

Gly Asn Ser Asn Arg Pro Ser  
1                           5

<210> SEQ ID NO 3  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 3

Gln Ser Tyr Asp Thr Ser Leu Asn Gly Trp Ala  
1                           5   10

<210> SEQ ID NO 4  
<211> LENGTH: 5  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 4

Asp His Ala Met Ser  
1                           5

<210> SEQ ID NO 5  
<211> LENGTH: 19  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 5

Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala Ala  
1 5 10 15

Val Arg Gly

<210> SEQ ID NO 6

<211> LENGTH: 16

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 6

Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr Gly Met Asp Val  
1 5 10 15

<210> SEQ ID NO 7

<211> LENGTH: 14

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 7

Thr Gly Met Asn Ser Asn Ile Gly Ala Gly Tyr Asp Val Tyr  
1 5 10

<210> SEQ ID NO 8

<211> LENGTH: 7

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 8

Gly Asn Ser Asn Arg Pro Ser  
1 5

<210> SEQ ID NO 9

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 9

Gln Ser Tyr Asp Thr Ser Leu Asn Gly Trp Ala  
1 5 10

<210> SEQ ID NO 10

<211> LENGTH: 5

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 10

Asp His Ala Met Ser  
1 5

<210> SEQ ID NO 11

-continued

---

<211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 11

Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala Ala  
 1 5 10 15

Val Arg Gly

<210> SEQ ID NO 12  
 <211> LENGTH: 16  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 12

Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr Gly Met Asp Val  
 1 5 10 15

<210> SEQ ID NO 13  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 13

Glu Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Arg Ala Pro Lys Leu  
 35 40 45

Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60

Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

<210> SEQ ID NO 14  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 14

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15

Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

-continued

---

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 15  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 15

gagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa gagcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggc 336

<210> SEQ ID NO 16  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 16

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 ccctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240  
 gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggtca ccgtctcctc a 381

<210> SEQ ID NO 17  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 17

Glu Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30

-continued

---

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Arg Ala Pro Lys Leu  
                   35                                  40                                  45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
           50                                  55                                  60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
   65                                  70                                  75                                  80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
                                   85                                  90                                  95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
                   100                                  105                                  110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
           115                                  120                                  125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
           130                                  135                                  140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
   145                                  150                                  155                                  160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
                   165                                  170                                  175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
                   180                                  185                                  190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
           195                                  200                                  205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
           210                                  215

<210> SEQ ID NO 18  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 18

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
   1                                  5                                  10                                  15  
 Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
           20                                  25                                  30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
           35                                  40                                  45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
           50                                  55                                  60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
   65                                  70                                  75                                  80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
                   85                                  90                                  95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                                  105                                  110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
           115                                  120                                  125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
   130                                  135                                  140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
   145                                  150                                  155                                  160

-continued

---

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 19

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45



-continued

---

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

-continued

---

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
450 455

<210> SEQ ID NO 20

<211> LENGTH: 651

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 20

gagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
cttccaggaa gagcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcggtc 360  
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
gtaagtgact tctaccggg agcctgaca gtggcctgga aggcagatgg cagccccgtc 480  
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540  
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgcccggtc 600  
acgcatgaag ggagcacctg ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 21

<211> LENGTH: 1371

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 21

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
ccctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240  
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
gtgcagcttg actatggccc gggataccag tactacggtg tggacgtctg gggccaaggg 360  
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
tcctccaaga gcacctctg gggcacagca gccctgggct gcctgggtcaa ggactacttc 480  
cccgaaccgg tgacgggtg gtggaactca ggcgccctga ccagcggcgt gcacacctc 540  
ccggtgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600  
agcagcttg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccc 720  
gcacctgaac tcctggggg accgtcagtc tcctcttcc ccccaaac caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgcccggag agcagtaaa cagcacgtac cgtgtgggtc gcgtcctcac cgtcctgcac 960

-continued

---

```

caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 22
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 22

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
ccctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggtctgtgag aggacagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc 480
ccgaaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgctgggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact ccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 23
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

```

-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 23

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

&lt;210&gt; SEQ ID NO 24

&lt;211&gt; LENGTH: 127

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 24

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

&lt;210&gt; SEQ ID NO 25

&lt;211&gt; LENGTH: 336

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 25

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180

-continued

---

```

cctgaccgat tctctggctc caggtctggc acctcagcct ccttggecat cactgggctc 240
caggtgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttg 300
gctttcgccg gagggaccaa gttgaccgct ctaggc 336

```

```

<210> SEQ ID NO 26
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 26

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtca ccgtctcctc a 381

```

```

<210> SEQ ID NO 27
<211> LENGTH: 217
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 27

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115         120         125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130         135         140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
145         150         155         160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
165         170         175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
180         185         190

```

-continued

---

His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
                   195                                  200                                  205

Lys Thr Val Ala Pro Ala Glu Cys Ser  
           210                                  215

<210> SEQ ID NO 28  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 28

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1                                  5                                  10                                  15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
                   20                                  25                                  30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
           35                                  40                                  45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
           50                                  55                                  60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
           65                                  70                                  75                                  80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
                                   85                                  90                                  95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                                  105                                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
           115                                  120                                  125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
           130                                  135                                  140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
           145                                  150                                  155                                  160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
                                   165                                  170                                  175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
                   180                                  185                                  190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
           195                                  200                                  205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
           210                                  215                                  220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
           225                                  230                                  235                                  240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
                                   245                                  250                                  255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
                   260                                  265                                  270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
           275                                  280                                  285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
           290                                  295                                  300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
           305                                  310                                  315                                  320

-continued

---

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 29  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 29

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205

-continued

---

Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225					230					235					240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
				245					250						255
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260					265					270		
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
		275					280					285			
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
	290					295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
305					310					315					320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
				325					330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340					345						350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360					365			
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
	370					375					380				
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
385					390					395					400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
				405					410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420					425					430		
Phe	Ser	Cys	Ser	Val	Leu	His	Glu	Ala	Leu	His	Ser	His	Tyr	Thr	Gln
		435					440					445			
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys							
	450					455									

&lt;210&gt; SEQ ID NO 30

&lt;211&gt; LENGTH: 651

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 30

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc	60
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa	120
cttccaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc	180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc	240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg	300
gctttcggcg gagggaccaa gttgaccgct ctaggccagc ccaaggctgc ccctcggctc	360
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc	420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgctc	480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc	540



-continued

---

 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600

acgcgatgaag ggagcacctg ggagaagaca gtggcccctg cagaatgctc t 651

&lt;210&gt; SEQ ID NO 31

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 31

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60

agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120

ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180

cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240

gtctatctgc aaatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300

gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360

accacggtea ccgtctctc agcctccacc aaggcccctc cggctctccc cctggcacc 420

tcctccaaga gcacctctgg gggcacagca gccctgggct gcctggctca ggactacttc 480

cccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacacctc 540

ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600

agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660

gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720

gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780

ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840

cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900

ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtcctcac cgtcctgcac 960

caggactggc tgaatggcaa ggagtacaag tgcaaggctc ccaacaaagc cctcccagcc 1020

cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080

ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140

ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200

tacaagacca cgctcccgt gctggactcc gacggctcct tcttctctca cagcaagctc 1260

accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320

gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

&lt;210&gt; SEQ ID NO 32

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 32

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60

agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120

ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180

-continued

---

```

cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcaccc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggcaa ggactacttc 480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggta gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggcaaa 1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 33
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 33

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 34
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

```



-continued

---

<210> SEQ ID NO 37  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 37

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
 210 215

<210> SEQ ID NO 38  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 38

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80

-continued

---

Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Val	Tyr
				85					90					95	
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100					105					110		
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
		115					120						125		
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
	130					135					140				
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
145					150					155					160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
				165					170					175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180					185					190		
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200					205			
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225					230					235					240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
				245					250				255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260					265					270		
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
		275					280					285			
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
	290					295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
305					310					315					320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
				325					330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340					345					350		
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360					365			
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
	370					375					380				
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
385					390					395					400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
				405					410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420					425					430		
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln
		435					440					445			
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys							
	450					455									

&lt;210&gt; SEQ ID NO 39

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
  
 <400> SEQUENCE: 39  
  
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro

-continued

370	375	380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn		
385	390	395 400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu		
	405	410 415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val		
	420	425 430
Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln		
	435	440 445
Lys Ser Leu Ser Leu Ser Pro Gly Lys		
	450	455

<210> SEQ ID NO 40  
<211> LENGTH: 651  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 40  
cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
cttccaggaa ctgcccccaa actcctcctc tatggtaaca gcaatcggcc ctcagggggtc 180  
cctgaccgat tctctgggtc caggtctggc acctcagcct ccctggccat cactggggtc 240  
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcgggtc 360  
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
aagggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600  
acgcatgaag ggagcacctg ggagaagaca gtggccctg cagaatgctc t 651

<210> SEQ ID NO 41  
<211> LENGTH: 1371  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 41  
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgcgg cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccaggggaagg ggctggagtg ggtagggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240  
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtea cegtctctc agcctccacc aagggcccat cggctctccc cctggcacce 420  
tcctccaaga gcacctctgg gggcacagca gccctggggt gcctgggtcaa ggactacttc 480  
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540

-continued

---

```

ccggtgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggctggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaacctctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

&lt;210&gt; SEQ ID NO 42

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 42

```

gaggtgcagc tgggtgagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtca ccgtctctc agcctccacc aaggcccacat cggctctccc cctggcacc 420
tcctccaaga gcacctctg gggcacagca gccctgggt gctggtcaa ggactacttc 480
ccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggctggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaacctctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140

```



-continued

---

```

ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctoct tcttctctca cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 43
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 43

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 44
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 44

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1           5           10           15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His
20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
65          70          75          80
Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr
85          90          95
Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
100         105         110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115        120        125

```

```

<210> SEQ ID NO 45

```

-continued

---

<211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 45

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgct ctaggc 336

<210> SEQ ID NO 46  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 46

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
 gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggtca ccgtctcctc a 381

<210> SEQ ID NO 47  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 47

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu

-continued

115				120				125							
Glu	Leu	Gln	Ala	Asn	Lys	Ala	Thr	Leu	Val	Cys	Leu	Val	Ser	Asp	Phe
130						135					140				
Tyr	Pro	Gly	Ala	Val	Thr	Val	Ala	Trp	Lys	Ala	Asp	Gly	Ser	Pro	Val
145					150					155					160
Lys	Val	Gly	Val	Glu	Thr	Thr	Lys	Pro	Ser	Lys	Gln	Ser	Asn	Asn	Lys
				165					170					175	
Tyr	Ala	Ala	Ser	Ser	Tyr	Leu	Ser	Leu	Thr	Pro	Glu	Gln	Trp	Lys	Ser
			180						185					190	
His	Arg	Ser	Tyr	Ser	Cys	Arg	Val	Thr	His	Glu	Gly	Ser	Thr	Val	Glu
		195					200					205			
Lys	Thr	Val	Ala	Pro	Ala	Glu	Cys	Ser							
	210					215									

&lt;210&gt; SEQ ID NO 48

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 48

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Arg
1				5						10				15	
Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Ser	Phe	Gly	Asp	His
			20						25				30		
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40						45		
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala
	50					55						60			
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Thr
65					70					75					80
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Val	Tyr
			85						90					95	
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100						105				110		
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
	115						120						125		
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
	130					135					140				
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
145					150					155					160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
			165						170					175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180						185				190		
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200						205		
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225					230					235				240	
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys

-continued

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val	245	250	255
	260	265	270
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr	275	280	285
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu	290	295	300
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His	305	310	315
			320
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys	325	330	335
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln	340	345	350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu	355	360	365
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro	370	375	380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn	385	390	395
			400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu	405	410	415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val	420	425	430
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln	435	440	445
Lys Ser Leu Ser Leu Ser Pro Gly Lys	450	455	

<210> SEQ ID NO 49  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 49

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser

-continued

130	135	140																	
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe				
145					150				155						160				
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly				
				165					170					175					
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu				
			180					185					190						
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr				
		195					200					205							
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys				
	210					215					220								
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro				
225					230					235					240				
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys				
				245					250					255					
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val				
			260					265					270						
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr				
		275					280					285							
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu				
	290					295					300								
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His				
305					310					315					320				
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys				
				325					330					335					
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln				
			340					345					350						
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu				
		355					360					365							
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro				
						375					380								
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn				
385					390					395					400				
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu				
				405					410					415					
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val				
			420					425					430						
Phe	Ser	Cys	Ser	Val	Leu	His	Glu	Ala	Leu	His	Ser	His	Tyr	Thr	Gln				
		435					440					445							
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys											
450						455													

<210> SEQ ID NO 50  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 50

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120

-continued

---

```

cttccaggaa ctgccccaa actcctcadc tatggtaaca gcaateggcc ctcaggggtc 180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcggctc 360
actctgttcc caccctcctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420
gtaagtgact tctaccggg agcctgaca gtggcctgga aggcagatgg cagccccgtc 480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540
agctacctga gcctgacgcc cgagcagtgg aagtcccaca gaagctacag ctgccgggtc 600
acgcatgaag ggagcacctg ggagaagaca gtggccccctg cagaatgctc t 651

```

```

<210> SEQ ID NO 51
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 51

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttgttacagc cagggcggtc cctgagactc 60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctcctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc 480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagctcctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcccggagg agcagtacaa cagcacgtac cgtgtggtea gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctcctg gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 52

```

-continued

---

```

<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 52
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc      60
agctgtacag cctctggggt tagttttggg gatcatgcta tgagctgggt ccgccaggct      120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca      180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact      240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga      300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg      360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc      420
tcctccaaga gcacctctg gggcacagca gcctgggct gcttggtaa ggactacttc      480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacacctc      540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgcctcc      600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag      660
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgcca      720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc      780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac      840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag      900
ccgcgggagg agcagtaca cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac      960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc     1020
cccatcgaga aaacatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc     1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gctgacctg cctgggtaaa     1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac     1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc     1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag     1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a             1371

```

```

<210> SEQ ID NO 53
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 53

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20           25           30

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35           40           45

Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50           55           60

```

-continued

---

Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
65 70 75 80

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
85 90 95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
100 105 110

<210> SEQ ID NO 54  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 54

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 55  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 55

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggc 336

<210> SEQ ID NO 56  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 56

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60



-continued

---

```

agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctcctc a 381

```

```

<210> SEQ ID NO 57
<211> LENGTH: 217
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 57

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
          85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
          100         105         110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
          115         120         125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
          130         135         140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
          145         150         155         160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
          165         170         175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
          180         185         190
His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
          195         200         205
Lys Thr Val Ala Pro Ala Glu Cys Ser
          210         215

```

```

<210> SEQ ID NO 58
<211> LENGTH: 457
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 58

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg

```

-continued

---

1				5						10					15				
Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Ser	Phe	Gly	Asp	His				
			20					25					30						
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val				
		35					40					45							
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala				
	50					55					60								
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Ile				
	65				70					75					80				
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Ala	Glu	Asp	Thr	Ala	Val	Tyr				
				85					90					95					
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr				
			100					105					110						
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala				
		115					120						125						
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser				
	130					135					140								
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe				
	145				150					155					160				
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly				
				165					170					175					
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu				
			180					185					190						
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr				
		195					200						205						
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys				
	210					215					220								
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro				
	225				230					235				240					
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys				
				245					250					255					
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val				
			260					265						270					
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr				
		275					280					285							
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu				
	290					295						300							
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His				
	305				310					315					320				
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys				
				325					330					335					
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln				
			340					345						350					
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu				
		355					360						365						
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro				
	370					375						380							
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn				
	385				390					395				400					
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu				
				405					410						415				

-continued

---

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
                   420                  425                  430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
                   435                  440                  445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
           450                  455

<210> SEQ ID NO 59  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 59

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1                  5                  10                  15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
                   20                  25                  30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                  40                  45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
                   50                  55                  60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
                   65                  70                  75                  80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
                   85                  90                  95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                  105                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
                   115                  120                  125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
                   130                  135                  140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
                   145                  150                  155                  160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
                   165                  170                  175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
                   180                  185                  190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
                   195                  200                  205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
                   210                  215                  220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
                   225                  230                  235                  240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
                   245                  250                  255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
                   260                  265                  270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
                   275                  280                  285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
                   290                  295                  300

-continued

---

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 60  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 60

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcadc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 61  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 61

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120

-continued

---

```

ccaggaagg ggctggagt ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggcaa ggactacttc 480
ccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc cccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaag 900
ccgcccggagg agcagtacaa cagcacgtac cgtgtgggtca gcgtctctac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

&lt;210&gt; SEQ ID NO 62

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 62

```

gaggtgcagc tgggtggagt tgggggaggg ttggtacagc cagggcggtc cctgagactc 60
agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagt ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggcaa ggactacttc 480
ccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca 720

```

-continued

---

```

gcacctgaac tcttggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccagggtca gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 63
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 63

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
          85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 64
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 64

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1           5           10          15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His
          20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
          50          55          60

```

-continued

---

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 65  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 65

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggc 336

<210> SEQ ID NO 66  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 66

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240  
 gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300  
 gtgcagcttg actatggccc gggataccag tactacggtg tggacgtctg gggccaaggg 360  
 accacgggtca ccgtctcctc a 381

<210> SEQ ID NO 67  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 67

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
1 5 10 15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
20 25 30

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
35 40 45

-continued

---

Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
 210 215

<210> SEQ ID NO 68  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 68

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175



-continued

---

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 69  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 69

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60

-continued

---

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

-continued

---

<210> SEQ ID NO 70  
<211> LENGTH: 651  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 70

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
cttccaggaa ctgcccccaa actcctcctc tatggtaaca gcaatcggcc ctcagggggtc 180  
cctgaccgat tctctgggtc caggtctggc acctcagcct ccctggccat cactggggtc 240  
caggtctgag atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
actctgttcc caccctcctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540  
agctacctga gcctgacgcc cgagcagtg aagtcaccaca gaagctacag ctgcccgggtc 600  
acgcatgaag ggagcacctg ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 71  
<211> LENGTH: 1371  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 71

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240  
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtca ccgtctcctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
tctccaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc 480  
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540  
ccggtgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600  
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720  
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaac caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgcccggag agcagtacaa cagcacgtac cgtgtgggtc gcgtcctcac cgtcctgcac 960  
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020

-continued

---

```

cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccagggtca gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcagggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 72
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 72

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aaatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacgggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctgggt gctgtgtcaa ggactacttc 480
cccgaaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccagggtca gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcagggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact ccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 73
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

-continued

&lt;400&gt; SEQUENCE: 73

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

&lt;210&gt; SEQ ID NO 74

&lt;211&gt; LENGTH: 127

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 74

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

&lt;210&gt; SEQ ID NO 75

&lt;211&gt; LENGTH: 336

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 75

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgccccaa actcctcatc tatggtaaca gcaateggcc ctcaggggctc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggtgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300

-continued

---

gctttcgcg gagggaccaa gttgaccgtc ctaggc 336

<210> SEQ ID NO 76  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 76

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtgcgg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
 gtctatctgc aaatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggcca ccgtctctc a 381

<210> SEQ ID NO 77  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 77

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205

-continued

---

Lys Thr Val Ala Pro Ala Glu Cys Ser  
210 215

<210> SEQ ID NO 78  
<211> LENGTH: 457  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 78

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30  
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60  
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
65 70 75 80  
Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
85 90 95  
Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110  
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
115 120 125  
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
130 135 140  
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
145 150 155 160  
Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
165 170 175  
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
180 185 190  
Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
195 200 205  
Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
210 215 220  
Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
225 230 235 240  
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
245 250 255  
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
260 265 270  
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
275 280 285  
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
290 295 300  
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
305 310 315 320  
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
325 330 335

-continued

---

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
                   340                  345                  350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
                   355                  360                  365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
                   370                  375                  380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385                  390                  395                  400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
                   405                  410                  415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
                   420                  425                  430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
                   435                  440                  445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450                  455

<210> SEQ ID NO 79  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 79

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1                  5                  10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
                   20                  25                  30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                  40                  45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50                  55                  60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65                  70                  75                  80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
                   85                  90                  95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                  105                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
                   115                  120                  125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
                   130                  135                  140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145                  150                  155                  160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
                   165                  170                  175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
                   180                  185                  190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
                   195                  200                  205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210                  215                  220



-continued

---

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 80  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 80

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggetga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggctc 600  
 acgcatgaag ggagcacctg ggagaagaca gtggcccctg cagaatgctc t 651

-continued

---

<210> SEQ ID NO 81  
<211> LENGTH: 1371  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 81

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgceg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc 480  
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540  
ccgctgtcc tacagctctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600  
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca 720  
gcacctgaac tcctggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgctggagg agcagtacaa cagcacgtac cgtgtggtea gcgtctcac cgtcctgcac 960  
caggactggc tgaatggcaa ggagtacaag tgcaaggctt ccaacaaagc cctcccagcc 1020  
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080  
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140  
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200  
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260  
accgtggaca agagcagggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320  
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

<210> SEQ ID NO 82  
<211> LENGTH: 1371  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 82

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgceg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300

-continued

---

```

gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacgggtca cegtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctggggt gcctgggtcaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgcctcc 600
agcagcttg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgcca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtgggtc gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 83
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 83

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1          5          10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 84
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

-continued

&lt;400&gt; SEQUENCE: 84

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1                    5                    10                    15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
                   20                    25                    30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                    40                    45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
                   50                    55                    60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
                   65                    70                    75                    80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
                   85                    90                    95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                    105                    110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
                   115                    120                    125

&lt;210&gt; SEQ ID NO 85

&lt;211&gt; LENGTH: 336

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 85

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc        60  
 tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa        120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc        180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc        240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg        300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggc                                        336

&lt;210&gt; SEQ ID NO 86

&lt;211&gt; LENGTH: 381

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 86

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc        60  
 agctgtgccc cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct        120  
 ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca        180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt        240  
 gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtatct ctgtactaga        300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg        360  
 accacggtea ccgtctcctc a    381

&lt;210&gt; SEQ ID NO 87

&lt;211&gt; LENGTH: 217

&lt;212&gt; TYPE: PRT

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 87

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
 210 215

<210> SEQ ID NO 88  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 88

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95

-continued

---

```

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
      100                               105                   110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala
      115                               120                   125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
      130                               135                   140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
      145                               150                   155                   160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
      165                               170                   175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
      180                               185                   190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
      195                               200                   205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
      210                               215                   220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
      225                               230                   235                   240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
      245                               250                   255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
      260                               265                   270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
      275                               280                   285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
      290                               295                   300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
      305                               310                   315                   320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
      325                               330                   335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
      340                               345                   350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
      355                               360                   365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
      370                               375                   380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
      385                               390                   395                   400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
      405                               410                   415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
      420                               425                   430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
      435                               440                   445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
      450                               455

```

&lt;210&gt; SEQ ID NO 89

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 89

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn

-continued

385	390	395	400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu	405	410	415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val	420	425	430
Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln	435	440	445
Lys Ser Leu Ser Leu Ser Pro Gly Lys	450	455	

<210> SEQ ID NO 90  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 90

```

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc      60
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc    180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc    240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg    300
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc    360
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc    420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc    480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc    540
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc    600
acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t              651

```

<210> SEQ ID NO 91  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 91

```

gaggtgcagc tgggtgagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc      60
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt    240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc    420
tcctccaaga gcacctctg gggcacagca gcctgggct gcctggtaa ggactacttc    480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc    540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc    600

```



-continued

---

```

agcagcttgg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctcctg gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctcctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 92
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 92

```

```

gaggtgcagc tgggtgagtc tgggggagggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgceg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea cegtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctggtcaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacacctc 540
ccggtgtcc tacagctctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200

```

-continued

---

```
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371
```

```
<210> SEQ ID NO 93
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 93
```

```
Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1          5          10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110
```

```
<210> SEQ ID NO 94
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 94
```

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1          5          10          15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His
20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile
65          70          75          80
Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr
85          90          95
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
100         105         110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115         120         125
```

```
<210> SEQ ID NO 95
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
```

-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 95

```

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc      60
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttcaggaa ctgcccccaa actcctcctc tatggtaaca gcaatcggcc ctcaggggtc    180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc    240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg    300
gctttcggcg gagggaccaa gttgaccgtc ctaggc                                336

```

&lt;210&gt; SEQ ID NO 96

&lt;211&gt; LENGTH: 381

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 96

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc      60
agctgtgccc cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt    240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacgggtca ccgtctcctc a                                             381

```

&lt;210&gt; SEQ ID NO 97

&lt;211&gt; LENGTH: 217

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 97

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115         120         125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe

```



-continued

---

260	265	270
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr		
275	280	285
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu		
290	295	300
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His		
305	310	315
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys		
325	330	335
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln		
340	345	350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu		
355	360	365
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro		
370	375	380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn		
385	390	395
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu		
405	410	415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val		
420	425	430
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln		
435	440	445
Lys Ser Leu Ser Leu Ser Pro Gly Lys		
450	455	

<210> SEQ ID NO 99  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 99

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His
20 25 30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
50 55 60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile
65 70 75 80
Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr
85 90 95
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
100 105 110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala
115 120 125
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe

-continued

145		150		155		160									
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
			165					170						175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180					185					190		
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200					205			
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225					230					235					240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
			245						250						255
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260					265						270	
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
		275					280					285			
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
	290					295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
305					310					315					320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
			325						330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340					345						350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360					365			
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
	370					375					380				
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
385					390					395					400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
			405						410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420					425					430		
Phe	Ser	Cys	Ser	Val	Leu	His	Glu	Ala	Leu	His	Ser	His	Tyr	Thr	Gln
		435					440					445			
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys							
450						455									

<210> SEQ ID NO 100  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 100

cagtctgtgc	tgacgcagcc	gccctcagtg	tctggggccc	cagggcagag	ggtcaccatc	60
tcttgcactg	ggatgaactc	caacatcggg	gcaggttatg	atgtatactg	gtaccaacaa	120
cttccaggaa	ctgcccccaa	actcctcatc	tatggtaaca	gcaatcggcc	ctcaggggtc	180
cctgaccgat	tctctggctc	caggtctggc	acctcagcct	ccctggccat	cactgggctc	240

-continued

---

```

caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360
actctgttcc caccctcctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600
acgcatgaag ggagcaccgt ggagaagaca gtggccccctg cagaatgctc t 651

```

```

<210> SEQ ID NO 101
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 101

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctcctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc 480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggta gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaacctctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctgggtcaaa 1140
ggctttctat ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 102
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence

```

-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 102

```

gaggtgcagc tgggtggagtc tgggggagggc ttggtacagc cagggcggtc cctgagactc   60
agctgtgceg cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct   120
ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca   180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt   240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga   300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg   360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc   420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggcaa ggactacttc   480
ccgaaaccgg tgacggtgtc gtggaactca ggcgccctga ccagcggcgt gcacaccttc   540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtggtgac cgtgccctcc   600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag   660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc   720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc cccaaaacc caaggacacc   780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac   840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag   900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac   960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc  1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc  1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa  1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac  1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctctca cagcaagctc  1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag  1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a          1371

```

&lt;210&gt; SEQ ID NO 103

&lt;211&gt; LENGTH: 112

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 103

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80

```



-continued

---

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
85 90 95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
100 105 110

<210> SEQ ID NO 104  
<211> LENGTH: 127  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 104

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 105  
<211> LENGTH: 336  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 105

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60

tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120

cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc 180

cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240

caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300

gctttcggcg gagggaccaa gttgaccgct ctaggc 336

<210> SEQ ID NO 106  
<211> LENGTH: 381  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 106

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60

agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120

-continued

---

```

ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aaatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacgggtca ccgtctcctc a 381

```

```

<210> SEQ ID NO 107
<211> LENGTH: 217
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 107

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1          5          10          15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45

Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60

Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115         120         125

Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130         135         140

Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
145         150         155         160

Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
165         170         175

Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
180         185         190

His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
195         200         205

Lys Thr Val Ala Pro Ala Glu Cys Ser
210         215

```

```

<210> SEQ ID NO 108
<211> LENGTH: 457
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 108

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1          5          10          15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His

```

-continued

---

20					25					30					
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
	35						40					45			
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala
	50					55					60				
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Thr
	65					70					75				80
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Ala	Glu	Asp	Thr	Ala	Val	Tyr
				85					90					95	
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100					105					110		
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
		115					120						125		
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
	130					135					140				
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
	145					150					155				160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
				165					170					175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180					185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200						205		
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
	225					230					235				240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
				245					250					255	
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260					265						270	
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
		275					280						285		
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
	290					295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
	305					310					315				320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
				325					330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340					345						350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360						365		
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
				370			375					380			
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
				385			390				395				400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
				405					410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420					425					430		

-continued

---

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
450 455

<210> SEQ ID NO 109  
<211> LENGTH: 457  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 109

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
225 230 235 240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
305 310 315 320

-continued

---

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
                   325                  330                  335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
                   340                  345                  350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
                   355                  360                  365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
                   370                  375                  380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
                   385                  390                  395                  400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
                   405                  410                  415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
                   420                  425                  430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
                   435                  440                  445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
                   450                  455

<210> SEQ ID NO 110  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 110

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcgggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgcccgggtc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 111  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 111

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180

-continued

---

cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact	240
gtctatctgc aaatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga	300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg	360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc	420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggcaa ggactacttc	480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc	540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc	600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag	660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgcca	720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc	780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac	840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag	900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggta gcgtcctcac cgtcctgcac	960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc	1020
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc	1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggcaaa	1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac	1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc	1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag	1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a	1371

&lt;210&gt; SEQ ID NO 112

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 112

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc	60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct	120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca	180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact	240
gtctatctgc aaatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga	300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg	360
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc	420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggcaa ggactacttc	480
cccgaaccgg tgacgggtgc gtggaactca ggcgcctga ccagcggcgt gcacaccttc	540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc	600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag	660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgcca	720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc	780

-continued

---

```

ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgagggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcggggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 113
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 113

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 114
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 114

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1           5           10           15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His
20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
65          70          75          80

```





-continued

---

Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
65 70 75 80

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
85 90 95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
100 105 110

Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
115 120 125

Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
130 135 140

Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
145 150 155 160

Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
165 170 175

Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
180 185 190

His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
195 200 205

Lys Thr Val Ala Pro Ala Glu Cys Ser  
210 215

&lt;210&gt; SEQ ID NO 118

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 118

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
180 185 190

-continued

---

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 119  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 119

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80

-continued

---

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

&lt;210&gt; SEQ ID NO 120

&lt;211&gt; LENGTH: 651

-continued

---

```

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 120
cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc    60
tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc    180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc    240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg    300
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc    360
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc    420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc    480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc    540
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc    600
acgcatgaag ggagcaccgt ggagaagaca gtggccctcg cagaatgctc t          651

```

```

<210> SEQ ID NO 121
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 121
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact    240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc    420
tcctccaaga gcacctctg gggcacagca gccctgggt gcttggtcaa ggactacttc    480
cccgaaccgg tgacggtgct gtggaactca ggcgcctga ccagcggcgt gcacaccttc    540
ccggtgtctc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgacctc    600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag    660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca    720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc    780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac    840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag    900
ccgctggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac    960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc    1020
cccatcgaga aaacctctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc    1080
ctgcccccat cccgggatga gctgaccaag aaccaggctc gcctgacctg cctggtcaaa    1140

```

-continued

---

```

ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 122
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 122

```

```

gaggtgcagc tgggtggagc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtea ccgtctctc agcctccacc aagggccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc 480
cccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacacctc 540
ccggctgtcc tacagctctc aggactctac tcctcagca gcgtgggtgac cgtgcctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 123
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 123

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln

```

-continued

---

1	5	10	15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly	20	25	30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu	35	40	45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe	50	55	60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu	65	70	75
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser	85	90	95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly	100	105	110

<210> SEQ ID NO 124  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 124

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg	1	5	10	15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His	20	25	30	
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	35	40	45	
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala	50	55	60	
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile	65	70	75	80
Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr	85	90	95	
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr	100	105	110	
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	115	120	125	

<210> SEQ ID NO 125  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 125

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc	60
tctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa	120
ctccaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc	180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc	240
caggtgagg atgaggetga ttattactgc cagtcctatg acaccagcct gaatgggttg	300
gctttcggcg gagggaccaa gttgaccgct ctaggc	336

-continued

---

<210> SEQ ID NO 126  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 126

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt    240
gtctatctgc aaatgaacag cctgaaagca gaggacacag ccgtgtatct ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtea ccgtctctc a                                             381
  
```

<210> SEQ ID NO 127  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 127

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115         120         125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130         135         140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
145         150         155         160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
165         170         175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
180         185         190
His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
195         200         205
Lys Thr Val Ala Pro Ala Glu Cys Ser
210         215
  
```

-continued

---

<210> SEQ ID NO 128  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 128

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350



-continued

---

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 129  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 129

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240

-continued

---

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 130  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 130

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
 agctacctga gctgacgcc cgagcagtg aagtcaccaca gaagctacag ctgccgggtc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 131

-continued

---

```

<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 131
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt    240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc    420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctggtaa ggactacttc    480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc    540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc    600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag    660
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccca    720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc    780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac    840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag    900
ccgcgggagg agcagtaca cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac    960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc   1020
cccacgaga aaacatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc   1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctgggtcaa   1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac   1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc   1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag   1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a           1371

```

```

<210> SEQ ID NO 132
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 132
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtacag cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt    240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360

```

-continued

---

```

accacggtea cegtctctc agcctccacc aaggccccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc 480
cccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccageggcgt gcacaccttc 540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgcctccc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtea agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcggggagg agcagtacaa cagcacgtac cgtgtggtea gcgtctctac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggctc ccaacaaagc cctcccagcc 1020
cccatcgaga aaacctctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagegacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 133
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 133

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110

```

```

<210> SEQ ID NO 134
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 134

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg

```

-continued

1	5	10	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His	20	25	30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	35	40	45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala	50	55	60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr	65	70	75
Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr	85	90	95
Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr	100	105	110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	115	120	125

<210> SEQ ID NO 135  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 135

```
cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60
tctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120
cttcaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300
gctttcggcg gagggaccaa gttgaccgtc ctaggc 336
```

<210> SEQ ID NO 136  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 136

```
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtca ccgtctcctc a 381
```

<210> SEQ ID NO 137  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 137

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
 210 215

&lt;210&gt; SEQ ID NO 138

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 138

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110

-continued

---

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

&lt;210&gt; SEQ ID NO 139

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 139

-continued

---

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Arg	1	5	10	15
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Ser	Phe	Gly	Asp	His	20	25	30	
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	35	40	45	
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala	50	55	60	
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Thr	65	70	75	80
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Ala	Glu	Asp	Thr	Ala	Val	Tyr	85	90	95	
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr	100	105	110	
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	115	120	125	
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	130	135	140	
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	145	150	155	160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	165	170	175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	180	185	190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	195	200	205	
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	210	215	220	
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	225	230	235	240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	245	250	255	
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	260	265	270	
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	275	280	285	
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	290	295	300	
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	305	310	315	320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	325	330	335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	340	345	350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	355	360	365	
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	370	375	380	
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	385	390	395	400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu				



-continued

---

405	410	415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val		
420	425	430
Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln		
435	440	445
Lys Ser Leu Ser Leu Ser Pro Gly Lys		
450	455	

<210> SEQ ID NO 140  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 140

```

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc    60
tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc    180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc    240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg    300
gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc    360
actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc    420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc    480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc    540
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc    600
acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t          651

```

<210> SEQ ID NO 141  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 141

```

gaggtgcagc tgggtggagtc tgggggaggc ttgttacagc cagggcggtc cctgagactc    60
agctgtgctg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact    240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc    420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc    480
cccgaaccgg tgacggtgtc gtggaactca ggcgccctga ccagcggcgt gcacaccttc    540
ccggtgttcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc    600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag    660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca    720

```

---

-continued

---

gcacctgaac tcttgggggg accgtcagtc ttcctcttcc ccccaaaacc caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960  
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020  
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080  
ctgccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctgggtaaa 1140  
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200  
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260  
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320  
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

<210> SEQ ID NO 142

<211> LENGTH: 1371

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 142

gaggtgcagc tgggtgagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggtc 120  
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cgctgtgag aggacagattc accatctcgc gagatgattc taaaagcact 240  
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtactaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtca ccgtctctc agcctccacc aaggccccat cggctctccc cctggcacc 420  
tctccaaga gcacctctg gggcacagca gcctgggct gcctgggcaa ggactacttc 480  
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacacctc 540  
ccgctgtcc tacagctctc aggactctac tccctcagca gcgtggtgac cgtgccctcc 600  
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccca 720  
gcacctgaac tcttgggggg accgtcagtc ttcctcttcc ccccaaaacc caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960  
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020  
cccacgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080  
ctgccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctgggtaaa 1140  
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200  
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260  
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320

-continued

---

 gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

<210> SEQ ID NO 143  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 143

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

<210> SEQ ID NO 144  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 144

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 145  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 145

```

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc    60
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcagggggtc    180
cctgaccgat tctctgggtc caggtctggc acctcagcct ccctggccat cactggggtc    240
caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg    300
gctttcggcg gagggaccaa gttgaccgtc ctaggc                                336

```

&lt;210&gt; SEQ ID NO 146

&lt;211&gt; LENGTH: 381

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 146

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtgccc cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggt    120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact    240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtca ccgtctcctc a                                            381

```

&lt;210&gt; SEQ ID NO 147

&lt;211&gt; LENGTH: 217

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 147

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20           25           30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35           40           45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50           55           60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65           70           75           80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85           90           95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100          105          110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115          120          125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130          135          140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val

```

-continued

---

```

145          150          155          160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
      165          170          175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
      180          185          190
His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
      195          200          205
Lys Thr Val Ala Pro Ala Glu Cys Ser
      210          215

```

```

<210> SEQ ID NO 148
<211> LENGTH: 457
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 148

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1          5          10          15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His
      20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
      50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
      65          70          75          80
Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr
      85          90          95
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
      100          105          110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala
      115          120          125
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
      130          135          140
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
      145          150          155          160
Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
      165          170          175
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
      180          185          190
Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
      195          200          205
Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
      210          215          220
Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
      225          230          235          240
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
      245          250          255
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
      260          265          270
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr

```

-continued

275				280				285							
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
290						295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
305					310					315					320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
				325					330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340						345					350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360					365			
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
	370					375					380				
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
385					390					395					400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
				405					410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420				425						430		
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln
		435					440					445			
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys							
450						455									

<210> SEQ ID NO 149  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 149

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Arg
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Ser	Phe	Gly	Asp	His
			20						25				30		
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40						45		
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala
		50				55							60		
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Thr
65					70					75					80
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Val	Tyr
			85						90					95	
Phe	Cys	Ala	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100						105				110		
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
		115					120						125		
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
						135					140				
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
145					150					155					160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly

-continued

165				170				175							
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180												190
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
			195				200								205
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
			210				215								220
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
			225				230								240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
															255
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260												270
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
			275												285
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
			290				295								300
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
															320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
															335
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340												350
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
			355												365
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
															380
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
															400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
															415
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420												430
Phe	Ser	Cys	Ser	Val	Leu	His	Glu	Ala	Leu	His	Ser	His	Tyr	Thr	Gln
															445
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys							
			450												455

<210> SEQ ID NO 150  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 150

```

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc    60
tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa    120
cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc    180
cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc    240
caggtctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg    300
    
```

-continued

---

```

gctttcggcg gagggacca gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360
actctgttcc caccctcctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420
gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480
aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540
agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600
acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

```

```

<210> SEQ ID NO 151
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 151

```

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgcgg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aaatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggcca ccgtctcctc agcctccacc aaggccccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctgggt gcttggtcaa ggactacttc 480
cccgaaaccg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccc 720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 152
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```



-continued

&lt;400&gt; SEQUENCE: 152

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc    60
agctgtgccc cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct    120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca    180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact    240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggtca ccgtctcctc agcctccacc aagggcccat cggctctccc cctggcacc    420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc    480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc    540
ccggtgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc    600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag    660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca    720
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaaacc caaggacacc    780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac    840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag    900
ccgctggagg agcagtacaa cagcacgtac cgtgtggta gcgtcctcac cgtcctgcac    960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc   1020
cccctcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc   1080
ctgcccccat cccgggatga gctgaccaag aaccaggta gcctgacctg cctgggtcaaa   1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac   1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc   1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctcctg gctgcatgag   1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a           1371

```

&lt;210&gt; SEQ ID NO 153

&lt;211&gt; LENGTH: 112

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 153

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
          85          90          95

```

-continued

---

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

<210> SEQ ID NO 154  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 154

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 155  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 155

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccttggecat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgct ctaggc 336

<210> SEQ ID NO 156  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 156

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtgccc cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240

-continued

---

```

gtctatctgc aaatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga    300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg    360
accacggcca ccgtctcctc a                                             381

```

```

<210> SEQ ID NO 157
<211> LENGTH: 217
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 157

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100         105         110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115         120         125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130         135         140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
145         150         155         160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
165         170         175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
180         185         190
His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
195         200         205
Lys Thr Val Ala Pro Ala Glu Cys Ser
210         215

```

```

<210> SEQ ID NO 158
<211> LENGTH: 457
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 158

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1           5           10           15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His
20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

```

-continued

35					40					45					
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala
50					55					60					
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Ile
65					70					75					80
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Ala	Glu	Asp	Thr	Ala	Val	Tyr
				85					90					95	
Phe	Cys	Ala	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100						105					110	
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
		115					120					125			
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
		130					135					140			
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
145						150						155			160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
				165					170					175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180					185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200					205			
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
		210					215					220			
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225						230					235				240
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
				245					250					255	
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val
			260					265					270		
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr
		275					280					285			
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu
	290					295					300				
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His
305						310					315				320
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys
				325					330					335	
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln
			340					345						350	
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu
		355					360					365			
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro
				370			375					380			
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn
385						390					395				400
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu
				405					410					415	
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val
			420				425						430		
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln
		435					440					445			

-continued

---

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
450 455

<210> SEQ ID NO 159  
<211> LENGTH: 457  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 159

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30  
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60  
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
65 70 75 80  
Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
85 90 95  
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110  
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
115 120 125  
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
130 135 140  
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
145 150 155 160  
Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
165 170 175  
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
180 185 190  
Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
195 200 205  
Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
210 215 220  
Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
225 230 235 240  
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
245 250 255  
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
260 265 270  
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
275 280 285  
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
290 295 300  
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
305 310 315 320  
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
325 330 335

-continued

---

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 160  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 160

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcttgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgccgggtc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 161  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 161

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagatc accatctcgc gagatgattc taaaagcatt 240  
 gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300

-continued

---

```

gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacgggtca cegtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggtcaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

&lt;210&gt; SEQ ID NO 162

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 162

```

gaggtgcagc tgggtgagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtgagg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccc cggtgtgag aggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacgggtca cegtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggtcaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggtgtcc tacagtctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900

```

-continued

---

```

ccgcgggagg agcagtacaa cagcacgtac cgtgtgggta gcgtcctcac cgtcctgcac    960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc    1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc    1080
ctgcccccat cccgggatga gctgaccaag aaccagggtca gcctgacctg cctgggtcaaa    1140
ggctttctatc ccagegacat cgccgtggag tgggagagca atgggcagcc ggagaacaac    1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttcctcta cagcaagctc    1260
accgtggaca agagcagggtg gcagcagggg aacgtttctt catgctccgt gctgcatgag    1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a            1371

```

```

<210> SEQ ID NO 163
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 163

```

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1          5          10          15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
          20          25          30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
          35          40          45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
          50          55          60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65          70          75          80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
          85          90          95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
          100          105          110

```

```

<210> SEQ ID NO 164
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 164

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1          5          10          15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His
          20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
          50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
65          70          75          80
Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr
          85          90          95

```



-continued

---

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                  105                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
           115                  120                  125

<210> SEQ ID NO 165  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 165

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggc 336

<210> SEQ ID NO 166  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 166

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
 gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggtca ccgtctcctc a 381

<210> SEQ ID NO 167  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 167

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1                  5                  10                  15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
           20                  25                  30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu  
           35                  40                  45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
           50                  55                  60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
           65                  70                  75                  80

-continued

---

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
85 90 95

Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
100 105 110

Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
115 120 125

Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
130 135 140

Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
145 150 155 160

Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
165 170 175

Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
180 185 190

His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
195 200 205

Lys Thr Val Ala Pro Ala Glu Cys Ser  
210 215

<210> SEQ ID NO 168  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 168

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
50 55 60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
65 70 75 80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
85 90 95

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
195 200 205

-continued

---

```

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
 210                               215                220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
 225                               230                235                240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
                               245                250                255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
                               260                265                270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
                               275                280                285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
 290                               295                300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
 305                               310                315                320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
                               325                330                335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
                               340                345                350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
                               355                360                365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
 370                               375                380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
 385                               390                395                400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
                               405                410                415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
                               420                425                430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
 435                               440                445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
 450                               455

```

&lt;210&gt; SEQ ID NO 169

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 169

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
 1                               5                               10                15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His
                               20                25                30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35                               40                45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
 50                               55                60

Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
 65                               70                75                80

Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr
                               85                90                95

```

-continued

---

Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                  105                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
                   115                  120                  125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
                   130                  135                  140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145                  150                  155                  160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
                   165                  170                  175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
                   180                  185                  190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
                   195                  200                  205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
                   210                  215                  220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225                  230                  235                  240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
                   245                  250                  255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
                   260                  265                  270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
                   275                  280                  285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
                   290                  295                  300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305                  310                  315                  320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
                   325                  330                  335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
                   340                  345                  350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
                   355                  360                  365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
                   370                  375                  380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385                  390                  395                  400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
                   405                  410                  415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
                   420                  425                  430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
                   435                  440                  445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
                   450                  455

&lt;210&gt; SEQ ID NO 170

&lt;211&gt; LENGTH: 651

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 170

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcccaca gaagctacag ctgcccggtc 600  
 acgcatgaag ggagcacctg ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 171

<211> LENGTH: 1371

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 171

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
 agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccagggaaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
 gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
 tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggtcaa ggactacttc 480  
 cccgaaccgg tgacggtgtc gtggaactca ggcgccctga ccagcggcgt gcacacctc 540  
 ccggtgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600  
 agcagcttg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
 gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720  
 gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaac caaggacacc 780  
 ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840  
 cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
 ccgcccggagg agcagtacaa cagcacgtac cgtgtgggtc gcgtcctcac cgtcctgcac 960  
 caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020  
 cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080  
 ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaa 1140  
 ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200

-continued

---

```
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371
```

```
<210> SEQ ID NO 172
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 172
```

```
gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60
agctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
cactacgccg cggctgtgag aggagattc accatctcgc gagatgattc taaaagcact 240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtcctc aggactctac tcctcagca gcgtgggtgac cgtgcctcc 600
agcagcttg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagc caaatcttgt gacaaaactc acacatgcc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtgggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaacctctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctgggtcaaa 1140
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371
```

```
<210> SEQ ID NO 173
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 173
```

```
Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1 5 10 15
```

```
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
```

-continued

---

	20		25		30										
Tyr	Asp	Val	Tyr	Trp	Tyr	Gln	Gln	Leu	Pro	Gly	Thr	Ala	Pro	Lys	Leu
	35					40						45			
Leu	Ile	Tyr	Gly	Asn	Ser	Asn	Arg	Pro	Ser	Gly	Val	Pro	Asp	Arg	Phe
	50					55					60				
Ser	Gly	Ser	Arg	Ser	Gly	Thr	Ser	Ala	Ser	Leu	Ala	Ile	Thr	Gly	Leu
	65				70					75					80
Gln	Ala	Glu	Asp	Glu	Ala	Asp	Tyr	Tyr	Cys	Gln	Ser	Tyr	Asp	Thr	Ser
				85					90					95	
Leu	Asn	Gly	Trp	Ala	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Thr	Val	Leu	Gly
		100						105					110		

<210> SEQ ID NO 174  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 174

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Arg
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Ser	Phe	Gly	Asp	His
			20					25					30		
Ala	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35				40					45			
Gly	Phe	Ile	Arg	Lys	Thr	Thr	Tyr	Gly	Ala	Thr	Thr	His	Tyr	Ala	Ala
	50					55					60				
Ala	Val	Arg	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asp	Ser	Lys	Ser	Thr
	65				70					75				80	
Val	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Lys	Ala	Glu	Asp	Thr	Ala	Val	Tyr
				85					90					95	
Phe	Cys	Ala	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr
			100					105					110		
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
		115					120					125			

<210> SEQ ID NO 175  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 175

cagtctgtgc	tgacgcagcc	gccctcagtg	tctggggccc	cagggcagag	ggtcaccatc	60
tcttgcaactg	ggatgaactc	caacatcggg	gcaggttatg	atgtatactg	gtaccaacaa	120
cttccaggaa	ctgcccccaa	actcctcatc	tatggtaaca	gcaatcggcc	ctcaggggtc	180
cctgaccgat	tctctggctc	caggtctggc	acctcagcct	ccctggccat	cactgggctc	240
caggctgagg	atgaggctga	ttattactgc	cagtcctatg	acaccagcct	gaatggttgg	300
gctttcggcg	gagggaccaa	gttgaccgtc	ctaggc			336

<210> SEQ ID NO 176  
 <211> LENGTH: 381

-continued

---

<212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 176

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc      60
agctgtgceg cctctggggt tagttttggt gatcatgcta tgagctgggt ccgccaggct      120
ccaggggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca      180
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact      240
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga      300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg      360
accacggtca ccgtctcctc a                                             381
  
```

<210> SEQ ID NO 177  
 <211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 177

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln
1           5           10           15
Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly
20           25           30
Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu
35           40           45
Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe
50           55           60
Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu
65           70           75           80
Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser
85           90           95
Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
100          105          110
Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu
115          120          125
Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe
130          135          140
Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val
145          150          155          160
Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys
165          170          175
Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser
180          185          190
His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu
195          200          205
Lys Thr Val Ala Pro Ala Glu Cys Ser
210          215
  
```

<210> SEQ ID NO 178  
 <211> LENGTH: 457



-continued

---

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 178

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1          5          10
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His
20          25          30
Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40          45
Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala
50          55          60
Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr
65          70          75          80
Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr
85          90          95
Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr
100         105         110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala
115         120         125
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130         135         140
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145         150         155         160
Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165         170         175
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180         185         190
Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
195         200         205
Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
210         215         220
Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
225         230         235         240
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
245         250         255
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260         265         270
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275         280         285
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290         295         300
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305         310         315         320
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325         330         335
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340         345         350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
355         360         365

```

-continued

---

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380  
 Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400  
 Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415  
 Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430  
 Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln  
 435 440 445  
 Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 179  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 179

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr His Tyr Ala Ala  
 50 55 60  
 Ala Val Arg Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Thr  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Ala Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Ala Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255

-continued

---

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 180  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 180

cagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa ctgcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct gaatggttgg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc ccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agcctgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgcggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcacaca gaagctacag ctgccgggctc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 181  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 181

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgceg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
tcctcaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc 480  
ccgaaccgg tgacggtgtc gtggaactca ggcgccctga ccagcggcgt gcacaccttc 540  
ccggtgtcc tacagctctc aggactctac tcctcagca gcgtgggtgac cgtgccctcc 600  
agcagcttg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660  
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccc 720  
gcacctgaac tcctgggggg accgtcagtc tcctcttcc ccccaaac caaggacacc 780  
ctcatgatct cccggacccc tgaggtcaca tgcgtgggtg tggacgtgag ccacgaagac 840  
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900  
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtea gcgtctctac cgtcctgcac 960  
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020  
cccatcgaga aaacctctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080  
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggtcaaa 1140  
ggcttctatc ccagcgacat cgcctgggag tgggagagca atgggcagcc ggagaacaac 1200  
tacaagacca cgctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260  
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320  
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

<210> SEQ ID NO 182

<211> LENGTH: 1371

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 182

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc 60  
agctgtgceg cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
cactacgccg cggctgtgag aggcagattc accatctcgc gagatgattc taaaagcact 240  
gtctatctgc aatgaacag cctgaaagca gaggacacag ccgtgtattt ctgtgctaga 300  
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
accacggtea ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
tcctcaaga gcacctctgg gggcacagca gcctgggct gcctgggtcaa ggactacttc 480

-continued

---

```

cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
ccggctgtcc tacagtcttc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcacccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgcca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtea agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccacgaga aaaccatctc caaagccaaa ggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtea gcctgacctg cctgggcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 183
<211> LENGTH: 14
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 183

```

```

Thr Gly Met Asn Ser Asn Ile Gly Ala Gly Tyr Asp Val Tyr
1           5           10

```

```

<210> SEQ ID NO 184
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 184

```

```

Gly Asn Ser Asn Arg Pro Ser
1           5

```

```

<210> SEQ ID NO 185
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 185

```

```

Gln Ser Tyr Asp Thr Ser Leu Asp Gly Trp Ala
1           5           10

```

```

<210> SEQ ID NO 186
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

```

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 186

Asp His Ala Met Ser  
1 5

<210> SEQ ID NO 187

<211> LENGTH: 19

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 187

Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr Lys Tyr Ala Ala Ala  
1 5 10 15

Val Lys Gly

<210> SEQ ID NO 188

<211> LENGTH: 16

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 188

Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr Gly Met Asp Val  
1 5 10 15

<210> SEQ ID NO 189

<211> LENGTH: 14

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 189

Thr Gly Met Asn Ser Asn Ile Gly Ala Gly Tyr Asp Val Tyr  
1 5 10

<210> SEQ ID NO 190

<211> LENGTH: 7

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 190

Gly Asn Ser Asn Arg Pro Ser  
1 5

<210> SEQ ID NO 191

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 191

Gln Ser Tyr Asp Thr Ser Leu Asp Gly Trp Ala  
1 5 10

<210> SEQ ID NO 192

-continued

---

<211> LENGTH: 5  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 192

Asp His Ala Met Ser  
 1 5

<210> SEQ ID NO 193  
 <211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 193

Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr Lys Tyr Ala Ala Ala  
 1 5 10 15

Val Lys Gly

<210> SEQ ID NO 194  
 <211> LENGTH: 16  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 194

Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr Gly Met Asp Val  
 1 5 10 15

<210> SEQ ID NO 195  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 195

Glu Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15

Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30

Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Arg Ala Pro Lys Leu  
 35 40 45

Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60

Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80

Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95

Leu Asp Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110

<210> SEQ ID NO 196  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 196

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1                    5                                    10                                    15

Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
                   20                                    25                                    30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                                    40                                    45

Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr Lys Tyr Ala Ala  
                   50                                    55                                    60

Ala Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
                   65                                    70                                    75                                    80

Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
                   85                                    90                                    95

Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
                   100                                    105                                    110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
                   115                                    120                                    125

<210> SEQ ID NO 197

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 197

gagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc        60

tcctgcactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa        120

ctccaggaa gagcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggctc        180

cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc        240

caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct ggacggttgg        300

gctttcggcg gagggaccaa gttgaccgct ctaggc                                    336

<210> SEQ ID NO 198

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 198

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc cagggcggtc cctgagactc        60

ccctgtacag cctctggggt tagttttggg gatcatgcta tgagctgggt ccgccaggct        120

ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca        180

aagtacgccg cggctgtgaa gggcagattc accatctcgc gagatgattc taaaagcatt        240

gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga        300

gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg        360

accacggcca ccgtctctc a    381

<210> SEQ ID NO 199



-continued

---

<211> LENGTH: 217  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 199

Glu Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln  
 1 5 10 15  
 Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile Gly Ala Gly  
 20 25 30  
 Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Arg Ala Pro Lys Leu  
 35 40 45  
 Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe  
 50 55 60  
 Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile Thr Gly Leu  
 65 70 75 80  
 Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr Asp Thr Ser  
 85 90 95  
 Leu Asp Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly  
 100 105 110  
 Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu  
 115 120 125  
 Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val Ser Asp Phe  
 130 135 140  
 Tyr Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Gly Ser Pro Val  
 145 150 155 160  
 Lys Val Gly Val Glu Thr Thr Lys Pro Ser Lys Gln Ser Asn Asn Lys  
 165 170 175  
 Tyr Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser  
 180 185 190  
 His Arg Ser Tyr Ser Cys Arg Val Thr His Glu Gly Ser Thr Val Glu  
 195 200 205  
 Lys Thr Val Ala Pro Ala Glu Cys Ser  
 210 215

<210> SEQ ID NO 200  
 <211> LENGTH: 457  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 200

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr Lys Tyr Ala Ala  
 50 55 60  
 Ala Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr

-continued

85					90					95							
Phe	Cys	Thr	Arg	Val	Gln	Leu	Asp	Tyr	Gly	Pro	Gly	Tyr	Gln	Tyr	Tyr		
			100					105					110				
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala		
		115					120					125					
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser		
		130					135				140						
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe		
						150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly		
				165					170					175			
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu		
			180					185					190				
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
		210				215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
						230					235					240	
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250					255			
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
		290					295				300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
						310					315					320	
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu		
			355				360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
						375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
						390					395					400	
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu		
				405					410					415			
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val		
				420				425					430				
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln		
			435				440					445					
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys									
			450			455											

&lt;210&gt; SEQ ID NO 201

&lt;211&gt; LENGTH: 457

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 201

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Pro Cys Thr Ala Ser Gly Phe Ser Phe Gly Asp His  
 20 25 30  
 Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Gly Phe Ile Arg Lys Thr Thr Tyr Gly Ala Thr Thr Lys Tyr Ala Ala  
 50 55 60  
 Ala Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ile  
 65 70 75 80  
 Val Tyr Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Phe Cys Thr Arg Val Gln Leu Asp Tyr Gly Pro Gly Tyr Gln Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala  
 115 120 125  
 Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser  
 130 135 140  
 Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe  
 145 150 155 160  
 Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly  
 165 170 175  
 Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu  
 180 185 190  
 Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr  
 195 200 205  
 Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys  
 210 215 220  
 Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro  
 225 230 235 240  
 Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
 245 250 255  
 Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
 260 265 270  
 Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
 275 280 285  
 Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
 290 295 300  
 Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
 305 310 315 320  
 Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
 325 330 335  
 Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln  
 340 345 350  
 Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu  
 355 360 365  
 Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro  
 370 375 380

-continued

---

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn  
 385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu  
 405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val  
 420 425 430

Phe Ser Cys Ser Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln  
 435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys  
 450 455

<210> SEQ ID NO 202  
 <211> LENGTH: 651  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 202

gagtctgtgc tgacgcagcc gccctcagtg tctggggccc cagggcagag ggtcaccatc 60  
 tcttgcaactg ggatgaactc caacatcggg gcaggttatg atgtatactg gtaccaacaa 120  
 cttccaggaa gagcccccaa actcctcatc tatggtaaca gcaatcggcc ctcaggggtc 180  
 cctgaccgat tctctggctc caggtctggc acctcagcct ccctggccat cactgggctc 240  
 caggctgagg atgaggctga ttattactgc cagtcctatg acaccagcct ggacgggttg 300  
 gctttcggcg gagggaccaa gttgaccgtc ctaggccagc ccaaggctgc cccctcggtc 360  
 actctgttcc caccctctc tgaggagctt caagccaaca aggccacact ggtgtgtctc 420  
 gtaagtgact tctaccggg agccgtgaca gtggcctgga aggcagatgg cagccccgtc 480  
 aaggtgggag tggagaccac caaacctcc aaacaaagca acaacaagta tgccggccagc 540  
 agctacctga gcctgacgcc cgagcagtg aagtcaccaca gaagctacag ctgccgggtc 600  
 acgcatgaag ggagcaccgt ggagaagaca gtggcccctg cagaatgctc t 651

<210> SEQ ID NO 203  
 <211> LENGTH: 1371  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 203

gaggtgcagc tgggtggagtc tgggggagggc ttggtacagc cagggcggtc cctgagactc 60  
 ccctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120  
 ccagggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180  
 aagtacgccg cggctgtgaa gggcagattc accatctcgc gagatgattc taaaagcatt 240  
 gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300  
 gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360  
 accacggtea cegtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420  
 tcctccaaga gcacctctgg gggcacagca gccctgggct gcctgggtcaa ggactacttc 480  
 cccgaaccgg tgacgggtgc gtggaactca ggcgccctga ccagcggcgt gcacaccttc 540

-continued

---

```

cggctgtcc tacagtcctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140
ggcttctatc ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgctcccgt gctggactcc gacggctcct tcttcteta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag 1320
gctctgcaca accactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

&lt;210&gt; SEQ ID NO 204

&lt;211&gt; LENGTH: 1371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 204

```

gaggtgcagc tgggtgagtc tgggggaggc ttgttacagc cagggcggtc cctgagactc 60
ccctgtacag cctctgggtt tagttttggt gatcatgcta tgagctgggt ccgccaggct 120
ccaggaagg ggctggagtg ggtaggtttc attagaaaga caacttatgg tgcgacaaca 180
aagtacgccg cggctgtgaa gggcagattc accatctcgc gagatgattc taaaagcatt 240
gtctatctgc aatgaacag cctgaaaacc gaggacacag ccgtgtattt ctgtactaga 300
gtgcagcttg actatggccc gggataccag tactacggta tggacgtctg gggccaaggg 360
accacggtca ccgtctctc agcctccacc aagggcccat cggctctccc cctggcacc 420
tcctccaaga gcacctctgg gggcacagca gcctgggct gcctggtcaa ggactacttc 480
cccgaaccgg tgacggtgtc gtggaactca ggcgcctga ccagcggcgt gcacaccttc 540
cggctgtcc tacagtcctc aggactctac tcctcagca gcgtggtgac cgtgccctcc 600
agcagcttgg gcaccagac ctacatctgc aacgtgaatc acaagcccag caacaccaag 660
gtggacaaga aagttgagcc caaatcttgt gacaaaactc acacatgccc accgtgccca 720
gcacctgaac tcctgggggg accgtcagtc ttctcttcc ccccaaaacc caaggacacc 780
ctcatgatct cccggacccc tgaggtcaca tgcgtggtgg tggacgtgag ccacgaagac 840
cctgaggtca agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag 900
ccgcgggagg agcagtacaa cagcacgtac cgtgtggtca gcgtcctcac cgtcctgcac 960
caggactggc tgaatggcaa ggagtacaag tgcaaggtct ccaacaaagc cctcccagcc 1020
cccatcgaga aaaccatctc caaagccaaa gggcagcccc gagaaccaca ggtgtacacc 1080
ctgcccccat cccgggatga gctgaccaag aaccaggtca gcctgacctg cctggtcaaa 1140

```

-continued

---

```

ggcttctatc ccagegacat cgccgtggag tgggagagca atgggcagcc ggagaacaac 1200
tacaagacca cgcctcccgt gctggactcc gacggctcct tcttcctcta cagcaagctc 1260
accgtggaca agagcaggtg gcagcagggg aacgtcttct catgctccgt gctgcatgag 1320
gctctgcact cccactacac acagaagagc ctctccctgt ctccgggtaa a 1371

```

```

<210> SEQ ID NO 205
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 205

```

```

Arg Ala Ser Gln Ser Ile Ser Ser Trp Leu Ala
1           5           10

```

```

<210> SEQ ID NO 206
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 206

```

```

Asp Ala Ser Ser Leu Glu Ser
1           5

```

```

<210> SEQ ID NO 207
<211> LENGTH: 10
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 207

```

```

Gln Gln Tyr Asn Ser Tyr Ser Phe Trp Thr
1           5           10

```

```

<210> SEQ ID NO 208
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 208

```

```

Thr Tyr Gly Met His
1           5

```

```

<210> SEQ ID NO 209
<211> LENGTH: 17
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 209

```

```

Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val Gln
1           5           10           15

```

```

Gly

```

-continued

---

<210> SEQ ID NO 210  
<211> LENGTH: 14  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 210

Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
1 5 10

<210> SEQ ID NO 211  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 211

Arg Ala Ser Gln Ser Ile Ser Ser Trp Leu Ala  
1 5 10

<210> SEQ ID NO 212  
<211> LENGTH: 7  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 212

Asp Ala Ser Ser Leu Glu Ser  
1 5

<210> SEQ ID NO 213  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 213

Gln Gln Tyr Asn Ser Tyr Ser Phe Trp Thr Phe  
1 5 10

<210> SEQ ID NO 214  
<211> LENGTH: 5  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 214

Thr Tyr Gly Met His  
1 5

<210> SEQ ID NO 215  
<211> LENGTH: 17  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 215

Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val Gln  
1 5 10 15

-continued

Gly

<210> SEQ ID NO 216  
 <211> LENGTH: 5  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 216

Ser Ala Phe Asp Leu  
 1 5

<210> SEQ ID NO 217  
 <211> LENGTH: 109  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 217

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
 85 90 95  
 Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
 100 105

<210> SEQ ID NO 218  
 <211> LENGTH: 123  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 218

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Thr Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80  
 Leu Gln Met Asn Gly Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu



-continued

---

100	105	110	
Trp Gly Gln Gly Thr Met Val Ile Val Ser Ser			
115	120		
<p>&lt;210&gt; SEQ ID NO 219            &lt;211&gt; LENGTH: 327            &lt;212&gt; TYPE: DNA            &lt;213&gt; ORGANISM: Artificial Sequence            &lt;220&gt; FEATURE:            &lt;223&gt; OTHER INFORMATION: Synthetic</p> <p>&lt;400&gt; SEQUENCE: 219</p>			
ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc			60
ctcacttgcc gggccagtca gagtattagt agttggttgg cctgggatca gcagaaacca			120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca			180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct			240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc			300
caagggacca aggtggaaat caaacgc			327

<p>&lt;210&gt; SEQ ID NO 220            &lt;211&gt; LENGTH: 369            &lt;212&gt; TYPE: DNA            &lt;213&gt; ORGANISM: Artificial Sequence            &lt;220&gt; FEATURE:            &lt;223&gt; OTHER INFORMATION: Synthetic</p> <p>&lt;400&gt; SEQUENCE: 220</p>			
caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc			60
tcctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccagact			120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat			180
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct			240
ctgcaaatga acggcctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc			300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatgggtcatc			360
gtctcttca			369

<p>&lt;210&gt; SEQ ID NO 221            &lt;211&gt; LENGTH: 215            &lt;212&gt; TYPE: PRT            &lt;213&gt; ORGANISM: Artificial Sequence            &lt;220&gt; FEATURE:            &lt;223&gt; OTHER INFORMATION: Synthetic</p> <p>&lt;400&gt; SEQUENCE: 221</p>			
Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly			
1	5	10	15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp			
	20	25	30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile			
	35	40	45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly			
	50	55	60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro			
65	70	75	80

-continued

---

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
                                   85                                  90                                  95  
 Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala  
                                   100                                  105                                  110  
 Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser  
                                   115                                  120                                  125  
 Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu  
                                   130                                  135                                  140  
 Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser  
                                   145                                  150                                  155                                  160  
 Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu  
                                   165                                  170                                  175  
 Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val  
                                   180                                  185                                  190  
 Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys  
                                   195                                  200                                  205  
 Ser Phe Asn Arg Gly Glu Cys  
                                   210                                  215

<210> SEQ ID NO 222  
 <211> LENGTH: 453  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 222

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1                                  5                                  10                                  15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
                                   20                                  25                                  30  
 Gly Met His Trp Val Arg Gln Thr Pro Gly Lys Gly Leu Glu Trp Val  
                                   35                                  40                                  45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
                                   50                                  55                                  60  
 Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
                                   65                                  70                                  75                                  80  
 Leu Gln Met Asn Gly Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
                                   85                                  90                                  95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
                                   100                                  105                                  110  
 Trp Gly Gln Gly Thr Met Val Ile Val Ser Ser Ala Ser Thr Lys Gly  
                                   115                                  120                                  125  
 Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
                                   130                                  135                                  140  
 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
                                   145                                  150                                  155                                  160  
 Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
                                   165                                  170                                  175  
 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
                                   180                                  185                                  190  
 Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
                                   195                                  200                                  205



-continued

---

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
                   100                                  105                                  110

Trp Gly Gln Gly Thr Met Val Ile Val Ser Ser Ala Ser Thr Lys Gly  
                   115                                  120                                  125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
                   130                                  135                                  140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145                                  150                                  155                                  160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
                                   165                                  170                                  175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
                                   180                                  185                                  190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
                   195                                  200                                  205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
                   210                                  215                                  220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225                                  230                                  235                                  240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
                                   245                                  250                                  255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
                                   260                                  265                                  270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
                   275                                  280                                  285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
                   290                                  295                                  300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305                                  310                                  315                                  320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
                                   325                                  330                                  335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
                                   340                                  345                                  350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
                   355                                  360                                  365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
                   370                                  375                                  380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385                                  390                                  395                                  400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
                                   405                                  410                                  415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
                                   420                                  425                                  430

Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser  
                   435                                  440                                  445

Leu Ser Pro Gly Lys  
                   450

&lt;210&gt; SEQ ID NO 224

&lt;211&gt; LENGTH: 645

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

-continued

---

<400> SEQUENCE: 224

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60  
ctcacttgcc gggccagtca gagtattagt agttggttg cctgggatca gcagaaacca 120  
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180  
aggttcagcg gcagtggatc tgggacagaa ttactctca ccatcagcag cctgcaacct 240  
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300  
caagggacca aggtggaat caaacgcact gtggctgcac catctgtctt catcttccc 360  
ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 420  
tatcccagag aggccaaagt acagtggaag gtggataacg ccctccaatc gggtaactcc 480  
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 540  
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 600  
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt 645

<210> SEQ ID NO 225

<211> LENGTH: 1359

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 225

caggtgcaac tgggtggagtc tgggggagggc gtgggtccagc ctgggaggtc cctgagactc 60  
tcctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccagact 120  
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240  
ctgcaaatga acggcctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300  
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatgggtcatc 360  
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420  
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480  
acgggtgctg ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540  
cagtcctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600  
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660  
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720  
ctgggggggac cgtcagtctt cctcttcccc ccaaaaccca aggacaccct catgatctcc 780  
cggacccctg aggtcacatg cgtgggtggg gacgtgagcc acgaagacc tgaggtcaag 840  
ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900  
cagtacaaca gcacgtaccg tgtggtcagc gtctctaccg tcctgcacca ggactggctg 960  
aatggcaagg agtacaagtg caaggtctcc aacaagccc tcccagcccc catcgagaaa 1020  
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080  
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaaagg cttctatccc 1140  
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccag 1200  
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260

-continued

---

 agcaggtggc agcaggggaa cgtcttctca tgctccgtga tgcattgaggc tctgcacaac 1320

cactacacac agaagagcct ctcctgtct cgggtaaa 1359

&lt;210&gt; SEQ ID NO 226

&lt;211&gt; LENGTH: 1359

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 226

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggc cctgagactc 60

tctctgtcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccagact 120

ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180

gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240

ctgcaaatga acggcctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300

tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcac 360

gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420

acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480

acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540

cagtcctcag gactctactc cctcagcagc gtggtgaccg tgcctccag cagcttgggc 600

accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660

gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720

ctggggggac cgtcagtctt cctcttcccc caaaaacca aggacacct catgatctcc 780

cggaccctg aggtcacatg cgtgggtgtg gacgtgagcc acgaagacc tgaggtcaag 840

ttcaactggt acgtggacgg cgtggagggt cataatgcca agacaaagcc gcgggaggag 900

cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tctgcacca ggactggctg 960

aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020

accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080

cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140

agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccagc 1200

cctcccgtgc tggactccga cggctcctc ttctctaca gcaagctcac cgtggacaag 1260

agcaggtggc agcaggggaa cgtcttctca tgctccgtgc tgcattgaggc tctgcactcc 1320

cactacacac agaagagcct ctcctgtct cgggtaaa 1359

&lt;210&gt; SEQ ID NO 227

&lt;211&gt; LENGTH: 109

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 227

 Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15

 Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30

-continued

---

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
           35                          40                          45

Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
       50                          55                          60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
   65                          70                          75                          80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
                           85                          90                          95

Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
           100                          105

<210> SEQ ID NO 228  
 <211> LENGTH: 123  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 228

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1                          5                          10                          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
       20                          25                          30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
       35                          40                          45

Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
       50                          55                          60

Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
   65                          70                          75                          80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
                           85                          90                          95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
           100                          105                          110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser  
       115                          120

<210> SEQ ID NO 229  
 <211> LENGTH: 327  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 229

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60  
 ctcaacttgcc gggccagtca gaggattagt agttggttgg cctggtatca gcagaaacca 120  
 gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300  
 caagggacca aggtggaaat caaacgc 327

<210> SEQ ID NO 230  
 <211> LENGTH: 369  
 <212> TYPE: DNA

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 230

```

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc    60
tcctgtgcag cgtctggggt cgctttcaat acctatggca tgcactgggt ccgccaggca    120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat    180
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct    240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc    300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca    360
gtctcttca                                     369
  
```

<210> SEQ ID NO 231  
 <211> LENGTH: 215  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 231

```

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1           5           10           15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20           25           30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35           40           45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50           55           60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65           70           75           80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
85           90           95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100          105          110
Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115          120          125
Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130          135          140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145          150          155          160
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165          170          175
Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180          185          190
Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195          200          205
Ser Phe Asn Arg Gly Glu Cys
210          215
  
```

<210> SEQ ID NO 232  
 <211> LENGTH: 453  
 <212> TYPE: PRT



-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
  
 <400> SEQUENCE: 232  
  
 Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110  
 Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
 115 120 125  
 Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
 130 135 140  
 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145 150 155 160  
 Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
 165 170 175  
 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
 180 185 190  
 Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
 195 200 205  
 Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
 210 215 220  
 Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225 230 235 240  
 Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 245 250 255  
 Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 260 265 270  
 Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 275 280 285  
 Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 290 295 300  
 Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305 310 315 320  
 Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 325 330 335  
 Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 340 345 350  
 Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 355 360 365  
 Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala



-continued

---

260	265	270	
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val			
275	280	285	
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser			
290	295	300	
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu			
305	310	315	320
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala			
325	330	335	
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro			
340	345	350	
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln			
355	360	365	
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala			
370	375	380	
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr			
385	390	395	400
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu			
405	410	415	
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser			
420	425	430	
Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser			
435	440	445	
Leu Ser Pro Gly Lys			
450			

<210> SEQ ID NO 234  
 <211> LENGTH: 645  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 234

```

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc      60
ctcacttgcc gggccagtca gagtattagt agttggttg cctggtatca gcagaaacca      120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca      180
aggttcagcg gcagtggatc tgggacagaa ttactctca ccatcagcag cctgcaacct      240
gatgattttg caactatta ctgccaacag tataatagtt attcttttg gacgttcggc      300
caagggacca aggtggaat caaacgcact gtggctgcac catctgtctt catcttcccg      360
ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc      420
tatcccagag aggccaaagt acagtggaag gtggataacg ccctccaatc gggtaactcc      480
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg      540
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt cacccatcag      600
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt                       645
    
```

<210> SEQ ID NO 235  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 235

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
tcctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccaggca 120  
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240  
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300  
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360  
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420  
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480  
acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540  
cagtctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600  
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660  
gttgagccca aatcttgtga caaaactcac acatgccac cgtgccagc acctgaactc 720  
ctgggggggac cgtcagtctt cctcttcccc ccaaaacca aggacacct catgatctcc 780  
cggacccctg aggtcacatg cgtgggtgtg gacgtgagcc acgaagacc tgaggtcaag 840  
ttcaactggt acgtggacgg cgtggaggtg cataatgcc agacaaagcc gcgggaggag 900  
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcctgcacca ggactggctg 960  
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020  
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080  
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tgggtcaaagg cttctatccc 1140  
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200  
cctcccgctg tggactccga cgctccttc ttctctaca gcaagctcac cgtggacaag 1260  
agcaggtggc agcaggggaa cgtcttctca tgctccgtga tgcattgagg tctgcacaac 1320  
cactacacac agaagagcct ctcctgtct cgggtaaa 1359

<210> SEQ ID NO 236

<211> LENGTH: 1359

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 236

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
tcctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccaggca 120  
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240  
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300  
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360  
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420  
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480

-continued

---

```

acgggtgctgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540
cagtctcag gactctactc cctcagcagc gtggtgaccg tgcctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctgggggggac cgtcagtctt cctcttcccc ccaaaaccca aggacaccct catgatctcc 780
cggacccttg aggtcacatg cgtggtggtg gacgtgagcc acgaagaccc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtcctcaccg tcttgacca ggactggctg 960
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccagc 1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcaggtggc agcaggggaa cgtcttctca tgctccgtgc tgcattggc tctgcactcc 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

```

<210> SEQ ID NO 237
<211> LENGTH: 109
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 237

```

```

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1           5           10          15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
          20          25          30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35          40          45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
          50          55          60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65          70          75          80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
          85          90          95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
          100          105

```

```

<210> SEQ ID NO 238
<211> LENGTH: 123
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 238

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1           5           10          15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr
          20          25          30

```

-continued

---

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
           35                          40                          45

Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
       50                          55                          60

Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
   65                          70                          75                          80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
           85                          90                          95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
           100                          105                          110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser  
       115                          120

<210> SEQ ID NO 239  
 <211> LENGTH: 327  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 239

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60  
 ctcaactgcc gggccagtca gagtattagt agttggttg cctggtatca gcagaaacca 120  
 gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180  
 aggttcagcg gcagtgatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300  
 caagggacca aggtggaat caaacgc 327

<210> SEQ ID NO 240  
 <211> LENGTH: 369  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 240

caggtgcaac tgggtgagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
 tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120  
 ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
 gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240  
 ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300  
 tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360  
 gtctcttca 369

<210> SEQ ID NO 241  
 <211> LENGTH: 215  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 241

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly

-continued

---

```

1           5           10           15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
      20           25           30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
      35           40           45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
      50           55           60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
      65           70           75           80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
      85           90           95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
      100          105          110
Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
      115          120          125
Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
      130          135          140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
      145          150          155          160
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
      165          170          175
Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
      180          185          190
Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
      195          200          205
Ser Phe Asn Arg Gly Glu Cys
      210          215

```

```

<210> SEQ ID NO 242
<211> LENGTH: 453
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 242

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1           5           10           15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr
      20           25           30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35           40           45
Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val
      50           55           60
Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser
      65           70           75           80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys
      85           90           95
Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu
      100          105          110
Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly
      115          120          125
Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly

```

-continued

---

```

      130          135          140
Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145          150          155          160
Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
          165          170          175
Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
          180          185          190
Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
          195          200          205
Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
          210          215          220
Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225          230          235          240
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
          245          250          255
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
          260          265          270
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
          275          280          285
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
          290          295          300
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305          310          315          320
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
          325          330          335
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
          340          345          350
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
          355          360          365
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
          370          375          380
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385          390          395          400
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
          405          410          415
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
          420          425          430
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
          435          440          445
Leu Ser Pro Gly Lys
          450

```

```

<210> SEQ ID NO 243
<211> LENGTH: 453
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 243

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr

```



-continued

---

20					25					30					
Gly	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ala	Ile	Ile	Trp	Tyr	Asp	Gly	Ser	Gln	Lys	Tyr	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Gln	Gly	Arg	Phe	Ile	Ile	Ser	Arg	Asp	Asn	His	Lys	Asn	Thr	Leu	Ser
65					70					75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Phe	Cys
				85					90					95	
Val	Arg	Val	Arg	Phe	Ser	Val	Gly	Pro	His	Gly	Ser	Ala	Phe	Asp	Leu
			100					105					110		
Trp	Gly	Gln	Gly	Thr	Met	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly
		115					120					125			
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly
	130					135					140				
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val
145					150					155					160
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe
				165					170					175	
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val
			180					185					190		
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val
		195					200					205			
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys
	210					215					220				
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu
225					230					235					240
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
				245					250					255	
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val
			260					265						270	
Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val
		275					280					285			
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser
						295					300				
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu
305					310					315					320
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala
				325					330					335	
Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro
			340					345					350		
Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln
		355					360					365			
Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala
		370					375				380				
Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr
385					390					395					400
Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu
				405					410					415	
Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser
			420					425						430	

-continued

---

Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser  
 435 440 445

Leu Ser Pro Gly Lys  
 450

<210> SEQ ID NO 244  
 <211> LENGTH: 645  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 244

```

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60
ctcacttgcc gggccagtc gagtattagt agttggttg cctggtatca gcagaaacca 120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacggtcggc 300
caagggacca aggtggaat caaacgcact gtggctgac catctgtctt catcttccc 360
ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 420
tatcccagag aggccaaagt acagtggaag gtggataacg cctccaatc gggtaactcc 480
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 540
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgccaagt caccatcag 600
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt 645

```

<210> SEQ ID NO 245  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 245

```

cagggtcaac tgggtggagtc tgggggagggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actcctgag agccgaggac acggtctgtt atttctgtgt gagagtccgc 300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggetgtccta 540
cagtctcag gactctactc cctcagcagc gtggtgaccg tgcctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctggggggac cgtcagtctt cctcttcccc ccaaaaccca aggacacct catgatctcc 780
cggaccctg aggtcacatg cgtggtggtg gacgtgagcc acgaagacc tgaggtcaag 840

```

-continued

---

```

ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtcctcaccg tcctgcacca ggactggctg 960
aatggcaagg agtacaagtg caaggctctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcagggtggc agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

```

<210> SEQ ID NO 246
<211> LENGTH: 1359
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 246

```

```

cagggtgcaac tgggtggagt cgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcatcatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcaccctc ctccaagagc 420
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
acgggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc gggtgtccta 540
cagtctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctgggggggac cgtcagtctt cctcttcccc ccaaaacca aggacacct catgatctcc 780
cggacccttg aggtcacatg cgtgggtggtg gacgtgagcc acgaagacc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtcctcaccg tcctgcacca ggactggctg 960
aatggcaagg agtacaagtg caaggctctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcagggtggc agcaggggaa cgtcttctca tgctccgtgc tgcatgaggc tctgcactcc 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

-continued

---

<210> SEQ ID NO 247  
 <211> LENGTH: 109  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 247

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
 85 90 95  
 Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
 100 105

<210> SEQ ID NO 248  
 <211> LENGTH: 123  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 248

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110  
 Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 249  
 <211> LENGTH: 327  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 249

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60

-continued

---

```

ctcacttgcc gggccagtca gagtattagt agttggttgg cctggtatca gcagaaacca 120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300
caagggacca aggtggaat caaacgc 327

```

```

<210> SEQ ID NO 250
<211> LENGTH: 369
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 250

```

```

caggtgcaac tgggtgagtc tgggggagggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360
gtctcttca 369

```

```

<210> SEQ ID NO 251
<211> LENGTH: 215
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 251

```

```

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1           5           10           15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20          25          30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35          40          45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50          55          60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65          70          75          80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
85          90          95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100         105         110
Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115         120         125
Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130         135         140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145         150         155         160
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165         170         175

```

-continued

---

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val  
 180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys  
 195 200 205

Ser Phe Asn Arg Gly Glu Cys  
 210 215

<210> SEQ ID NO 252  
 <211> LENGTH: 453  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 252

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60

Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
 115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
 130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
 165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
 180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
 195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
 210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 290 295 300

-continued

---

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305 310 315 320  
 Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 325 330 335  
 Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 340 345 350  
 Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 355 360 365  
 Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
 370 375 380  
 Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385 390 395 400  
 Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 405 410 415  
 Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 420 425 430  
 Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
 435 440 445  
 Leu Ser Pro Gly Lys  
 450

<210> SEQ ID NO 253  
 <211> LENGTH: 453  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 253

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110  
 Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
 115 120 125  
 Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
 130 135 140  
 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145 150 155 160  
 Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
 165 170 175  
 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
 180 185 190

-continued

---

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
 195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
 210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
 370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 420 425 430

Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser  
 435 440 445

Leu Ser Pro Gly Lys  
 450

<210> SEQ ID NO 254  
 <211> LENGTH: 645  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 254

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60  
 ctcaacttgcc gggccagtca gagtattagt agttggttg cctggtatca gcagaaacca 120  
 gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300  
 caagggacca aggtggaat caaacgcact gtggctgcac catctgtctt catcttcccg 360  
 ccatctgatg agcagttgaa atctggaact gcctctggtg tgtgctgct gaataacttc 420



-continued

---

tatcccagag aggccaaagt acagtggaag gtggataacg cctccaatc gggtaactcc	480
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcacctg	540
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgccaagt cacccatcag	600
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt	645

<210> SEQ ID NO 255  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 255

cagggtcaac tgggtgagtc tgggggagggc gtgggtccagc ctgggaggtc cctgagactc	60
tctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt ccgccaggca	120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat	180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct	240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc	300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca	360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc	420
acctctgggg gcacagcagc cctgggctgc ctgggtcaagg actacttccc cgaaccgggtg	480
acgggtgctgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta	540
cagtcctcag gactctactc cctcagcagc gtgggtgaccg tgccctccag cagcttgggc	600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa	660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc	720
ctggggggac cgtcagtctt cctcttcccc caaaaccca aggacaccct catgatctcc	780
cggaccctg aggtcacatg cgtgggtggtg gacgtgagcc acgaagacc tgaggtcaag	840
ttcaactggt acgtggacgg cgtggaggtg cataatgcca agacaaagcc gcgggaggag	900
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tctgcacca ggactggctg	960
aatggcaagg agtacaagt caaggtctcc aacaaagccc tcccagcccc catcgagaaa	1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc	1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tgggtcaaagg cttctatccc	1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg	1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag	1260
agcaggtggc agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac	1320
cactacacac agaagagcct ctccctgtct ccgggtaaa	1359

<210> SEQ ID NO 256  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 256

cagggtcaac tgggtgagtc tgggggagggc gtgggtccagc ctgggaggtc cctgagactc	60
---	----

-continued

---

```

tctgtgcag cgtctgggtt cgctttcaat acctatggca tgcactgggt cgcaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300
tttagcggtg gccccacgg gagtgctttt gatctctggg gccaggggac aatgggcaca 360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcaccctc ctccaagagc 420
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccgggtg 480
acgggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540
cagtcctcag gactctactc cctcagcagc gtggtgaccg tgcctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctggggggac cgtcagtctt cctcttcccc ccaaaacca aggacacct catgatctcc 780
cggaccctg aggtcacatg cgtgggtgtg gacgtgagcc acgaagacc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcttcacca ggactggctg 960
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccagc 1200
cctcccgtgc tggactccga cggctcctc ttctctaca gcaagctcac cgtggacaag 1260
agcaggtggc agcaggggaa cgtcttctca tgetccgtgc tgcattgaggc tctgcactcc 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

&lt;210&gt; SEQ ID NO 257

&lt;211&gt; LENGTH: 109

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 257

```

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1           5           10          15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
          20          25          30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35          40          45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
          50          55          60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65          70          75          80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
          85          90          95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
          100         105

```

-continued

---

```

<210> SEQ ID NO 258
<211> LENGTH: 123
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 258

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1           5           10           15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr
20           25           30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35           40           45

Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val
50           55           60

Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser
65           70           75           80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys
85           90           95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu
100          105          110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser
115          120

```

```

<210> SEQ ID NO 259
<211> LENGTH: 327
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 259

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc 60
ctcacttgcc gggccagtc gagtattagt agttgggttg cctggtatca gcagaaacca 120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300
caagggacca aggtggaat caaacgc 327

```

```

<210> SEQ ID NO 260
<211> LENGTH: 369
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 260

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360

```

-continued

gtctcttca

369

<210> SEQ ID NO 261  
 <211> LENGTH: 215  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 261

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
 85 90 95  
 Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala  
 100 105 110  
 Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser  
 115 120 125  
 Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu  
 130 135 140  
 Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser  
 145 150 155 160  
 Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu  
 165 170 175  
 Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val  
 180 185 190  
 Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys  
 195 200 205  
 Ser Phe Asn Arg Gly Glu Cys  
 210 215

<210> SEQ ID NO 262  
 <211> LENGTH: 453  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 262

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60

-continued

---

Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser  
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
 115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
 130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
 165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
 180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
 195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
 210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
 370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
 435 440 445

Leu Ser Pro Gly Lys  
 450

-continued

---

```

<210> SEQ ID NO 263
<211> LENGTH: 453
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 263

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1          5          10
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr
          20          25          30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35          40          45
Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val
          50          55          60
Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Ser
65          70          75          80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys
          85          90          95
Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu
          100         105         110
Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly
          115         120         125
Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
          130         135         140
Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145         150         155         160
Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
          165         170         175
Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
          180         185         190
Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
          195         200         205
Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
210         215         220
Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225         230         235         240
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
          245         250         255
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
          260         265         270
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
          275         280         285
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
          290         295         300
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305         310         315         320
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
          325         330         335
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
          340         345         350

```

-continued

---

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
                   355                                  360                                  365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
           370                                  375                                  380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
   385                                  390                                  395                                  400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
                                   405                                  410                                  415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
                                   420                                  425                                  430

Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser  
                                   435                                  440                                  445

Leu Ser Pro Gly Lys  
           450

<210> SEQ ID NO 264  
 <211> LENGTH: 645  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 264

```

ggcgtccaga tgaccagtc tccttcacc ctgtctgcat ctgtgggaga cagagtcacc      60
ctcacttgcc gggccagtca gaggattagt agttggttg cctggtatca gcagaaacca    120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca    180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct    240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc    300
caagggacca aggtggaat caaacgcact gtggctgcac catctgtctt catcttcccg    360
ccatctgatg agcagttgaa atctggaact gcctctggtg tgtgcctgct gaataacttc    420
tatcccagag aggccaaagt acagtggaag gtggataacg ccctccaatc gggtaactcc    480
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg    540
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt cacccatcag    600
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt                      645

```

<210> SEQ ID NO 265  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 265

```

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc      60
tcctgtgcag cgtctggggt cactttcaat acctatggca tgcactgggt ccgccaggca    120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat    180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct    240
ctgcaaatga actcctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc    300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca    360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc    420

```

-continued

---

```

acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540
cagtcctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctggggggac cgtcagtctt cctcttcccc caaaaccca aggacaccct catgatctcc 780
cggacccttg aggtcacatg cgtgggtggtg gacgtgagcc acgaagacc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggaggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcctgcacca ggactggctg 960
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tgggtcaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200
cctcccgtag tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcaggtggc agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

&lt;210&gt; SEQ ID NO 266

&lt;211&gt; LENGTH: 1359

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 266

```

caggtgcaac tgggtgagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtct 240
ctgcaaatga actccctgag agccgaggac acggtgtgt atttctgtgt gagagtccgc 300
tttagcggtg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360
gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540
cagtcctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctggggggac cgtcagtctt cctcttcccc caaaaccca aggacaccct catgatctcc 780
cggacccttg aggtcacatg cgtgggtggtg gacgtgagcc acgaagacc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggaggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcctgcacca ggactggctg 960
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020

```



-continued

---

```

accatctcca aagccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcaggtggc agcaggggaa cgttttctca tgetccgtgc tgcattgggc tctgcactcc 1320
cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

```

```

<210> SEQ ID NO 267
<211> LENGTH: 109
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 267

```

```

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1          5          10          15
Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
          20          25          30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35          40          45
Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
          50          55          60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65          70          75          80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe
          85          90          95
Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
          100          105

```

```

<210> SEQ ID NO 268
<211> LENGTH: 123
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 268

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1          5          10          15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr
          20          25          30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35          40          45
Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val
          50          55          60
Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Tyr
65          70          75          80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys
          85          90          95
Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu
          100          105          110
Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser

```

-continued

---

115 120

<210> SEQ ID NO 269  
 <211> LENGTH: 327  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 269

ggcgtccaga tgaccagtc tcctccacc ctgtctgcat ctgtgggaga cagagtcacc 60  
 ctcacttgcc gggccagtca gaggattagt agttggttgg cctggtatca gcagaaacca 120  
 gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttactctca ccatcagcag cctgcaacct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300  
 caagggacca aggtggaaat caaacgc 327

<210> SEQ ID NO 270  
 <211> LENGTH: 369  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 270

caggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
 tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120  
 ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
 gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtac 240  
 ctgcaaatga actccctgag agccgaggac acggctgtgt atttctgtgt gagagtccgc 300  
 tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360  
 gtctcttca 369

<210> SEQ ID NO 271  
 <211> LENGTH: 215  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 271

Gly Val Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Leu Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
 85 90 95

-continued

---

Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala  
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser  
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu  
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser  
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu  
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val  
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys  
195 200 205

Ser Phe Asn Arg Gly Glu Cys  
210 215

<210> SEQ ID NO 272  
<211> LENGTH: 453  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 272

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr  
20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
50 55 60

Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Tyr  
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
85 90 95

Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
100 105 110

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
210 215 220

-continued

---

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225 230 235 240  
 Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
 245 250 255  
 Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
 260 265 270  
 Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
 275 280 285  
 Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
 290 295 300  
 Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305 310 315 320  
 Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
 325 330 335  
 Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
 340 345 350  
 Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
 355 360 365  
 Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
 370 375 380  
 Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385 390 395 400  
 Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
 405 410 415  
 Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
 420 425 430  
 Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser  
 435 440 445  
 Leu Ser Pro Gly Lys  
 450

<210> SEQ ID NO 273  
 <211> LENGTH: 453  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 273

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Thr Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Gln Gly Arg Phe Thr Ile Ser Arg Asp Asn His Lys Asn Thr Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg Val Arg Phe Ser Val Gly Pro His Gly Ser Ala Phe Asp Leu  
 100 105 110

-continued

---

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Ala Ser Thr Lys Gly  
           115                          120                          125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly  
       130                          135                          140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val  
 145                          150                          155                          160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe  
                           165                          170                          175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val  
                           180                          185                          190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val  
       195                          200                          205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys  
       210                          215                          220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu  
 225                          230                          235                          240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr  
                           245                          250                          255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val  
                           260                          265                          270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val  
                           275                          280                          285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser  
       290                          295                          300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu  
 305                          310                          315                          320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala  
                           325                          330                          335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro  
                           340                          345                          350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln  
                           355                          360                          365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala  
       370                          375                          380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr  
 385                          390                          395                          400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu  
                           405                          410                          415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser  
                           420                          425                          430

Val Leu His Glu Ala Leu His Ser His Tyr Thr Gln Lys Ser Leu Ser  
       435                          440                          445

Leu Ser Pro Gly Lys  
       450

&lt;210&gt; SEQ ID NO 274

&lt;211&gt; LENGTH: 645

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 274

-continued

---

```

ggcgtccaga tgaccagtc tcctccacc ctgtctgcat ctgtgggaga cagagtcacc 60
ctcacttgcc gggccagtc gagtattagt agttggttg cctggtatca gcagaaacca 120
gggaaagccc ctaaactcct gatctatgat gcctccagtt tggaaagtgg ggtcccatca 180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcaacct 240
gatgattttg caacttatta ctgccaacag tataatagtt attctttttg gacgttcggc 300
caagggacca aggtggaat caaacgcact gtggctgcac catctgtctt catcttccc 360
ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 420
tatcccagag aggccaaagt acagtggaag gtggataacg ccctccaatc gggtaactcc 480
caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 540
acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 600
ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt 645

```

&lt;210&gt; SEQ ID NO 275

&lt;211&gt; LENGTH: 1359

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 275

```

caggtgcaac tgggtgagtc tgggggagggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120
ccaggcaagg ggctggagtg ggtggcaatt atctggatag atgggagcca gaaatactat 180
gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtac 240
ctgcaaatga actcctgag agccgaggac acggtgtgt atttctgtgt gagagtccgc 300
tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360
gtctcttcag cctccacca gggcccatcg gtcttcccc tggcacctc ctccaagagc 420
acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acacctccc ggctgtccta 540
cagtcctcag gactctactc cctcagcagc gtggtgaccg tgcctccag cagcttgggc 600
accagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660
gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720
ctggggggac cgtcagtctt cctcttcccc caaaaccca aggacacct catgatctcc 780
cggacccctg aggtcacatg cgtggtggtg gacgtgagcc acgaagacc tgaggtcaag 840
ttcaactggt acgtggacgg cgtggaggtg cataatgcca agacaaagcc gcgggaggag 900
cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcctgcacca ggactggctg 960
aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020
accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080
cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaagg cttctatccc 1140
agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200
cctcccgtgc tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260
agcaggtggc agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac 1320

```

-continued

---

cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

<210> SEQ ID NO 276  
 <211> LENGTH: 1359  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 276

cagggtgcaac tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
 tcctgtgcag cgtctgggtt cactttcaat acctatggca tgcactgggt ccgccaggca 120  
 ccaggcaagg ggctggagtg ggtggcaatt atctggtatg atgggagcca gaaatactat 180  
 gcagactccg tgcagggccg attcactatc tccagagaca atcacaagaa cacgttgtac 240  
 ctgcaaatga actccctgag agccgaggac acggtctgtg atttctgtg gagagtccgc 300  
 tttagcgttg gccccacgg gagtgctttt gatctctggg gccaggggac aatggtcaca 360  
 gtctcttcag cctccaccaa gggcccatcg gtcttcccc tggcacctc ctccaagagc 420  
 acctctgggg gcacagcagc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480  
 acggtgtcgt ggaactcagg cgccctgacc agcggcgtgc acaccttccc ggctgtccta 540  
 cagtctcag gactctactc cctcagcagc gtggtgaccg tgccctccag cagcttgggc 600  
 acccagacct acatctgcaa cgtgaatcac aagcccagca acaccaaggt ggacaagaaa 660  
 gttgagccca aatcttgtga caaaactcac acatgcccac cgtgcccagc acctgaactc 720  
 ctgggggggac cgtcagtctt cctcttcccc ccaaaaacca aggacacct catgatctcc 780  
 cggacccttg aggtcacatg cgtgggtggtg gacgtgagcc acgaagacc tgaggtcaag 840  
 ttcaactggt acgtggacgg cgtggagggtg cataatgcca agacaaagcc gcgggaggag 900  
 cagtacaaca gcacgtaccg tgtggtcagc gtctcaccg tcctgcacca ggactggctg 960  
 aatggcaagg agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa 1020  
 accatctcca aagccaaagg gcagccccga gaaccacagg tgtacacct gccccatcc 1080  
 cgggatgagc tgaccaagaa ccaggtcagc ctgacctgcc tggtaaaagg cttctatccc 1140  
 agcgacatcg ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccacg 1200  
 cctcccgctg tggactccga cggctccttc ttctctaca gcaagctcac cgtggacaag 1260  
 agcaggtggc agcaggggaa cgtcttctca tgctccgtgc tgcattgagc tctgcactcc 1320  
 cactacacac agaagagcct ctccctgtct ccgggtaaa 1359

<210> SEQ ID NO 277  
 <211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 277

Met Ala Trp Ala Leu Leu Leu Leu Thr Leu Leu Thr Gln Gly Thr Gly  
 1 5 10 15

Ser Trp Ala

<210> SEQ ID NO 278  
 <211> LENGTH: 22

-continued

---

<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 278

Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp  
1                   5                   10                   15

Leu Arg Gly Ala Arg Cys  
                  20

<210> SEQ ID NO 279  
<211> LENGTH: 24  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 279

Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro  
1                   5                   10                   15

Asn Ala Asn Pro Asn Ala Asn Pro  
                  20

<210> SEQ ID NO 280  
<211> LENGTH: 12  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 280

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
1                   5                   10

<210> SEQ ID NO 281  
<211> LENGTH: 20  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 281

Asn Val Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala Asn Pro  
1                   5                   10                   15

Asn Val Asp Pro  
                  20

<210> SEQ ID NO 282  
<211> LENGTH: 16  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 282

Asn Pro Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala Asn Pro  
1                   5                   10                   15

<210> SEQ ID NO 283  
<211> LENGTH: 12  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence



-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 283

Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala  
 1 5 10

&lt;210&gt; SEQ ID NO 284

&lt;211&gt; LENGTH: 15

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 284

Lys Gln Pro Ala Asp Gly Asn Pro Asp Pro Asn Ala Asn Pro Asn  
 1 5 10 15

&lt;210&gt; SEQ ID NO 285

&lt;211&gt; LENGTH: 424

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 285

Met Met Arg Lys Leu Ala Ile Leu Ser Val Ser Ser Phe Leu Phe Val  
 1 5 10 15

Glu Ala Leu Phe Gln Glu Tyr Gln Cys Tyr Gly Ser Ser Ser Asn Thr  
 20 25 30

Arg Val Leu Asn Glu Leu Asn Tyr Asp Asn Ala Gly Ile Asn Leu Tyr  
 35 40 45

Asn Glu Leu Glu Met Asn Tyr Tyr Gly Lys Gln Glu Asn Trp Tyr Ser  
 50 55 60

Leu Lys Lys Asn Ser Arg Ser Leu Gly Glu Asn Asp Asp Gly Asn Asn  
 65 70 75 80

Asn Asn Gly Asp Asn Gly Arg Glu Gly Lys Asp Glu Asp Lys Arg Asp  
 85 90 95

Gly Asn Asn Glu Asp Asn Glu Lys Leu Arg Lys Pro Lys His Lys Lys  
 100 105 110

Leu Lys Gln Pro Gly Asp Gly Asn Pro Asp Pro Asn Ala Asn Pro Asn  
 115 120 125

Val Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala Asn Pro Asn  
 130 135 140

Val Asp Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 145 150 155 160

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 165 170 175

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 180 185 190

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 195 200 205

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 210 215 220

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 225 230 235 240

-continued

---

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 245 250 255

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 260 265 270

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn  
 275 280 285

Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Lys Asn Asn Gln  
 290 295 300

Gly Asn Gly Gln Gly His Asn Met Pro Asn Asp Pro Asn Arg Asn Val  
 305 310 315 320

Asp Glu Asn Ala Asn Ala Asn Asn Ala Val Lys Asn Asn Asn Asn Glu  
 325 330 335

Glu Pro Ser Asp Lys His Ile Glu Gln Tyr Leu Lys Lys Ile Gln Asn  
 340 345 350

Ser Leu Ser Thr Glu Trp Ser Pro Cys Ser Val Thr Cys Gly Asn Gly  
 355 360 365

Ile Gln Val Arg Ile Lys Pro Gly Ser Ala Asn Lys Pro Lys Asp Glu  
 370 375 380

Leu Asp Tyr Glu Asn Asp Ile Glu Lys Lys Ile Cys Lys Met Glu Lys  
 385 390 395 400

Cys Ser Ser Val Phe Asn Val Val Asn Ser Ser Ile Gly Leu Ile Met  
 405 410 415

Val Leu Ser Phe Leu Phe Leu Asn  
 420

<210> SEQ ID NO 286  
 <211> LENGTH: 236  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 286

Met Ala Trp Ala Leu Leu Leu Leu Thr Leu Leu Thr Gln Gly Thr Gly  
 1 5 10 15

Ser Trp Ala Glu Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala  
 20 25 30

Pro Gly Gln Arg Val Thr Ile Ser Cys Thr Gly Met Asn Ser Asn Ile  
 35 40 45

Gly Ala Gly Tyr Asp Val Tyr Trp Tyr Gln Gln Leu Pro Gly Arg Ala  
 50 55 60

Pro Lys Leu Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro  
 65 70 75 80

Asp Arg Phe Ser Gly Ser Arg Ser Gly Thr Ser Ala Ser Leu Ala Ile  
 85 90 95

Thr Gly Leu Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Gln Ser Tyr  
 100 105 110

Asp Thr Ser Leu Asn Gly Trp Ala Phe Gly Gly Gly Thr Lys Leu Thr  
 115 120 125

Val Leu Gly Gln Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro  
 130 135 140

Ser Ser Glu Glu Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Val  
 145 150 155 160



-continued

---

```

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
    275                280                285

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    290                295                300

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
    305                310                315                320

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
    325                330                335

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
    340                345                350

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
    355                360                365

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    370                375                380

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
    385                390                395                400

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
    405                410                415

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
    420                425                430

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
    435                440                445

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Leu His Glu Ala Leu
    450                455                460

His Ser His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    465                470                475

```

```

<210> SEQ ID NO 288
<211> LENGTH: 237
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 288

```

```

Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1          5          10          15

Leu Arg Gly Ala Arg Cys Gly Val Gln Met Thr Gln Ser Pro Ser Thr
 20          25          30

Leu Ser Ala Ser Val Gly Asp Arg Val Thr Leu Thr Cys Arg Ala Ser
 35          40          45

Gln Ser Ile Ser Ser Trp Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys
 50          55          60

Ala Pro Lys Leu Leu Ile Tyr Asp Ala Ser Ser Leu Glu Ser Gly Val
 65          70          75          80

Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr
 85          90          95

Ile Ser Ser Leu Gln Pro Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
100          105          110

Tyr Asn Ser Tyr Ser Phe Trp Thr Phe Gly Gln Gly Thr Lys Val Glu
115          120          125

Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
130          135          140

```

-continued

---

Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn  
 145 150 155 160

Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala  
 165 170 175

Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys  
 180 185 190

Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp  
 195 200 205

Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu  
 210 215 220

Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys  
 225 230 235

<210> SEQ ID NO 289  
 <211> LENGTH: 475  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 289

Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp  
 1 5 10 15

Leu Arg Gly Ala Arg Cys Gln Val Gln Leu Val Glu Ser Gly Gly Gly  
 20 25 30

Val Val Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly  
 35 40 45

Phe Ala Phe Asn Thr Tyr Gly Met His Trp Val Arg Gln Thr Pro Gly  
 50 55 60

Lys Gly Leu Glu Trp Val Ala Ile Ile Trp Tyr Asp Gly Ser Gln Lys  
 65 70 75 80

Tyr Tyr Ala Asp Ser Val Gln Gly Arg Phe Ile Ile Ser Arg Asp Asn  
 85 90 95

His Lys Asn Thr Leu Ser Leu Gln Met Asn Gly Leu Arg Ala Glu Asp  
 100 105 110

Thr Ala Val Tyr Phe Cys Val Arg Val Arg Phe Ser Val Gly Pro His  
 115 120 125

Gly Ser Ala Phe Asp Leu Trp Gly Gln Gly Thr Met Val Ile Val Ser  
 130 135 140

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser  
 145 150 155 160

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp  
 165 170 175

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr  
 180 185 190

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr  
 195 200 205

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln  
 210 215 220

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp  
 225 230 235 240

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro  
 245 250 255

-continued

---

Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro
			260					265					270		
Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr
		275					280					285			
Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn
	290					295					300				
Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg
305					310					315					320
Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val
				325					330					335	
Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser
			340					345					350		
Asn	Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys
		355					360					365			
Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp
	370					375					380				
Glu	Leu	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe
385					390					395					400
Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu
				405					410					415	
Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe
			420					425					430		
Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly
	435						440					445			
Asn	Val	Phe	Ser	Cys	Ser	Val	Leu	His	Glu	Ala	Leu	His	Ser	His	Tyr
	450					455					460				
Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys					
465					470					475					

---

What is claimed is:

1. A recombinant anti-circumsporozoite (CSP) antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein:

- a) the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 1, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 2, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 3; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 4, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 5, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 6;
- b) the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 183, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 184, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 185; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 186, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 187, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 188;
- c) the light chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ

ID NO: 205, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 206, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 207; and the heavy chain variable region comprises a CDR1 comprising the amino acid sequence set forth in SEQ ID NO: 208, a CDR2 comprising the amino acid sequence set forth in SEQ ID NO: 209, and a CDR3 comprising the amino acid sequence set forth in SEQ ID NO: 210.

2. The recombinant antibody of claim 1, wherein the light chain variable region (VL) comprises:

- a) the amino acid sequence set forth in SEQ ID NO: 23;
- b) the amino acid sequence set forth in SEQ ID NO: 33;
- c) the amino acid sequence set forth in SEQ ID NO: 43;
- d) the amino acid sequence set forth in SEQ ID NO: 53;
- e) the amino acid sequence set forth in SEQ ID NO: 63;
- f) the amino acid sequence set forth in SEQ ID NO: 73;
- g) the amino acid sequence set forth in SEQ ID NO: 83;
- h) the amino acid sequence set forth in SEQ ID NO: 93;
- i) the amino acid sequence set forth in SEQ ID NO: 103;
- j) the amino acid sequence set forth in SEQ ID NO: 113;
- k) the amino acid sequence set forth in SEQ ID NO: 123;
- l) the amino acid sequence set forth in SEQ ID NO: 133;
- m) the amino acid sequence set forth in SEQ ID NO: 143;
- n) the amino acid sequence set forth in SEQ ID NO: 153;
- o) the amino acid sequence set forth in SEQ ID NO: 163;
- p) the amino acid sequence set forth in SEQ ID NO: 173;



6. The recombinant antibody of claim 1 comprising a light chain (LC) and a heavy chain (HC), wherein the HC comprises:

- a) the amino acid sequence set forth in SEQ ID NO: 28 or SEQ ID NO: 29;
- b) the amino acid sequence set forth in SEQ ID NO: 38 or SEQ ID NO: 39;
- c) the amino acid sequence set forth in SEQ ID NO: 48 or SEQ ID NO: 49;
- d) the amino acid sequence set forth in SEQ ID NO: 58 or SEQ ID NO: 59;
- e) the amino acid sequence set forth in SEQ ID NO: 68 or SEQ ID NO: 69;
- f) the amino acid sequence set forth in SEQ ID NO: 78 or SEQ ID NO: 79;
- g) the amino acid sequence set forth in SEQ ID NO: 88 or SEQ ID NO: 89;
- h) the amino acid sequence set forth in SEQ ID NO: 98 or SEQ ID NO: 99;
- i) the amino acid sequence set forth in SEQ ID NO: 108 or SEQ ID NO: 109;
- j) the amino acid sequence set forth in SEQ ID NO: 118 or SEQ ID NO: 119;
- k) the amino acid sequence set forth in SEQ ID NO: 128 or SEQ ID NO: 129;
- l) the amino acid sequence set forth in SEQ ID NO: 138 or SEQ ID NO: 139;
- m) the amino acid sequence set forth in SEQ ID NO: 148 or SEQ ID NO: 149;
- n) the amino acid sequence set forth in SEQ ID NO: 158 or SEQ ID NO: 159;
- o) the amino acid sequence set forth in SEQ ID NO: 168 or SEQ ID NO: 169;
- p) the amino acid sequence set forth in SEQ ID NO: 178 or SEQ ID NO: 179;
- q) the amino acid sequence set forth in SEQ ID NO: 200 or SEQ ID NO: 201;
- r) the amino acid sequence set forth in SEQ ID NO: 232 or SEQ ID NO: 233;
- s) the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243;
- t) the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253;
- u) the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or
- v) the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273.

7. The recombinant antibody of claim 1 comprising a light chain (LC) and a heavy chain (HC), wherein:

- a) the LC comprises the amino acid sequence set forth in SEQ ID NO: 27, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 28 or SEQ ID NO: 29;
- b) the LC comprises the amino acid sequence set forth in SEQ ID NO: 37, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 38 or SEQ ID NO: 39;
- c) the LC comprises the amino acid sequence set forth in SEQ ID NO: 47, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 48 or SEQ ID NO: 49;

- d) the LC comprises the amino acid sequence set forth in SEQ ID NO: 57, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 58 or SEQ ID NO: 59;
- e) the LC comprises the amino acid sequence set forth in SEQ ID NO: 67, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 68 or SEQ ID NO: 69;
- f) the LC comprises the amino acid sequence set forth in SEQ ID NO: 77, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 78 or SEQ ID NO: 79;
- g) the LC comprises the amino acid sequence set forth in SEQ ID NO: 87, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 88 or SEQ ID NO: 89;
- h) the LC comprises the amino acid sequence set forth in SEQ ID NO: 97, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 98 or SEQ ID NO: 99;
- i) the LC comprises the amino acid sequence set forth in SEQ ID NO: 107, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 108 or SEQ ID NO: 109;
- j) the LC comprises the amino acid sequence set forth in SEQ ID NO: 117, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 118 or SEQ ID NO: 119;
- k) the LC comprises the amino acid sequence set forth in SEQ ID NO: 127, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 128 or SEQ ID NO: 129;
- l) the LC comprises the amino acid sequence set forth in SEQ ID NO: 137, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 138 or SEQ ID NO: 139;
- m) the LC comprises the amino acid sequence set forth in SEQ ID NO: 147, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 148 or SEQ ID NO: 149;
- n) the LC comprises the amino acid sequence set forth in SEQ ID NO: 157, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 158 or SEQ ID NO: 159;
- o) the LC comprises the amino acid sequence set forth in SEQ ID NO: 167, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 168 or SEQ ID NO: 169;
- p) the LC comprises the amino acid sequence set forth in SEQ ID NO: 177, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 178 or SEQ ID NO: 179;
- q) the LC comprises the amino acid sequence set forth in SEQ ID NO: 199, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 200 or SEQ ID NO: 201;
- r) the LC comprises the amino acid sequence set forth in SEQ ID NO: 231, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 232 or SEQ ID NO: 233;
- s) the LC comprises the amino acid sequence set forth in SEQ ID NO: 241, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 242 or SEQ ID NO: 243;



- t) the LC comprises the amino acid sequence set forth in SEQ ID NO: 251, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 252 or SEQ ID NO: 253;
- u) the LC comprises the amino acid sequence set forth in SEQ ID NO: 261, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 262 or SEQ ID NO: 263; or
- v) the LC comprises the amino acid sequence set forth in SEQ ID NO: 271, and the HC comprises the amino acid sequence set forth in SEQ ID NO: 272 or SEQ ID NO: 273.
- 8.** The recombinant antibody of claim **1**, wherein the VL comprises the amino acid sequence set forth in SEQ ID NO: 13 and at least one amino acid substitution at position 1 and/or at position 44.
- 9.** The recombinant antibody of claim **8**, wherein the amino acid substitution at position 1 is E1Q and the amino acid substitution at position 44 is R44T.
- 10.** The recombinant antibody of claim **1**, wherein the VH comprises the amino acid sequence set forth in SEQ ID NO: 14 and at least one amino acid substitution at position 21, position 23, position 88, position 98, or a combination thereof.
- 11.** The recombinant antibody of claim **10**, wherein
- a) the amino acid substitution at position 1 is E1Q;
  - b) the amino acid substitution at position 44 is R44T;
  - c) the amino acid substitution at position 21 is P21S;
  - d) the amino acid substitution at position 23 is T23A;
  - e) the amino acid substitution at position 80 is 180T; and
  - f) the amino acid substitution at position 90 is T90A.
- 12.** The recombinant antibody of claim **1**, wherein the antibody comprises a heavy chain (HC) comprising the amino acid sequence set forth in SEQ ID NO: 18 and at least one amino acid substitution at position 438 and/or or at position 444.
- 13.** The recombinant antibody of claim **12**, wherein the amino acid substitution at position 438 is M438L and the amino acid substitution at position 444 is N444S.
- 14.** The recombinant antibody of claim **1**, wherein the VH comprises the amino acid sequence set forth in SEQ ID NO: 218 and at least one amino acid substitution at position 40, position 69, position 80, position 85, position 120, or a combination thereof.
- 15.** The recombinant antibody of claim **14**, wherein
- a) the amino acid substitution at position 40 is T40A;
  - b) the amino acid substitution at position 69 is I69T;
  - c) the amino acid substitution at position 80 is 580Y;
  - d) the amino acid substitution at position 85 is G85S; and
  - e) the amino acid substitution at position 120 is 1120T.
- 16.** The recombinant antibody of claim **1**, wherein the HC comprises the amino acid sequence set forth in SEQ ID NO: 222 and at least one amino acid substitution at position 434 and/or at position 440.
- 17.** The recombinant antibody of claim **16**, wherein the amino acid substitution at position 434 is M434L and the amino acid substitution at position 440 is N440S.
- 18.** The recombinant antibody of claim **1**, wherein the antibody exhibits at
- a) least 20% reduction in parasite liver load as compared to a reference antibody;
  - b) at least 20% increase in survival rate as compared to a reference antibody;
  - c) increased conformational stability as compared to a reference antibody;
  - d) increased colloidal stability as compared to a reference antibody;
- wherein the reference antibody is selected from the group consisting of AB-000317, AB-000224, and AB-007088.
- 19.** An anti-circumsporozoite (CSP) recombinant antibody comprising a light chain variable region (VL) and a heavy chain variable region (VH), wherein
- a) the VL comprises the amino acid sequence set forth in SEQ ID NO: 63 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 64;
  - b) the VL comprises the amino acid sequence set forth in SEQ ID NO: 133 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 134;
  - c) the VL comprises the amino acid sequence set forth in SEQ ID NO: 163 and the VH comprises the amino acid sequence set forth in SEQ ID NO: 164.
- 20.** The recombinant antibody of claim **19** comprising a light chain (LC) and a heavy chain (HC), wherein
- a) the LC comprises the amino acid sequence set forth in SEQ ID NO: 67 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 69;
  - b) the LC comprises the amino acid sequence set forth in SEQ ID NO: 137 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 139; or
  - c) the LC comprises the amino acid sequence set forth in SEQ ID NO: 167 and the HC comprises the amino acid sequence set forth in SEQ ID NO: 169.
- 21.** A polynucleotide encoding the antibody of claim **1**.
- 22.** A host cell comprising the polynucleotide of claim **21**.
- 23.** A composition comprising the antibody of claim **1**.
- 24.** The composition of claim **23**, further comprising a pharmaceutically acceptable carrier.
- 25.** A method of preventing and/or treating malaria in a subject in need thereof, comprising administering an effective amount of the antibody of claim **1**.
- 26.** The method of claim **25**, wherein the subject is a pediatric patient.
- 27.** A method of treating malaria in a subject in need thereof, comprising administering an effective amount of the composition of claim **23**.
- 28.** The method of claim **27**, wherein the subject is a pediatric patient.

\* \* \* \* \*